

**PHASE I ENVIRONMENTAL SITE ASSESSMENT
COUNTY OF SAN MATEO
SKYLONDA FIRE STATION NO. 58
17290 SKYLINE BOULEVARD
WOODSIDE, CA**

Prepared For:

**MIG | TRA Environmental Sciences, Inc.
545 Middlefield Road, Suite 200
Menlo Park, CA 94025**

Prepared By:

SCA

ENVIRONMENTAL, INC.

**650 Delancey Street, #222
San Francisco, CA 94107
TEL: (415) 882-1675
FAX: (415) 962-0736**

SCA PROJECT NO.: F11578.01

MARCH 31, 2015

**PHASE I ENVIRONMENTAL SITE ASSESSMENT
COUNTY OF SAN MATEO
SKYLONDA FIRE STATION NO. 58
17290 SKYLINE BOULEVARD
WOODSIDE, CA**

PREPARED FOR:

**MIG | TRA ENVIRONMENTAL SCIENCES, INC.
545 MIDDLEFIELD ROAD, SUITE 200
MENLO PARK, CA 94025**

**MARCH 31, 2015
SCA PROJECT NO.: F11578.01**

PREPARED BY:

**SCA ENVIRONMENTAL, INC.
650 DELANCEY STREET, #222
SAN FRANCISCO, CA 94107
TEL: (415) 882-1675
FAX: (415) 962-0736**


Certifications

This Phase I Environmental Site Assessment is subject to limitations as described in Section 10.0. We declare that, to the best of our professional knowledge and believe, we meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312. We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the Target Property. We have developed and performed the all appropriate inquires in conformance with the standards and practices set forth in 40 CFR Part 312.

All work performed for this Phase I was performed under the direct supervision of the professionals listed below.



Christina Codemo, CHMM, REPA, CAC
Senior Project Manager
REPA 953197 exp 4/25/15



Karen A. Emery, P.G.
Senior Geologist
California PG: 8788 Expires 10/31/2016



PROJECT PERSONNEL

MIG | TRA Environmental Sciences, Inc.

Barbara Beard..... Director of Environmental Analysis

County of San Mateo

Theresa Yee, AIC, CPC Capital Projects Manager

SCA Environmental, Inc.

Christina M. Codemo, CHMM, REPA, CAC Senior Consultant

Karen A. Emery, P.G. Senior Geologist

Tucker Kalman, CSST, CDPH..... Environmental Scientist

TABLE OF CONTENTS

1.0 EXECUTIVE SUMMARY	1
1.1 SITE SUMMARY	1
1.2 FINDINGS	2
2.0 INTRODUCTION	3
2.1 PURPOSE	3
2.2 SCOPE OF SERVICES	3
2.3 ASSUMPTIONS	3
2.4 LIMITATIONS & EXCEPTIONS	3
2.5 SPECIAL TERMS AND CONDITIONS	3
2.6 USER RELIANCE	4
3.0 TARGET PROPERTY DESCRIPTION.....	5
3.1 TARGET PROPERTY DESCRIPTION	5
3.2 SITE FEATURES.....	5
3.3 SITE SETTING	6
3.4 ADJACENT PROPERTY USES.....	7
4.0 USER PROVIDED INFORMATION	8
4.1 TITLE RECORDS.....	8
4.2 LIENS OR USE LIMITATIONS	8
4.3 SPECIALIZED KNOWLEDGE	8
4.4 VALUATION REDUCTION.....	8
4.5 INFORMATION PROVIDED BY <i>KEY SITE MANAGER</i>	8
4.6 REASON FOR PERFORMING PHASE I	8
4.7 OTHER.....	8
5.0 RECORDS REVIEW.....	9
5.1 RECORDS SOURCES.....	9
5.2 ADDITIONAL RECORDS SOURCES	13
5.3 PHYSICAL SETTING SOURCES	13
5.4 HISTORICAL DATA	14
5.5 HISTORICAL USE INFORMATION	16
6.0 SITE RECONNAISSANCE	17
6.1 LIMITATIONS/ METHODS	17
6.2 SITE SETTING	17
6.3 OBSERVATIONS.....	17
7.0 INTERVIEWS.....	24
7.1 <i>KEY SITE MANAGER</i> INTERVIEW.....	24
7.2 REGULATORY INTERVIEWS.....	24
7.3 INTERVIEWS WITH OTHERS	26
8.0 FINDINGS	27
8.1 ASTM FINDINGS	27
8.2 OTHER FINDINGS	27

9.0 CONCLUSIONS.....30
10.0 LIMITATIONS31

FIGURES

Figure 1 Vicinity Map
Figure 2 Site Diagram

APPENDICES


Appendix A Site Photographs
Appendix B Miscellaneous Correspondence and Interviews
Appendix C Environmental Lien Search Report
Appendix D City Directory
Appendix E EDR Database Report
Appendix F Aerial Photographs

1.0 EXECUTIVE SUMMARY

1.1 SITE SUMMARY

SCA Environmental, Inc. (SCA) conducted a *Phase I Environmental Site Assessment* for the Skylonda Fire Station No. 58, located at 17290 Skyline Boulevard, Woodside, in unincorporated San Mateo County, California, Assessor's Parcel Numbers (APNs) 075-101-010 and 075-094-010 (hereafter referred to as the "Target Property", Figure 1).

The *assessment* was performed in accordance with the scope and limitations of American Society of Testing and Materials (ASTM) Practice E1527-13. Any limitations to, or deletions from, this practice are described in Section 2.4. ASTM-defined terms are italicized in this report.



The Target Property is comprised of three buildings, which include a small office building, a barracks designed for housing employees of the fire station, and an apparatus building for housing fire engines and miscellaneous equipment. The site is situated in a mixed open space, residential, and commercial neighborhood. This report pertains only to the portions of the Target Property depicted in Figure 2 (attached) and outlined in red above.

The Target Property is currently owned by the County of San Mateo (County) and leased by the State of California Department of Forestry and Fire Protection (Cal Fire). According to the County, the site has been utilized as a fire station since the mid 1930s. Aerial photos show that the site has been in the present configuration with the three buildings and driveway since at least 1953.

The County has informed SCA that they intend to redevelop the Target

Property into a new fire station.

1.2 FINDINGS

SCA has performed this Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E 1527-13 for the Target Property. Any exceptions to, or deletions from, this practice are described in Section 2.4 of this report. The assessment revealed no evidence of *recognized environmental conditions*, *controlled recognized environmental conditions*, or *historical recognized environmental conditions* in connection with the property with the exception of the following:

1. Two underground storage tanks (USTs, one 540 gallon gasoline and one 560 gallon diesel) were removed from the site in June 1997. Analyses of soil samples collected beneath the fill end of each UST identified residual concentrations of total petroleum hydrocarbons as gasoline (TPHg), benzene, toluene, xylenes, and Methyl Tertiary-Butyl Ether (MTBE) in soil, and were indicative that a release had occurred at the site. No groundwater was encountered during UST removal activities. Waste oil was also historically discharged to the ground surface at the site for an unknown duration of time. In June 1997, excavation activities were performed at the site to remove petroleum hydrocarbon impacted soil in an area measuring 12 feet wide, by 25 feet long, to depths between 2.5 and 6.5 feet bgs. Following excavation, confirmation soil samples were collected at the base of the excavation which identified residual concentrations of total petroleum hydrocarbons as diesel (TPHd), BTEX, MTBE, and total oil and grease in soil. No groundwater was encountered during the excavation activities. According to information reviewed for the preparation of this Phase I ESA, the Contractor concluded that residual concentrations in soil were below San Mateo County Environmental Health Department (SMCEHD) guidelines and recommended closure of the UST and waste oil spill area; however, no closure letter was found in a search of SMCEHD files. The documented releases associated with the UST and waste oil disposal area, the absence of an evaluation of whether historic releases have impacted groundwater beneath the site, and the absence of a closure letter from SMCEHD are considered *recognized environmental conditions*.

The following items were also noted, but are not recognized environmental conditions as defined by ASTM methodology, and may be of some significance in future redevelopment activities at the site:

1. Above ground gasoline and diesel storage tanks
2. Septic tank with associated leach field
3. PCB-containing light ballasts in fluorescent light fixtures
4. Asbestos-containing building materials
5. Lead-containing paints
6. Mercury-containing items.

Section 8 of this report contains a summary and discussion of the findings and related recommendations.

2.0 INTRODUCTION

2.1 PURPOSE

This *Phase I Environmental Site Assessment (Phase I ESA)* was performed by SCA under contract to MIG | TRA Environmental Sciences, Inc. The purpose of the Phase I ESA is to identify recognized environmental concerns associated with the past and/or present use, generation, storage, or disposal of hazardous materials and/or wastes at the Target Property, and at nearby properties judged to have a potential to affect the Target Property.

The *Phase I* was performed in accordance with the ASTM standard E1527-13 which defines good commercial and customary practice in the United States for conducting a *Phase I* of a parcel of commercial real estate with respect to the range of contaminants within the scope of Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) and petroleum hydrocarbons. As such, ASTM E 1527-13 is intended to permit a user to satisfy one of the requirements to qualify for the innocent landowner defense to CERCLA liability: that is, the practices that constitute “*all appropriate inquiry into the previous ownership and uses of the property consistent with good commercial or customary practice*” as defined in 42 USC [section] 9610(35)(B).

2.2 SCOPE OF SERVICES

The *Phase I ESA* was performed in accordance with the ASTM standard E1527-13. SCA's work included the review of reasonably ascertainable standard historical sources and a site reconnaissance.

2.3 ASSUMPTIONS

In preparing this report, SCA has assumed that all information received from interviewed parties is true and accurate. In addition, SCA has assumed that all records obtained from Others, such as regulatory databases, maps, aerial photos, etc. are accurate and complete. SCA has not independently verified the accuracy or completeness of any data received.

2.4 LIMITATIONS & EXCEPTIONS

Information regarding the Target Property and nearby properties was gathered from a site visit, historical background data, and environmental database files. Information was also obtained from Theresa Yee with the County of San Mateo, as well as from Cal Fire personnel during the site reconnaissance.

Note that ASTM E1527-13 requires that the property's use be identified at intervals of five years or less, beginning from the first developed use, or 1940, whichever is earlier. Intervals of less than five years were not available for the Target Property. SCA was unable to locate information regarding the property during the following intervals: 1902-1943, 1953-1961, 1973-1982, 1982-1991, 1991-1997. Given the site history and SCA's review of available data, the absence of documentation during these time periods is not considered a significant data gap.

2.5 SPECIAL TERMS AND CONDITIONS

The methodology used was that detailed in the ASTM document E1527-13, *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*. Site-specific details of this methodology (for

example, specific records sources used) are explained in the pertinent sections of this report.

2.6 USER
RELIANCE

SCA prepared this *Phase I* specifically for MIG | TRA Environmental Sciences, Inc. No other entity may use or rely on this report without written approval signed by a Principal of SCA Environmental, Inc. or the County of San Mateo.

3.0 TARGET PROPERTY DESCRIPTION

3.1 TARGET PROPERTY DESCRIPTION

The Target Property is located in Woodside, in unincorporated San Mateo County, California. The following table presents the address and legal description of the Target Property, as well as its use. This information was obtained from the site reconnaissance, record reviews, and interviews.

Assessor's Parcel No. (APNs) & Addresses	APNs 075-101-010 and 075-094-010 17290 Skyline Boulevard
Location	Woodside, Unincorporated San Mateo County, California
Topographic Map	Woodside 7.5-minute Quadrangle
Gross Area	Approximately 2.0-acres
Uses	Cal Fire Fire Station

3.2 SITE FEATURES

Information regarding the current site features and site utilities obtained from the site reconnaissance, records review, and interviews is included in the table on the following page. A site diagram is included in Figure 2.

<p>Building Descriptions, Site Features, Roads, etc.</p>	<p>Three buildings (Barracks, Office, and Apparatus) are present on site with associated paved parking areas.</p> <p>The Barracks Building is an approximately 900 square foot (sq.ft., footprint of structure), two story living space intended to house employees of the fire station. The first story is comprised of a gym, restroom with multiple showers, and a laundry room. The second story is comprised of a dormitory style bedroom, three single bedrooms, and a kitchen.</p> <p>The Office Building is an approximately 600 sq.ft., single story structure that is comprised of three large office rooms and a restroom.</p> <p>The Apparatus Building is an approximately 2,000 sq.ft, single story, large metal framed garage designed with four fire engine bays. Used oil, as well as new motor oil and other vehicle fluids are stored in the building. Miscellaneous equipment including oxygen tanks, fire rescue, and life support equipment are also present in this building.</p> <p>A dual-vault above ground storage tank (AST, similar to a ConVault type) and fuel dispensary is present adjacent to the northwestern side of the Apparatus Building. The dual-vault AST is comprised of a 500-gasoline and 1,000-gallon diesel tanks.</p> <p>In addition, a septic system is located onsite with a leach field. The leach field is located southwest of the Apparatus Building and has been paved over with asphalt.</p> <p>An above ground propane tank and a PG&E transformer are present between the Office and Barracks Buildings. In addition, an AT&T Communications shed and a Drafting Pit (underground reservoir of water) are present on site.</p>
---	--

Source of Potable Water	Municipal
Sewage Disposal System	Septic. A paved over leach field is present on the site
Solid Waste Disposal	Municipal
Other Improvements and Features	A large paved parking area and driveway is located on site.

3.3 SITE SETTING

The area surrounding the Target Property consists primarily of open space and rural residential, with a restaurant and gas station existing to the south. Residential properties surround the site on the north, east, and west sides along Linwood Way, Blakewood Way, and Skyline Blvd.

**3.3.1
 Geology and
 Topography**

The Target Property is located in Woodside, in unincorporated San Mateo County, with an elevation of approximately 1,484 feet above mean sea level. The overall region in which the Target Property is located is comprised of steeply sloping terrain, sloping from the northeast to the southwest.

According to the Preliminary Geologic Map of the Onshore Part of the Palo Alto 1:100,000 Quadrangle¹, the Target Property is mapped as Tertiary-aged Butano Formation (Tb or Tbu) which is comprised of light gray to buff, sandstone, massive, hard, contains some greenish gray micaceous shale and lenses of pebble-cobble conglomerate, locally fossiliferous.

The soil component at the site is Hugo, with the soil surface texture being a sandy loam. The hydrologic group for this soil is Class B, meaning it has moderate infiltration rates, and is moderately well and well drained soils with coarse texture.

**3.3.2
 Hydrology**

The nearest surface water body is a reservoir located southwest of the site, across Blakewood Way. No standing water bodies or flowing surface water was present on the Target Property at the time of SCA's site reconnaissance. A Drafting Pit (underground reservoir) is present in the central portion of the site between the Apparatus Building and the Office Building.

Based on our review of the EDR reports no known wells are located within a 1.25 mile radius of the Target Property. Additionally, no sites within a 1.0 mile radius where groundwater depth or flow was evaluated were identified on the State Water Resources Control Board's (SWRCB) GeoTracker or the Department of Toxic Substances Control's (DTSC) Envirostor websites.

The direction of groundwater flow is estimated to be towards the adjacent reservoir in a southwesterly direction, following the surface gradient in a general way. It is typical for local groundwater gradients and directions to vary substantially, due to subsurface soil and rock density, and due to offsite dewatering activities, agricultural / tidal fluctuations, aquifer recharge, etc.

¹ Brabb, E.E., 1993, Preliminary Geologic Map of the Onshore Part of the Palo Alto 1:100,000 Quadrangle, California. USGS OF-93-271, Scale 1:62500. Available at http://ngmdb.usgs.gov/Prodesc/proddesc_12664.htm

3.4 ADJACENT
PROPERTY
USES

Adjoining Direction	Name	Use
North	4 Linwood Way. Single family residential.	Residential
West	127 Blakewood Way. Single family residential. Skylonda Mutual Water Company.	Residential and Reservoir
East	Skyline Boulevard and Residential Properties	Residential
South	Alice's Restaurant and Alice's Station	Restaurant and Gas Station

4.0 USER PROVIDED INFORMATION

- | | |
|---|--|
| 4.1 <u>TITLE RECORDS</u> | Title records for the parcels were not researched as part of this Phase I. |
| 4.2 <u>LIENS OR USE LIMITATIONS</u> | SCA did not discover evidence of any existing Environmental Liens or Activity and Land Use Limitations based on the EDR Lien Search Report (Appendix C). |
| 4.3 <u>SPECIALIZED KNOWLEDGE</u> | Based on information provided to SCA, the Target Property has been utilized as a fire station since first developed. The client also indicated that ASTs and a septic tank/leach field are present on the property. The Client did not report any other specialized knowledge or experience pertaining to environmental issues at the Target Property. |
| 4.4 <u>VALUATION REDUCTION</u> | SCA is not aware of any instance where the Target Property's commercial real estate value was decreased resulting in a purchase price significantly less than that of comparable properties. |
| 4.5 <u>INFORMATION PROVIDED BY KEY SITE MANAGER</u> | Information for this Phase I Environmental Site Assessment was obtained from Theresa Yee, Capital Projects Manager with the County of San Mateo, and various Cal Fire personnel while conducting the site reconnaissance. Information obtained from these parties is incorporated by reference and documented in Appendix B |
| 4.6 <u>REASON FOR PERFORMING PHASE I</u> | The Phase I Environmental Site Assessment is being performed as part of due diligence investigations prior to redevelopment of the fire station at the site. |
| 4.7 <u>OTHER</u> | No other information has been provided to SCA at this time, other than that detailed in this report. |

5.0 RECORDS REVIEW

5.1 RECORDS SOURCES

5.1.1 *Federal Records*

The following databases were accessed from the Environmental Data Resources (EDR) report:

- United States Environmental Protection Agency (USEPA) "Superfund" National Priority List (NPL);
- USEPA Proposed NPL sites;
- USEPA Delisted NPL sites;
- USEPA NPL Recovery sites;
- USEPA Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS);
- USEPA No Further Remedial Action Planned Sites (NFRAP);
- USEPA Corrective Action Report (CORRACTS);
- USEPA Resource Conservation and Recovery Information System - Treatment, Storage, and Disposal Facilities (RCRIS -TSD);
- USEPA Resource Conservation and Recovery Information System - Large Quantity Generators and Small Quantity Generators (RCRIS LG and SG);
- USEPA Emergency Response Notification System (ERNS);
- US Department of Transportation Hazardous Information Reporting System (HMIRS);
- USEPA Engineering Controls Sites List (US ENG CONTROLS);
- USEPA Institutional Controls Sites List (US INST CONTROL);
- USEPA Department of Defense sites (DOD);
- US Army Corps of Engineers (USACE) Formerly Used Defense Sites (FUDS);
- USEPA Brownfields sites (US BROWNFIELDS);
- USEPA Superfund (CERCLA) Consent Decrees (CONSENT);
- USEPA Records Of Decision (ROD);
- Department of Energy (DOE) Uranium Mill Tailings Sites (UMTRA);
- USEPA Open Dump Inventory (ODI);
- USEPA/NTIS Toxic Chemical Release Inventory System (TRIS);
- USEPA /NTIS Toxic Substances Control Act (TSCA);
- FIFRA/TSCA Tracing System (FTTS);
- USEPA Section 7 Tracking System (SSTS);
- USEPA Integrated Compliance Information System (ICIS);
- Drug Enforcement Agency (DEA) Clandestine Drug Labs (CDL);
- Department of the Navy Land Use Control Information System (LUCIS);
- USEPA Radiation Information Database (RADINFO);
- USEPA PCB Activity Database System (PADS);
- US Nuclear Regulatory Commission Material Licensing Tracking System (MLTS);
- Mine Safety & Health Administration (MSHA) Mines Master Index File (MINES);
- USEPA Corrective Facility Index System (FINDS);
- USEPA RCRA Administrative Action Tracking System (RAATS).
- USGS Water Wells;
- Department of Health Services Drinking Water Quality Database.

5.1.2
State Records

- Historical Calsites Database (HIST CAL-SITES)
- California Department of Health Services Bond Expenditure Plan (BEP);
- School Property Evaluation Program (SCH);
- State Water Resources Control Board Toxic Pits (TOXIC PITS);
- California State Landfill Listings (STATE LANDFILL)
- State Water Resources Control Board Waste Discharge System (WDS);
- California Regional Water Quality Control Board San Francisco Bay Region (2) (WMUDS/SWAT);
- Cal/EPA/Office of Emergency Information Cortese (CORTESE);
- California Recycler Database (SWRCY)
- State Water Resources Control Board Leaking Underground Storage Tank Information System (LUST);
- Cal/EPA Facility Database Inventory (CA FID);
- North and South Bay SLIC Report (SLIC);
- State Water Resources Control Board Hazardous Substance Storage Container Database (UST);
- Historical UST Registered Database (HIST UST);
- State Water Resources Control Board Aboveground Storage Tank Facilities (AST);
- State Water Resources Control Board Statewide Environmental Evaluation and Planning System (SWEEPS UST)
- Office of Emergency Services California Hazardous Material Incident Report System (CHMIRS);
- State Water Resources Control Board Proposition 65 (NOTIFY 65);
- Deed Restriction Listing (DEED);
- Voluntary Cleanup Program Properties (VCP);
- Cal EPA Listed Drycleaners (DRYCLEANERS);
- Well Investigation Program Case List (WIP);
- Clandestine Drug Labs (CDL);
- State Response Sites (RESPONSE);
- Hazardous Waste Facility and Manifest Data (HAZNET);
- Emissions Inventory Data (EMI);
- EnviroStor Database (ENVIROSTOR).

5.1.3
 Findings from
 Regulatory Databases

The following table summarizes findings from the EDR report:

Database	Radius of Search in Miles	Site on list?	Number of Off-Site Facilities on List	Number of Off-Site facilities Which Are at a equal or higher elevation
USEPA NPL	1.000	No	0	0
USEPA PROPOSED NPL	1.000	No	0	0
USEPA DELISTED NPL	1.000	No	0	0
USEPA NPL LIENS	0.001	No	0	0
USEPA CERCLIS	0.500	No	0	0
USEPA CERCLIS-NFRAP	0.500	No	0	0
USEPA CORRACTS	1.000	No	0	0
USEPA RCRA TSDF	0.500	No	0	0
USEPA RCRIS-LQG	0.250	No	0	0
USEPA RCRIS-SQG	0.250	No	0	0
USEPA RCRIS-NonGen	0.250	No	0	0
USEPA ERNS	0.125	No	0	0
USEPA HMIRS	0.125	No	0	0
USEPA US ENG CONTROLS	0.500	No	0	0
USEPA INST CONTROL	0.500	No	0	0
USACE FUDS	1.000	No	0	0
US BROWNFIELDS	0.500	No	0	0
USEPA CONSENT	1.125	No	0	0
USEPA ROD	1.125	No	0	0
DOE UMTRA	0.500	No	0	0
USEPA TRIS	0.125	No	0	0
USEPA TSCA	0.125	No	0	0
USEPA FINDS	0.125	Yes	0	0
USEPA RAATS	0.125	No	0	0
STATE HIST CAL-SITES	1.000	No	0	0
STATE BEP	1.125	No	0	0
STATE SCH	0.250	No	0	0
STATE TOXIC PITS	1.000	No	0	0
STATE SWF/LF	0.500	No	0	0
STATE WMUDS/SWAT	0.500	No	0	0
STATE CORTESE	0.500	No	0	0
STATE HIST CORTESE	0.500	No	2	0
STATE SWRCY	0.625	No	0	0
STATE LUST	0.500	No	3	0
STATE FID UST	0.250	No	0	0
STATE SLIC	0.500	No	0	0
STATE UST	0.250	No	1	0
STATE HIST UST	0.250	Yes	0	0
STATE AST	0.250	Yes	0	0
STATE SWEEPS UST	0.250	Yes	2	0
STATE CHMIRS	0.001	No	0	0
STATE NOTIFY 65	1.125	No	0	0
STATE DEED	0.500	No	0	0
STATE VCP	0.500	No	0	0
STATE DRYCLEANERS	0.250	No	0	0
STATE HAZNET	0.001	Yes	0	0
STATE EMI	0.001	Yes	0	0
STATE RESPONSE	1.000	No	0	0
STATE ENVIROSTOR	1.000	No	0	0
STATE INDIAN VCP	0.500	No	0	0
STATE INDIAN UST	0.250	No	0	0
STATE INDIAN LUST	0.500	No	0	0
SAN MATEO COUNTY BI	0.250	Yes	3	0
US CDL	0.001	Yes	0	0

The Target Property is listed in the following databases researched by EDR: HIST UST, SWEEPS UST, San Mateo County BI, EMI, HAZNET, CDL.

- The HIST UST database was created and managed by the SWRQB until 1981 and includes a listing of sites with registered USTs. The Target Property is listed on the HIST UST database as having two (2) tanks (1,000-gallon gasoline product and a 500-gallon diesel UST) at the property. No violations reported.
- The SWEEPS UST (Statewide Environmental Evaluation and Planning System) database was updated and maintained by a company contacted by the SWRCB in the early 1990s. The listing is no longer updated or maintained. The Target Property is listed in this database as having one (1) 550-gallon regular unleaded UST at the property with active dates of 1991 and 1994. An additional SWEEPS UST is listed for the site which identifies one (1) 550-gallon diesel UST onsite with active dates of 1991 and 1994. No violations reported.
- The Target Property is listed in the EMI database for the years 2007 through 2012. The EMI database is maintains files related to complaints, permits, emissions, and violations that may impact air quality. No violations were reported for those years.
- The San Mateo Co. BI database is created and managed by San Mateo County and identifies a site that (1) requires a Hazardous Materials Business Plan be filed with the County; (2) listed as a Hazardous Waste Generator by the County; and/or (3) identified by the County as having USTs at the facility. The Target Property is listed in this database as having above ground and underground storage tanks, a generator and recycler for waste oil and solvents, storing motor vehicle fuels and waste oil, and for storing <5,000 gallons in their tanks.
- The HAZNET database is extracted data from the copies of hazardous waste manifests received each year by the DTSC. The Target Property is listed for the years 1997, 1998, and 2003. The site is listed as having hazardous waste manifests completed for other empty containers of 30 gallons or more, unspecified organic liquid mixture, other organic solids, and waste oil and mixed oil. No violations reported.
- CDL is a listing of drug lab locations. Listing of a location in this database does not indicate that any illegal lab materials were or were not present there, and does not constitute a determination that the location requires or does not require additional cleanup work. The creek bed behind the Target Property is listed as having Abandoned Drug Lab Waste (A), meaning the location is away from an actual illegal drug lab where drug lab waste and /or equipment were abandoned.
- The AST database is a list of above ground storage tank petroleum storage and tank locations. The Target Property is listed as having a total of 1,320 gallons in their above ground storage tanks. No violations reported.
- The FINDS database contains both facility information and pointers to other sources that contain more detail. The Target Property is listed on the criteria and hazardous air pollutant inventory. No violations reported.

SCA researched sites within 0.35 mile of the Target Property with documented leaking underground storage tanks, releases, and documented subsurface contamination. SCA found no active sites within a 0.35-mile radius with reported contamination.

SCA researched sites within 0.35 mile of the Target Property with documented leaking underground storage tanks, releases, and documented subsurface contamination. Various properties within a 0.35-mile radius of the Target Property are noted on databases including the LUST, UST, HIST UST, SWEEPS UST, HIST CORTESE and San Mateo Co. BI. For these facilities, the facility status was listed as closed through the San Mateo County Environmental Health Department; or no information regarding the presence of subsurface contamination was provided. Additionally, all other facilities identified within a 0.35 mile of the Target Property are situated at a lower elevation (downgradient). Impacts to the Target Property from these facilities are considered minimal. Based on the information provided in the EDR report, the potential for recognized environmental conditions at the Target Property from off-site sources is minimal.

5.1.4
*Unmapped Sites in the
EDR Report*

One site was listed as not mapped due to inadequate address information. SCA was unable to locate this site to determine if it is located within 0.35-mile of the Target Property. The facility was listed on Skyline Boulevard in Woodside, California. The facility appears in the LUST database with the status listed as closed on 9/11/2001. The contaminant of concern is listed as gasoline impacts to soil. Based on the information reviewed in the EDR report, impacts to the Target Property from this unmapped site are considered minimal.

5.1.5
*Other Sites within a
0.25 mile radius*

SCA conducted a visual inspection of neighboring properties within a 0.35-mile radius for landfill sites, gas stations, waste incinerators, hazardous waste disposal sites, etc. and visual evidence of possible contamination. Property within a 0.35-mile radius of the Target Property is primarily Open Space and residential. One gas station, located at Alice's Restaurant, 17288 Skyline Boulevard, is located immediately southeast and downgradient of the site. Since this site is immediately downgradient of the Target Property, impacts to the Target Property from this facility are considered minimal.

No other facilities were noted that would have a likelihood to use, treat, or store hazardous chemicals.

5.2 ADDITIONAL
RECORDS
SOURCES

No additional records sources, besides those listed in Sections 5.3, 5.4, and 7.0, were used.

5.3 PHYSICAL
SETTING
SOURCES

The following records sources were used in preparing this report:

- United States Geological Survey (USGS), Woodside, CA/7.5-Minute Quadrangle.

- EDR Reports located in Appendices C through F.
- Regulatory reviews as listed in Section 7.
- Summary Report of Hazardous Building Materials, Skylonda Fire Station No. 58, Woodside, CA, prepared by SCA Environmental, Inc., dated March 13, 2015.

5.4 HISTORICAL DATA

The following sources were researched for site and adjacent property history information. See the Appendices of this report for these historical sources.

- Topographic Maps – 1902-1997.
- City Directory –1970-2013.
- Aerial photographs – 1943-2012.

No Sanborn Map coverage was available for the Target Property.

5.4.1 *Historical Findings*

The earliest data that SCA has obtained for the site is a 1902 Topographic Map that shows the overall Target Property as undeveloped. A 1948 Aerial Photograph shows two structures, likely the Apparatus Building and Barracks Building, existing in their current configuration in the northern and southern ends of the property. A 1953 Aerial Photograph clearly shows the office building existing in its current configuration between the two other structures. A 1982 aerial photograph shows that the driveway to the property as paved, reflecting the current state of the Target Property. Use of the Target Property remains unchanged throughout the rest of the Topographic Maps and Aerial Photographs reviewed.

The historical data obtained from aerial photographs, city directories, and topographic maps for the Target Property and immediately surrounding properties is summarized in the following table.

Date	Document	Notes
1902	Topo Map	Shows the overall area of the Target Property.
1943	Aerial Photo	Shows the Target Property as undeveloped. Skyline Blvd and La Honda Road appear to intersect at the Target Property, but are both unpaved. Land use in the vicinity of the Target Property is primarily open space. The reservoir is located south of the Target Property in its present day location.
1948	Topo Map	Shows the overall area of the Target Property. No structures are mapped at the site. Skyline Blvd and La Honda Road are depicted, but not labeled.
1948	Aerial Photo	Shows the Target Property as occupied by at least 2 structures, appearing to be the Apparatus and Barracks Buildings at their present day locations. A clearing exists in place of the present day asphalt paved area in front of the Apparatus Building. Commercial structures are observed east of the site in the present day location of the Mountain Terrace. Land use in the vicinity of the site remains primarily open space.
1953	Topo Map	Shows the overall area of the Target Property as developed with up to four buildings.
1953	Aerial Photo	Shows the Target Property as currently developed with three structures. No significant change to the land use in the vicinity of the site.
1961	Topo Map	Shows the Target Property and vicinity as currently developed.
1961	Topo Map	Shows the Target Property and vicinity as currently developed.

1963	Aerial Photo	Shows the Target Property as currently developed. No significant change to the land use in the vicinity of the site with the exception of the addition of surrounding residential structures. Structure associated with Alice's Restaurant is observed.
1968	Topo Map	Shows the Target Property and vicinity as currently developed.
1968	Aerial Photo	Shows the Target Property and vicinity as currently developed. No significant changes noted.
1973	Topo Map	Shows the Target Property and vicinity as currently developed.
1982	Aerial Photo	Shows the Target Property as currently developed. The driveway appears to be paved and the businesses to the southeast have expanded.
1991	Topo Map	Shows the Target Property and vicinity as currently developed.
1991	Aerial Photo	Shows the Target Property and vicinity as currently developed. No significant changes noted.
1997	Topo Map	Shows the Target Property and vicinity as currently developed.
1998	Aerial Photo	Shows the Target Property and vicinity as currently developed. No significant changes noted.
1999	City Directory	Lists the Target Property as Department of Forestry and Fire Protection (17290 Skyline Blvd)
2003	City Directory	Lists the Target Property as California State Office Forest and Fire Protection (17290 Skyline Blvd)
2005	Aerial Photo	Shows the Target Property and vicinity as currently developed. No significant changes noted.
2006	Aerial Photo	Shows the Target Property and vicinity as currently developed. No significant changes noted.
2008	City Directory	Lists the Target Property as Forestry Fire Protection CA Dept (17290 Skyline Blvd)
2009	Aerial Photo	Shows the Target Property and vicinity as currently developed. No significant changes noted.
2010	Aerial Photo	Shows the Target Property and vicinity as currently developed. No significant changes noted.
2012	Aerial Photo	Shows the Target Property and vicinity as currently developed. No significant changes noted.
2013	City Directory	Lists the Target Property as State of California (17290 Skyline Blvd)

Feb 2015	Site Visit	<p>Three buildings (Barracks, Office, and Apparatus) are present on site with associated paved parking areas.</p> <p>The Barracks Building is an approximately 900 square foot (sq.ft.), two story living space intended to house employees of the fire station. The first story is comprised of a gym, restroom with multiple showers, and a laundry room. The second story is comprised of a dormitory style bedroom, three single bedrooms, and a kitchen.</p> <p>The Office Building is an approximately 600 sq.ft., single story structure that is comprised of three large office rooms and a restroom.</p> <p>The Apparatus Building is an approximately 2,000 sq.ft, single story, large metal framed garage designed to house four fire engines. Used oil, as well as new motor oil and other vehicle fluids are stored in the building. Miscellaneous equipment including oxygen tanks, fire rescue, and life support equipment are also present in this building.</p> <p>A dual-vault above ground storage tank (AST, similar to a ConVault type) and fuel dispensary is present adjacent to the northwestern side of the Apparatus Building. The dual-vault AST is comprised of a 500-gasoline and 1,000-gallon diesel tanks.</p> <p>In addition, a septic system is located onsite with a leach field. The leach field is located southwest of the Apparatus Building and has been paved over with asphalt.</p> <p>An above ground propane tank and a PG&E transformer are present between the Office and Barracks Buildings. In addition, an AT&T Communications shed and a Drafting Pit (underground reservoir of water) are present on site.</p>
----------	------------	--

Based on our review of this and other available information, the Target Property was open space until the fire station was constructed in the mid 1940s.

**5.5 HISTORICAL
 USE
 INFORMATION**

Historically, sites in the immediate area have been open space and residential, with a gas station and restaurant existing to the southeast. SCA observed a gas station (Alice's Station) southeast of the property. This gas station has underground diesel and gasoline storage tanks. Information reviewed on the SWRCB's GeoTracker website indicates that several USTs and ASTs were removed from this facility in the mid 1980s and early 1990s. Gasoline and diesel fuel releases occurred at this facility around this time due to historic fueling activities (tank gauging stick penetrated 2,000 gallon gasoline UST, releases at fuel dispenser, open valve on diesel AST). Following removal of the various tanks and product piping, up to 2,000 cubic yards of impacted soil was excavated from the site in 1992. According to GeoTracker, groundwater monitoring activities in September 2000 reported up to 150 µg/L of TPHg and TPHd, 1.5 µg/L of xylenes, and 22 µg/L of MTBE, just slightly above respective California Department of Public Health Maximum Contaminant Levels (MCLs), but well under RWQCB's Environmental Screening Levels for the evaluation of a potential vapor intrusion concern. Based on the results of groundwater monitoring and soil sampling activities completed at the site, this facility was granted regulatory closure from SMCEHD in June 2011. Since this site is immediately downgradient of the Target Property, impacts to the Target Property from this facility are considered minimal.

6.0 SITE RECONNAISSANCE

6.1 LIMITATIONS/ METHODS

The site visit was completed by SCA staff, Karen Emery, P.G., on February 10, 2015. Ground level photographs taken during the site reconnaissance are presented in Appendix A.

SCA inspected all buildings on site.

6.2 SITE SETTING

The area surrounding the Target Property consists primarily of open space and residential, with the exception of the adjacent municipal reservoir, restaurant, and gas station.

6.3 OBSERVATIONS

All observations of site conditions including any identified or non-identified substances have been listed below in accordance with ASTM Practice E-1527-13.

6.3.1 *Hazardous Substances from Identified Property Uses*

Various chemicals including antifreeze, lubricating oil, automobile coolant, gear oil, propane, gasoline, paint thinner, motor oil, miscellaneous paints, and compressed carbon dioxide were observed in the apparatus building. Miscellaneous cleaning products were also observed in the apparatus building and barracks. All chemicals were observed inside of intact containers on shelves or the concrete floor.

No stains or leaks were noted around the containers, and all containers were labeled and noted to be in relatively good condition at the time of the site reconnaissance, although minor oil leaks were observed on the concrete floors underneath the fire engines.

6.3.2 *Hazardous Substance and Unidentified Containers*

No unidentified substances or containers were noted at the Target Property during the site reconnaissance.

6.3.3 *Storage Tanks*

A dual-vault AST, (similar to a ConVault type) and fuel dispensary is present adjacent to the northwestern side of the Apparatus Building. The dual-vault AST is comprised of a 500-gasoline and 1,000-gallon diesel tanks. The ASTs are situated on top of a concrete pad, however, no secondary containment was observed around the AST. No spills or stains were observed.

In addition, two USTs (one 540 gallon gasoline UST and one 560 gallon diesel UST) were removed from the site in June 1997. Analyses of soil samples collected beneath the fill end of each UST were indicative that a release had occurred at the site. Refer to Section 7.2.3 for additional information.

(See "ASTM Findings" in Section 8.1)

6.3.4
*Polychlorinated
Biphenyls (PCBs)*

PCBs are regulated under Federal and State law. Byproducts of PCB combustion are known carcinogens and respiratory hazards. Consequently, specific handling and disposal of PCB-containing products is required. PCBs are most commonly found in lighting ballasts, wet transformers, and in electrical equipment, which uses dielectric fluids. PCBs are also occasionally found as a contaminant in hydraulic fluids.

PCB-containing light ballasts were present at the Target Property. SCA also noted one (1) transformer at the property. This transformer is owned by PG&E. The unit was functioning at the time of the investigation. No visual evidence of staining was noted during the investigation. As the unit is owned by PG&E, disposal of the PCB-containing fluids, if present, would be the responsibility of PG&E.

In their current state, the ballasts are not an environmental concern. However, prior to their removal, PCB-content should be determined by consulting with the ballast suppliers. SCA was able to inspect some of the ballasts in the office building, but did not have access to all ballasts on the property. If information regarding the PCB content is unavailable, the ballasts should be treated as PCB-containing during removal and disposed of in accordance with federal, state, and local regulations.

No other electrical transformers, hydraulic equipment, or other PCB-containing equipment was observed on the Target Property.

(See "PCBs" in Section 8.2)

6.3.5
Solid Waste Disposal

Solid waste disposal is handled by outside parties. Solid waste was noted in garbage collection areas outside of the barracks building in the southern portion of the property.

6.3.6
*Physical Setting Analysis
(re: on-site or off-site
migration of hazardous
substances)*

Based on our site reconnaissance and the findings listed in Section 5.1.3, it is SCA's opinion that adjacent properties have not impacted the soil, soil-vapor, or groundwater conditions at the Target Property.

Regarding the potential for on-site migration of hazardous substances, a 1,000 gallon diesel and a 500 gallon gasoline AST are located on the property. In addition, two USTs (one 540 gallon gasoline UST and one 560 gallon diesel UST) were removed from the site in June 1997. Analyses of soil samples collected beneath the fill end of each UST were indicative that a release had occurred at the site. No groundwater was encountered during UST removal activities. Waste oil was also historically discharged to the ground surface at the site for an unknown duration of time. In June 1997, excavation activities were performed at the site to remove petroleum hydrocarbon impacted soil in an area measuring 12 feet wide, by 25 feet long, to depths between 2.5 and 6.5 feet bgs. Following excavation, confirmation soil samples were collected at the base of the excavation which identified residual concentrations of TPHd, BTEX, MTBE, and total oil and

grease in soil. No groundwater was encountered during the excavation activities.

According to information reviewed for the preparation of this Phase I ESA, the Contractor concluded that residual concentrations in soil were below SMCEHD guidelines and recommended closure of the UST and waste oil spill area, however, no closure letter was found in a search of SMCEHD files. The documented releases associated with the UST and waste oil discharge area has the potential for on-site migration of hazardous substances. Refer to Section 7.2.3 for additional information.

No other factors observed at the Target Property were relevant to on-site or off-site migration.

(See "ASTM Findings" in Section 8.1)

6.3.7
Odors

No odors of an unknown nature were noted by SCA at the time of the site investigation.

6.3.8
Pits, Ponds, Lagoons, or Pools of Liquid

No pits, ponds, lagoons or pools of liquid were noted during SCA's site visit.

6.3.9
Stained or Corroded Concrete, Floors, etc.

SCA observed hydrocarbon staining on the concrete inside of the Apparatus Building. These appeared to be oil stains from the fire engines and/or vehicles parked inside of the garage. These conditions were limited, did not appear to impact surface soil, and are considered to be *de minimus*.

6.3.10
Stressed Vegetation

No stressed vegetation indicative of possible contamination was noted at the Target Property during the site reconnaissance.

6.3.11
Wastewater and Stormwater Disposal

Stormwater follows the topographic gradient of the site. SCA did not note any storm drains on the site.

6.3.12
Wells and Septic System

No wells were identified during SCA's site visit. However, a drafting pit (underground reservoir of water) is located onsite.

SCA identified the presence of an existing septic tank west of the Barracks Building. In addition to this septic tank, a paved over leach field exists in the northern portion of the property, west of the Apparatus Building. This leach field exists within 200 feet of the reservoir located southwest, and adjacent to the Target Property. Two manholes labeled "Sanitary Sewer" were located east of the septic system. Three manholes labeled "Sewer" were located on the southern side of the leach field, while three manholes labeled "Cleanout" and two more labeled "Sewer" were located on the northern end of the leach field.

(See “Septic System” in Section 8.2)

6.3.13
Drains and Sumps

SCA noted drains in the 1st floor of the Apparatus Building, showers/bathrooms in each of the buildings, and the main kitchen area during the site visit.

6.3.14
Asbestos-Containing Materials

Asbestos-containing materials (ACM) are those materials identified as containing >1.0% asbestos. Trace ACM are those materials identified as containing <1.0% but greater than 0.1% asbestos. These materials may exist as construction debris (in which case they fall under CERCLA regulatory requirements), as materials in intact buildings (in which case they fall under TSCA and NESHAPS requirements) or as geological deposits (in which case they are typically regulated by local air pollution control district standards).

Concurrent with this Phase I ESA, SCA conducted a Hazardous Building Materials Survey of the Barracks and Office buildings slated for demolition as part of the new fire station construction. Sampling for asbestos was conducted on February 9-10, 2015 by Tucker Kalman, CSST (#13-5157), CDPH with SCA under the supervision of Christina Codemo, CAC, CHMM, REPA and Chuck Siu, CIH, CDPH. The following asbestos-containing materials were identified:

Barracks Building

- Wall and ceiling drywall with joint compounds (1-5% Chrysotile [CH] asbestos in joint compound)
- 12"x12" off white vinyl flooring tiles and black mastic (1-5% CH in mastic)
- Black roof penetration mastic (5-10% CH)
- Mastic associated with formica countertops (Assumed asbestos-containing)
- Mastic behind wood wall paneling (Assumed asbestos-containing)
- Mastic behind ceiling wood paneling (Assumed asbestos-containing)
- Waterproofing paper assumed behind exterior wood siding (Assumed asbestos-containing)
- Mastic behind plastic wall paneling (Assumed asbestos-containing)
- Vapor barrier assumed present on exterior of building at hillside (Assumed asbestos-containing)

Office Building

- Wall and ceiling drywall with joint compounds (1-5% CH in joint compound)
- Black roofing penetration mastic (5-10% CH)
- Black/Grey roof penetration mastic (5-10% CH)
- Mastic behind wood wall paneling (Assumed asbestos-containing)
- Mastic behind plastic wall paneling (Assumed asbestos-containing)
- Waterproofing paper assumed behind exterior wood siding (Assumed asbestos-containing)

Refer to the complete report for information regarding the quantities and locations of identified materials as well as a list of non asbestos-containing materials found in the buildings. As the survey was non-destructive and the buildings were in use, destructive sampling was not performed. Additional materials may be present behind wall cavities, above ceilings, etc. Destructive sampling should be performed prior to demolition to verify asbestos content in assumed materials.

(See “Asbestos-Containing Materials” in Section 8.2)

6.3.15
*Lead-Containing
Materials*

Lead is a suspect carcinogen and known teratogen, and neurotoxic in high doses, therefore lead-containing materials need to be identified prior to the onset of construction activities. Deteriorated or child-accessible lead-based paints (LBP) and lead-contaminated dust may be of particular concern in residential settings, even where no construction activities are planned.

LBP is defined differently by different agencies. The Consumer Product Safety Commission (CPSC) prohibits the use of more than 90 parts per million (ppm) of lead in new paint for residential use. HUD uses a cutoff of 0.5% lead by weight or 1.0 milligram/ square centimeter (mg/cm²). Lead paint waste disposal is regulated by California EPA, and uses a definition of 1000 ppm total lead by weight and 5 ppm of soluble lead (although intact LBP on a solid substrate is generally not regulated as a hazardous waste). Federal and California OSHA use a standard based upon airborne exposure to workers disturbing the painted surface, providing that, airborne lead should not exceed a permissible exposure limit of 50 micrograms per cubic meter.

Concurrent with this Phase I ESA, SCA conducted a Hazardous Building Materials Survey of the Barracks and Office buildings slated for demolition as part of the new fire station construction. Representative samples for lead were collected Tucker Kalman, CSST (#13-5157), CDPH.. Sampled materials included lead paints and coatings on the interior and exterior of the buildings. Paints in the building were generally noted to be in fair to good condition at the time of the survey; however, various areas of loose and peeling paints were noted on the exterior areas. Results ranged from less than <0.05 mg/kg to 1100 mg/kg.

SCA only sampled a limited number of painted surfaces. All painted surfaces should be considered as lead containing or sampled before any demolition activities.

Refer to the complete report for information regarding the lead content of various materials.

(See “Lead-Based Paints” in Section 8.2)

6.3.16
Lead in Water

Lead in drinking water is limited to a 15 parts per billion (ppb) standard under USEPA regulations. The potential sources of lead, and their

applicability to the Target Property, are summarized in the following table:

Potential Source of Lead In Water	Applicability to Target Property	Follow-up Action
Older piping systems with "silver solder" connections.	Although not observed during the reconnaissance, may be present onsite.	Pre- and post-flush testing required to determine lead content. Given the building is slated for demolition and replacement, no further action is recommended at this time.
Specific brands of drinking fountain with lead-lined holding tanks.	Not applicable – no drinking fountains of these specific brands observed.	None
Water provided by local municipality	Not applicable	None

6.3.17
Mercury Lamps and Control Systems

Elemental mercury is a neurotoxin and bio-accumulative environmental hazard, which is relatively common in building electrical and control systems. Various mercury-containing fluorescent tubes were identified throughout the building.

(See "Mercury-Containing Lamps" in Section 8.2)

6.3.18
Urea Formaldehyde Foam Insulation

No urea-formaldehyde foam insulation was observed during SCA's site visit.

6.3.19
Fiberglass Building Systems

Fiberglass insulation was identified on HVAC ducts in the barracks during the building materials survey.

6.3.20
Chlorofluorocarbons (CFCs)

CFC compounds occur commonly in building cooling systems, refrigeration equipment, and fire suppression systems. CFCs are regulated under an EPA phase-out program designed to reduce use of ozone-depleting chemicals.

Materials, which potentially contain CFCs, include refrigerators noted in the main kitchen. The units were in good condition and are not considered an environmental concern at this time.

6.3.21
Radon

No specific information is available concerning radon levels at the Target Property. However, the Federal EPA Radon Zone for San Mateo County is listed in the EDR Report as "2". The zone is defined by radon testing of the basement, first and second floors for various sites in San Mateo County. The zone indicates that the average indoor level of radon is greater than 2 but less than 4 picocuries per liter (pCi/l). This average is below the US EPA's recommended action level of 4 pCi/l.

Based on these survey results SCA does not anticipate radon exposures to exceed the US EPA recommended action level of 4 pCi/l.

6.3.22
Electromagnetic Fields

The Target Property does not appear to be in a particularly high-risk location for electromagnetic field (EMF) or extremely low frequency (ELF) exposure. High voltage lines do not traverse the property. No transformers, step-down stations, microwave transmitters, or other typical sources of EMF/ELF were visible on the property or surrounding properties.

6.3.23
Mold

No mold growth was noted during the site reconnaissance.

6.3.24
Other Environmental Issues

SCA noted no other environmental issues.

7.0 INTERVIEWS

7.1 KEY SITE MANAGER INTERVIEW

Information for this Phase I Environmental Site Assessment was obtained from Theresa Yee, Capital Projects Manager with the County of San Mateo, and various Cal Fire personnel while conducting the site reconnaissance. Information obtained from these parties is incorporated by reference.

7.2 REGULATORY INTERVIEWS

SCA requested files for the Target Property using all of the address presently and historically associated with the site. Files were requested from representatives of the following regulatory agencies, and memoranda documenting these requests are located in Appendix B of this report.

7.2.1 *California Regional Water Quality Control Board – San Francisco Bay Region*

This agency maintains files related to leaks, spills and groundwater contamination. According to Melinda Wong at the Board, the agency has no records on file related to the Target Property.

SCA also checked the GeoTracker website that includes case file summaries for Water Board case files from approximately 1988. There were no records on file for the Target Property.

7.2.2 *Bay Area Air Quality Management District*

This agency maintains files that include sites with air quality violations, permits, etc. SCA researched all addresses associated with the Target Property on the District's on-line database. The agency had no files related to the Target Property.

7.2.3 *San Mateo County Environmental Health Department*

This agency maintains files including sites undergoing remediation, underground storage tank removal and installation, hazardous materials management plans, permits, inventories, and notices of violations. Various records were identified for the Target Property including Certified Unified Program Agency Permits; permits to repair the onsite septic system, Hazardous Materials Business Plan (HMBP); HMBP Inspections Reports/Hazardous Waste Generator Inspection Report; Water Pollution Prevention Program Inspection Forms; Medical and Dental Waste Facility Inspection Forms; and Small Quantity Generator Off-site Treatment and Limited Medical Waste Hauler Exemption permits. SCA notes the following:

- Permit for aboveground storage tanks
- Permit to store motor vehicle fuels or waste (current)
- Permit to generate and recycle waste oil and solvent (current)
- Hazardous Waste Generator Inspection Report dated 5/14/93 that indicated waste oil had been periodically disposed to ground surface for an unknown amount of time.
- Complaint dated April 1994 indicated a failing septic system with effluent surfacing within 200 feet of the reservoir (effluent observed on ground surface, approximately 60 feet from the reservoir).
- Complaints dated August 1994 indicating that a septic system is being illegally installed.

- County inspection records dated 8/10/94 indicating the observance of the installation of a 1,500 gallon septic tank.
- Notice of Violation from the RWQCB, dated 9/5/00. The notice requests (1) A listing of all ASTs at the facility, including location, capacity, contents, and tank ages; (2) confirmation of submittal of Storage Statements and fees for all ASTs; (3) Submittal of a Spill Prevention Control and Countermeasure Plan.
- UST Removal and Soil Excavation Report, prepared by Atlas Engineering Services, Inc. (AES), dated December 8, 1997. Two USTs (one 540 gallon gasoline UST and one 560 gallon diesel UST) were removed from the site in June 1997. Soil samples were collected beneath the fill end of each UST at depths between 7.5 and 8 feet bgs. Below the diesel UST, analyses only detected 0.01 mg/kg of toluene. Below the gasoline UST, analyses detected 0.65 mg/kg of TPHg, 0.19 mg/kg of benzene, 0.02 mg/kg of xylenes, 6.5 mg/kg of MTBE, and 15 mg/kg of total lead. AES indicated that results were all below SMCEHD guidelines. No groundwater was encountered during UST removal activities.

In June 1997, AES excavated an area measuring 12 feet wide, by 25 feet long, to depths between 2.5 and 6.5 feet bgs in the area where waste oil was historically discharged to the ground surface. Initial sample results identified areas that required additional excavation. Following completion of additional excavation, additional analyses reported up to 110 mg/kg of TPHd, up to 1.0 mg/kg of MTBE, up to 0.009 mg/kg of benzene, 0.015 mg/kg of toluene, 0.013 mg/kg of ethylbenzene, 0.048 mg/kg of xylenes, and 360 mg/kg of total oil and grease. No groundwater was encountered during the excavation activities.

AES concluded that residual concentrations in soil were below SMCEHD guidelines and recommended closure of the UST and waste oil spill area by SMCEHD. (*Note: no closure letter was found in a search of SMCEHD files.*)

The documented releases associated with the UST and waste oil disposal area, the absence of an evaluation of whether historic releases have impacted groundwater beneath the site, and the absence of a closure letter from SMCEHD are considered *recognized environmental conditions*. A copy of all documents obtained from SMCEHD is included in Appendix B.

(See “ASTM Findings” in Section 8.1)

7.2.4
Permits, Licenses, and
Registrations, etc.

No other registrations, environmentally related permits or licenses are existent or required for the Target Property under its current use.

7.2.5
California Department
of Conservation,
Division of Oil, Gas

No oil, gas, or geothermal wells are located within 1,500-feet of the Target Property.

*and Geothermal
Resources.*

7.3 INTERVIEWS
WITH OTHERS

The findings of SCA have not warranted any further interviews to be conducted at this time.

8.0 FINDINGS

8.1 ASTM FINDINGS

The assessment revealed no evidence of recognized environmental conditions controlled recognized environmental conditions, or historical recognized environmental conditions in connection with the property with the exception of the following:

1. Two USTs (one 540 gallon gasoline UST and one 560 gallon diesel UST) were removed from the site in June 1997. Analyses of soil samples collected beneath the fill end of each UST identified residual concentrations of TPHg, benzene, toluene, xylenes, and MTBE in soil, and were indicative that a release had occurred at the site. No groundwater was encountered during UST removal activities. Waste oil was also historically discharged to the ground surface at the site for an unknown duration of time. In June 1997, excavation activities were performed at the site to remove petroleum hydrocarbon impacted soil in an area measuring 12 feet wide, by 25 feet long, to depths between 2.5 and 6.5 feet bgs. Following excavation, confirmation soil samples were collected at the base of the excavation which identified residual concentrations of TPHd, BTEX, MTBE, and total oil and grease in soil. No groundwater was encountered during the excavation activities. According to information reviewed for the preparation of this Phase I ESA, the Contractor concluded that residual concentrations in soil were below SMCEHD guidelines and recommended closure of the UST and waste oil spill area, however, no closure letter was found in a search of SMCEHD files. The documented releases associated with the UST and waste oil disposal area, the absence of an evaluation of whether historic releases have impacted groundwater beneath the site, and the absence of a closure letter from SMCEHD are considered *recognized environmental conditions*.

Recommendation: SCA recommends the completion of a Phase II site investigation to evaluate soil that may be encountered during redevelopment activities at the site as well as to evaluate groundwater conditions due to known releases at this facility. This investigation should be completed prior to the start of redevelopment activities at the site.

8.2 OTHER FINDINGS

The following items were noted, but are not *recognized environmental conditions* as defined by ASTM methodology. Although not recognized by ASTM, these items may be of some significance in future site operations.

8.2.1 PCBs

Possible PCB-containing light ballasts were present at the Target Property and must be verified as non-PCB before demolition. SCA also noted one (1) transformer at the property. The transformer is owned by PG&E. As the unit was functioning at the time of the investigation, sampling of transformer fluids to determine PCB content was not performed. No visual evidence of staining was noted during the investigation.

Recommendation: In their current state, the ballasts are not an environmental concern. However, prior to their removal, PCB-content should be determined by consulting with the ballast suppliers. If information regarding the PCB content

is unavailable, the ballasts should be treated as PCB-containing during removal and disposed of in accordance with federal, state, and local regulations. Workers handling the PCB lighting ballasts should be trained in the safe handling and disposal of these ballasts.

The transformer unit is owned by PG&E. As a result, disposal of the PCB-containing fluids, if present, would be the responsibility of PG&E.

8.2.2
Asbestos-Containing Materials

Various asbestos-containing materials were identified in the building. The survey completed at the site was non-destructive, and as a result various materials were assumed asbestos containing and not sampled. Furthermore, as the building is still in use, SCA did not perform destructive sampling to inspect wall cavities, above ceilings, etc.

Recommendation: Destructive testing prior to demolition or renovation activities is required to confirm whether assumed materials are found to contain asbestos. Prior to demolition and/or renovation activities, all asbestos-containing materials should be abated by a licensed and properly trained asbestos abatement contractor.

8.2.3
Lead-Based Paints

Lead was identified in some paints present in the building.

Recommendation: As lead was identified in some paints and a detailed inventory of paints was not performed for the project, SCA recommends that all paint be treated as lead-containing for the purpose of complying with Cal-OSHA requirements. All future renovation and/or demolition work should follow local, state, and federal regulations regarding lead. Prior to renovation or demolition work, incorporate lead stabilization and/or abatement planning into the project.

8.2.4
Mercury-Containing Lamps

SCA observed fluorescent lighting elements in various locations throughout the building.

Recommendation: In their current state, the items are not an environmental concern. Construction and maintenance workers should be trained to safely and legally handle and dispose of fluorescent lamps.

8.2.5
Above Ground Storage Tanks

Presence of one (1) 1000 gallon above ground diesel storage tank and presence of one (1) 500 gallon above ground gasoline storage tank. These two tanks are in the AST database, but neither has a reported violation or spill. Neither tank is inside of a secondary containment, as observed in SCA's site visit.

Recommendation: Although no violations or spills have been reported for these tanks, the owner may want to consider the construction of a secondary containment area around the ASTs if they are to remain on site.

8.2.6
Septic System

The Target Property has a septic system on site with a leach field expanding across

With Leach Field | the north western portion of the site. This leach field has been paved over and is located within 200 feet of an active reservoir, which are in violation of County ordinances.

Recommendations: Due to the leach field being in violation of County ordinance, it is recommended that it be relocated and/or brought into compliance during redevelopment activities at the site.

9.0 CONCLUSIONS

SCA has performed this Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E 1527-13 for the Skylonda Fire Station, located at 17290 Skyline Blvd, on Assessor's Parcel Numbers (APNs) 075-101-010 and 075-094-010, and located in Woodside, in unincorporated San Mateo County, California, the Target Property. Any exceptions to, or deletions from, this practice are described in Section 2.4 of this report. The assessment revealed no evidence of *recognized environmental conditions controlled recognized environmental conditions, or historical recognized environmental conditions* in connection with the property with the exception of the following:

1. Two USTs (one 540 gallon gasoline and one 560 gallon diesel) were removed from the site in June 1997. Analyses of soil samples collected beneath the fill end of each UST identified residual concentrations of TPHg, benzene, toluene, xylenes, and MTBE in soil, and were indicative that a release had occurred at the site. No groundwater was encountered during UST removal activities. Waste oil was also historically discharged to the ground surface at the site for an unknown duration of time. In June 1997, excavation activities were performed at the site to remove petroleum hydrocarbon impacted soil in an area measuring 12 feet wide, by 25 feet long, to depths between 2.5 and 6.5 feet bgs. Following excavation, confirmation soil samples were collected at the base of the excavation which identified residual concentrations of TPHd, BTEX, MTBE, and total oil and grease in soil. No groundwater was encountered during the excavation activities. According to information reviewed for the preparation of this Phase I ESA, the Contractor concluded that residual concentrations in soil were below SMCEHD guidelines and recommended closure of the UST and waste oil spill area, however, no closure letter was found in a search of SMCEHD files. The documented releases associated with the UST and waste oil disposal area, the absence of an evaluation of whether historic releases have impacted groundwater beneath the site, and the absence of a closure letter from SMCEHD are considered *recognized environmental conditions*.

The following items were noted, but are not recognized environmental conditions as defined by ASTM methodology, and may be of some significance in future redevelopment activities at the site:

1. Above ground gasoline and diesel storage tanks
2. Septic tank with associated leach field
3. PCB-containing light ballasts in fluorescent light fixtures
4. Asbestos-containing building materials
5. Lead-containing paints
6. Mercury-containing items.

10.0 LIMITATIONS

The staff of SCA Environmental, Inc. has prepared this report for MIG | TRA Environmental Sciences, Inc. and the County of San Mateo under the professional supervision of the principal and staff whose signatures appear hereon. Neither SCA Environmental, Inc., nor any staff member assigned to this investigation has any interest or contemplated interest, financial or otherwise, in the subject or surrounding properties or which may be responsible for environmental issues identified during the course of this investigation, and has no personal bias with respect to the parties involved.


The information contained in this report has received appropriate technical review and approval. The conclusions represent professional judgments and are founded upon the findings of the investigations identified in the report and the interpretation of such data based on our experience and expertise according to the existing standard of care. No other warranty or limitation exists, either express or implied.

The investigation was prepared in accordance with the most current (E-1527-13) American Society of Testing and Materials (ASTM) methods for environmental site assessments. The report is prepared solely for the use and benefit of MIG | TRA Environmental Sciences, Inc. and the County of San Mateo. No other party may use this report, for any purpose, without the written authorization of a Principal of SCA.

In preparing this report, SCA has relied upon information provided by others. SCA has not verified the accuracy or completeness of this information. Should information provided by others prove to be inaccurate or incomplete, SCA's findings, conclusions, and recommendations provided herein may not be valid.

Please note that relevant ASTM standards require re-preparation of Phase I assessments after six months if they are to be used for funding, development, or other decision-making purposes. This document is not to be used for zoning or planning purposes and does not address seismic, aesthetic or noise issues.

FIGURES



<p>Source: Google Maps</p> 		<p>Vicinity Map Phase I Environmental Assessment for Skylonda Fire Station #58 17290 Skyline Blvd Woodside, CA SCA Project #F11578.01</p>	<p>Figure 1</p>
--	---	--	-----------------------------



LEGEND:

 Approximate Site Boundary

R. Residential Property



- 1. Site
- 2. Alice's Restaurant / Alice's Station
- 3. Reservoir
- 4. Mountain Terrace

Source: Google Earth Imagery - 2015

SCA
ENVIRONMENTAL, INC.

SITE DIAGRAM

Skylonda Fire Station No. 58
17290 Skyline Blvd.
Woodside, CA
SCA Project #F11578.01

Figure

2

APPENDIX A
SITE PHOTOGRAPHS



Photo 1: View of Office and Barracks Buildings onsite.



Photo 2: View of Apparatus Building.



Photo 3: View of AT&T Communication shed onsite.



Photo 4: View of paved parking area adjacent to Apparatus Building. Leach Field is located below pavement.



Photo 5: View of septic system area.



Photo 6: View of Aboveground Storage Tank adjacent to Apparatus Building.

SITE PHOTOGRAPHS
Skylonda Fire Station No. 58
17290 Skyline Blvd.
Woodside, California



Photo 7: View of waste oil containment inside Apparatus Building.



Photo 8: View of onsite propane tank.



Photo 9: View of chemical storage inside Apparatus Building.




Photo 10: View of chemical storage inside Apparatus Building.



Photo 11: View of onsite oxygen tank storage inside Apparatus Building.



Photo 12: View of Drafting Pit.

SITE PHOTOGRAPHS
Skylonda Fire Station No. 58
17290 Skyline Blvd.
Woodside, California



Photo 13: View of minor hydrocarbon staining inside Apparatus Building



Photo 14: View looking northwest of adjacent residential property.



Photo 15: View looking east toward Skyline Blvd. and residential property.



Photo 16: View of Alice's Restaurant and Alice's Station located southeast of the site.



Photo 17: View of adjacent reservoir area southwest of the site.




Photo 18: View of adjacent reservoir area southwest of the site.

SITE PHOTOGRAPHS
Skylonda Fire Station No. 58
17290 Skyline Blvd.
Woodside, California

APPENDIX B

MISCELLANEOUS CORRESPONDENCE AND INTERVIEWS

SKYLINE BLVD




mwa architects

471 NINTH ST
OAKLAND CA 94607
P 510 287 9710
F 510 287 9713
MWAARCHITECTS.COM

Sky Londa Fire Station No. 58


Existing Site Analysis
Scale: 1/32"=1'-0"

SKYLINE BLVD



LEGEND

- ① AT&T SHED
- ② ON-GRADE VEHICLE FUEL STATION
- ③ OIL RECYCLING COLLECTION TANK
- ④ VEHICLE WASH STATION
- ⑤ HOSE DRYING RACK
- ⑥ DRAFTING PIT
- ⑦ STAFF PARKING
- ⑧ RETAINING WALL
- ⑨ EQUIPMENT ENCLOSURE.
- ⑩ BBQ AREA
- ⑪ (2) FLAGPOLES SURROUNDED BY RETAINING WALL
- ⑫ VISITOR/STAFF OVERFLOW PARKING
- ⑬ ON-SITE STORMWATER TREATMENT PLANTER



mwa architects

471 NINTH ST
 OAKLAND CA 94607
 P 510 287 9710
 F 510 287 9713
 MWAARCHITECTS.COM

Sky Londa Fire Station No. 58

Architectural Site Plan
 Scale: 1/32"=1'-0"
 Jan. 10, 2014



255 SHORELINE DR
SUITE 200
REDWOOD CITY, CA 94065
650-482-6300
650-482-6399 (FAX)



CALIFORNIA



**SKYLONDA FIRE STATION NO. 58
SCHEME4A, REV 04
GRADING CONCEPT**
SAN MATEO COUNTY

Revisions	No.	Date	By

Drawing Number:
GD
OF

- (R1) 7' MAX HEIGHT, L=100'
- (R2) 9' MAX HEIGHT, L=230'
- (R3) 16' MAX HEIGHT, L=380'
- (R4) 13' MAX HEIGHT, L=130'

EARTHWORK =
ABOUT 2,500 CY FILL



DRAWING NAME: K:\Eng\3\130244\DWG\EXHIBITS\concept4-r4.dwg
PLOT TIME: 01-13-14
PLOTTER: HP DesignJet 5000

SCA

ENVIRONMENTAL, INC.

Site Name & Address: Skylonda Fire Station

SCA Project Number: _____

Issue	Yes	No
<p>Environmental Cleanup Liens Filed or Recorded Against the Property</p> <p>Are you aware of any environmental cleanup liens against the property that are filed or recorded under federal, tribal, state or local law? If so, please specify.</p>		X
<p>Activity & Land Use Limitations That are in Place on the Site or That Have Been Filed or Recorded in a Registry</p> <p>Are you aware of any activity and use limitations, such as engineering controls, land use restrictions, or institutional controls that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state, or local law?</p>		X
<p>Specialized Knowledge or Experience</p> <p>Do you have any specialized knowledge or experience related to the property or nearby properties relevant to identifying conditions indicative of releases or threatened releases at the subject property? If so, please explain.</p>		X
<p>Relationship of the Actual Purchase Price of the Property to the Estimated Fair Market Value of the Property with No Contamination</p> <p>Does the purchase price being paid for this property reasonably reflect the fair market value of the property? If you conclude that there is a difference, have you considered whether the lower purchase price is due to contamination that is known or believed to be present at the property? If so, please explain.</p>	N/A	
<p>Commonly-Known or Reasonably-Ascertainable Information About the Property</p> <p>Are you aware of commonly-known or reasonably-ascertainable information about the property that would help identify conditions indicative of releases or threatened releases? For example, do you know of any:</p> <ul style="list-style-type: none"> • Past uses of the property? If so, please specify. <i>Has been fire station site</i> • Specific chemicals affecting the property? If so, please specify. <i>Since mid 1930's,</i> • Spills or other chemical releases affecting the property? If so, please specify. • Any environmental cleanups affecting the property? If so, please specify. 		X
<p>The Degree of Obviousness of the Presence or Likely Presence of Contamination at the Property, and the Ability To Detect the Contamination by Appropriate Investigation</p> <p>Based on your knowledge and experience related to the property, are there any obvious indicators that point to the presence or likely presence of contamination at the property? If so, please specify.</p>		X

↳ There is an existing generator, diesel fuel tank, propane tank & parking area onsite.


Theresa A. Yee
Signature

Theresa A. Yee
Printed Name

03 FEB 15
Date

ENVIRONMENTAL HEALTH
S A N M A T E O C O U N T Y

PERMIT 07- 2087



Protecting Our Health and Environment

CERTIFIED UNIFIED PROGRAM AGENCY

THIS PERMIT IS ISSUED FOR THE FOLLOWING:

2150	PR0034140	ABOVE GROUND TANK/SPCC
2160	PR0023479	STORES MV FUELS OR WASTE ONLY
2220	PR0000032	GENERATES & RECYCLES WASTE OIL/SOLVENT

FACILITY:

SKYLONDA FIRE DEPT
17290 SKYLINE BLVD
WOODSIDE, CA 94062

OWNER:

COUNTY OF SAN MATEO
555 COUNTY CTR-DPW
REDWOOD CITY CA 94063

FA0011529

DATE ISSUED: 1/1/2008

Dean D. Peterson, P.E., REHS

EXPIRATION DATE: 1/1/2013

DIRECTOR, ENVIRONMENTAL HEALTH

THIS PERMIT IS NONTRANSFERABLE AND MUST BE POSTED ON-SITE IN A CONSPICUOUS PLACE

ENVIRONMENTAL HEALTH
S A N M A T E O C O U N T Y



Protecting Our Health and Environment

PERMIT CONDITIONS

455 County Center, 4th Floor, Redwood City, CA 94063

Facility Identification Number: FA0011529

*In order to maintain the **Permit to Operate**, the permit holder must comply with the following provisions of related laws concerning management of hazardous materials. Any violation of the conditions may be cause for revocation of the **Permit to operate**.*

- a. **Hazardous Materials Business Plan Program:** California Health and Safety Code, Division 20, Chapter 6.95, Article 1 and Title 19 California Code of Regulations.
- b. **California Accidental Release Prevention Program (Cal-ARP):** California Health and Safety Code, Division 20, Chapter 6.95, Article 2 and Title 19, California Code of Regulations.
- c. **Hazardous Waste Generator Program:** California Health and Safety Code, Division 20, Chapter 6.5, Articles 1-13, Section 25100 et seq., and Title 22, California Code of Regulations, Chapter 20
- d. **Aboveground Petroleum ACT SPCC Plans:** California Health and Safety Code, Division 20, Chapter 6.67 and 40 CFR 112.
- e. **Tiered Permit On-Site Hazardous Waste Treatment:** California Health and Safety Code, Division 20, Chapter 6.5 Article 9, and Title 22 California Code of Regulations, Chapter 20

The Permit to Operate is to be maintained on-site and is valid for a period of five (5) years.

ORDINANCE: 03740

ENVIRONMENTAL HEALTH
S A N M A T E O C O U N T Y

PERMIT 06- 0657

REFERENCE# 06-0657



Protecting Our Health and Environment

P/E: 4219 SEPTIC SYSTEM REPAIR OR ALTERATION

LOCATION:

17290 SKYLINE
WOODSIDE

OWNER:

COUNTY OF SAN MATEO
555 COUNTY CENTER
REDWOOD CITY

ON0005943
075-094-010

CONTRACTOR:

PUBLIC WORKS - ROAD CREW

TERMS & CONDITIONS:

To schedule an inspection call
(650) 363-1922. One working
day advance notice is required.

DATE ISSUED: 6/1/2006

STEVE HARTSELL

ENVIRONMENTAL HEALTH SPECIALIST

EXPIRATION DATE: 6/1/2007

THIS PERMIT IS NONTRANSFERABLE AND MUST BE POSTED ON-SITE IN A CONSPICUOUS PLACE

Onsite Information

Facility ID	<input type="text"/>	Block	<input type="text"/>	Record ID	ON0005943
Subdivision ID	<input type="text"/>	Lot	<input type="text"/>	Account ID	<input type="text"/>
Addition	<input type="text"/>	Split	<input type="text"/>	Permit	<input type="text"/>

Status	APPLICATION FOR PERMIT	Permit No.	<input type="text"/>	Has Linked Permit	No
Program/Element	4219 SEPTIC SYSTEM REPAIR OR ALTER	Received	6/1/2006	Sent to Plan Dept	<input type="text"/>
Billing Status	04 Active, exempt from billing	Business Name	PUBLIC WORKS - ROAD CREW		
Status Changed	6/1/2006	St No	<input type="text"/>	Fraction	<input type="text"/>
Discount Code	<input type="text"/>	Pre Dr	<input type="text"/>	Street Name	SKYLINE
Owner Name	COUNTY OF SAN MATEO	St Type	BLVD		
Legal Address	555 COUNTY CENTER	Site Address	17290	Unit	<input type="text"/>
2nd Address	5TH FLOOR	Post Dr	<input type="text"/>	Unit Type	<input type="text"/>
City, St, Zip	REDWOOD CITY CA 94063-	2nd Address	<input type="text"/>		
Phone	(650)363-4094	City, St, Zip	WOODSIDE CA -	Lot Size	<input type="text"/>
Fax	() -	City Code	WD WOODSIDE	# of Units	<input type="text"/>
Email	<input type="text"/>	Inspection Code	<input type="text"/>		
Location	65 WOODSIDE	Last Activity	<input type="text"/>		
		Date of Last Billing	<input type="text"/>		
		Date of Next Billing	<input type="text"/>		

- Location
- Specifications
- Dimensions (1)
- Dimensions (2)
- GIS
- User-Defined Fields
- Daily Activities
- Violations
- Invoice



HEALTH SERVICES AGENCY

ENVIRONMENTAL HEALTH SERVICES DIVISION

July 6, 1994

Jeff Arias
Supervising Stationary Engineer
Public Works
San Mateo County

Re: California Department of Forestry, 17290 Skyline Blvd.,
Woodside


Dear Mr. Arias,

We have received your application for a variance to the San Mateo County Septic Ordinance regulation that prohibits the pumping of sewage from the septic tank to the drainfield (II(D)11).

Environmental Health Staff has determined that no problems would be created for neighbors by the completion of this project as proposed, no practical alternative exists, and an unnecessary hardship (biweekly septic tank pumping) would be caused by the enforcement of this regulation.

I hereby grant this variance. All other regulations, codes, and/or ordinances remain in force.

Sincerely,



Brian Zamora, REHS, MPH
Director of Environmental Health

BZ/SH

SAN MATEO COUNTY BOARD OF SUPERVISORS
RUBEN BARRALES • MARY GRIFFIN • TOM HUENING • TED LEMPert • MICHAEL D. NEVIN

HEALTH SERVICES AGENCY DIRECTOR
MARGARET TAYLOR

ENVIRONMENTAL HEALTH SERVICES DIVISION DIRECTOR
BRIAN ZAMORA, MPH, REHS

590 HAMILTON STREET, REDWOOD CITY, CALIFORNIA 94063
PHONE (415) 363-4305 • TDD (415) 573-3206 • FAX (415) 363-7882



**SAN MATEO COUNTY
ENVIRONMENTAL HEALTH SERVICES**

455 County Center 4th Floor, Redwood City, CA 94063
(650) 363-4305 ♦ FAX (650) 363-7882

2006 SEPTIC APPLICATION

NEW CONSTRUCTION: (check one or more)

- | | | |
|--|--|---|
| <input type="checkbox"/> Other _____ \$ _____ | <input type="checkbox"/> Filing Fee/ Water Test \$ 27 | <input type="checkbox"/> Wet Weather Testing \$ 712 |
| <input type="checkbox"/> Site Exam \$ 748 | <input checked="" type="checkbox"/> Repair/Alteration \$ 1,187 | <input type="checkbox"/> Pressure Dosed \$ 1,294 |
| <input type="checkbox"/> Perc Test \$ 1,360 | <input type="checkbox"/> Minor Repair/Alter \$ 653 | <input type="checkbox"/> Alt/Press Dose Annual \$ 321 |
| <input type="checkbox"/> Final Permit | <input type="checkbox"/> Alternative System \$ 1,294 | <input type="checkbox"/> Re-submittal for: _____ \$ 425 |
| <input type="checkbox"/> 1. <2500 ft ² \$ 1,360 | <input type="checkbox"/> Insp. Cancellation \$ 257 | <input type="checkbox"/> Tank Destruction \$ 653 |
| <input type="checkbox"/> 2. <3500 ft ² \$ 2,070 | <input type="checkbox"/> Permit Appeal \$ 213 | <input type="checkbox"/> Variance \$ 516 |
| <input type="checkbox"/> 3. >3501 ft ² \$ 2,845 | <input type="checkbox"/> Permit Extension (current fee) 50% | |

(Fees must be submitted with application)
FEES SUBJECT TO CHANGE

APPLICATION FOR INDIVIDUAL SEWAGE DISPOSAL SYSTEM PERMIT

Three plot plans MUST be submitted with this application

(Make plans to scale 1" = 20' preferred)

OWNER: County of San Mateo CONTRACTOR: Public Works - Road Crew
(MUST BE CERTIFIED SEPTIC CONTRACTOR)
 MAILING ADDRESS: 555 County Center 5th Floor ADDRESS: NA
(Street No. & Name) Attention Doug Koenig (Street No. & Name)
Redwood City CA 94063 NA
(City) (Zip) (City) (Zip)

PHONE: 650 363 4094 PHONE: ()
 SITE ADDRESS: CDF, 17290 Skyline Blvd, Woodside
 APN: 075-094-010 LOT SIZE: NA
(9-Digit Number Required)

NUMBER OF BEDROOMS: NA ADDITION TO HOUSE: YES NO
 SOURCE OF WATER SUPPLY: PUBLIC WATER WELL SPRING

- San Mateo County Certified Percolation Tester No: _____
 San Mateo County Certified Installer's No: _____
 Workmen's Compensation Insurance Coverage: _____
 I certify that in the performance of the work for which this permit is being issued, I shall not employ any person in any manner so as to become subject to the Workmen's Compensation Laws of California.

APPLICANT SIGNATURE: [Signature] DATE: 5-20-2006

**SUBMIT METHOD OF ABANDONMENT ON A SEPARATE SHEET.
APPLICATION WILL BE VOID AFTER 1 YEAR FROM DATE OF SUBMITTAL.**

OFFICE USE ONLY

SOIL PERC RATE: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____ Average NA
PERMITTED INSTALLED # OF LINES
 SEPTIC TANK CAPACITY: NA
 DISPOSAL FIELD LENGTH: 241'
 DISPOSAL FIELD DEPTH: 4-6'
 DISPOSAL FIELD WIDTH: 6.5'
 MAKE & MODEL OF PUMP: _____
 FAILURE: TANK FIELD GROUNDWATER OTHER _____
 CONDITIONS: _____


PERMIT APPROVED BY: [Signature] DATE: 5-20-2006

TO LEACH FIELD

1

TO LEACH FIELD

2



SIGHT TUBES

w/ THREADED CAPS ON ENDS

SHUT OFF VALVE

SHUT OFF VALVE

FROM LIFT STATION

DIVERSION VALVE & SIGHT TUBE

BOX DETAILS

SKYLONDA CDF (NOTS)

GARAGE

10'


6'


125'

SKYLONDA CDF
SEPTIC SYSTEM

(NITS)

200' distance
from reservoir







Audio and Visual alarm w/ test switch.

500 gallons per cycle

Calculate level at site during construction


SKYDORA COF SEPTIC SYSTEM LAYOUT
(NOTS)






SKYLONDA CDF SEPTIC SYSTEM

(NOTES)






SCHMATIC PLOT PLAN

NTS

COUNTY OF SAN MATEO
 DEPT. OF GENERAL SERVICES
 COUNTY CENTER 580 HAMILTON ST. REDWOOD CITY, CALIF.

SKYLONDA FIRE STATION
 17290 SKYLINE BLVD,
 WOODSIDE, CA.

DATE 4-25-94	DRAWN TL	CHECKED	JOB NO.	SHEET	OF
--------------	----------	---------	---------	-------	----



4" ASPHALT TOPPING

4" concrete layer

Compacted base
 native soil rocks
 USE LHR

Wack in trench
 Filter fabric
 gravel 6" above
 drain line pipe

6'-8'
 gravel
 drain rock

SKYLOWPA
 CDF
 TRENCH
 DETAIL

8'
 10'

12"

6"
 gravel


6"
 gravel

Sky line

gravity feed old line will be
emergency

1500 gallon
concrete
hugley Hill

3 in PVC 40 line from p
well on property



letter of variance - signed -

① pump

② put under ~~wood~~ tar mac
protecting

plan ~~making~~ pip

COUNTY OF SAN MATEO

Public Works Department

DATE: 01 June 94

TO: Enviromental Health

FROM: Jess Arias, Supervising Stationary Engineer

SUBJECT: Skylonda Septic System

Here are the details on the septic system at Skylonda CDF

Install one precast concrete 1500 gallon tank and covers

Install emergency drain line to existing drainfield (overflow)

Install 3 in. PVC Sch. 40 line from pump chamber to new drainfields

Install two drainfields 125 ft. long, 8 ft. deep and 18 in. wide

Locate drainfields 200 ft. from reservoir.

Install two 2 HP ABS Pumps and controls

PUMP DETAILS: ABS Model SESH-20WA1

2HP 230V Single Phase

Max.GPM /head : 140 @ 10 ft.

Min.GPM /head : 20 @ 80 ft.

TANK DETAILS: 1500 Gallon Precast Concrete

Hancor manhole covers

1 ft. min. clay liner around tank

SYSTEM OVERVIEW : System is designed so that in case of a pump failure or maximum flow condition the second pump will activate as a backup. In case of total failure the tank will overflow to the old (existing) drainfield.

II Install high water alarm system

SAN MATEO COUNTY-LAND USE
ENVIRONMENTAL HEALTH SERVICES

Field & Data Sheet
(415) 363-4305
FAX: (415) 363-7882
3696465

Jesse Arias

San Mateo
Engineer

APN #

Lot #

Date: 4-25-94

Site Address: 17290 Skyline

Applicant: Complaint

City Woodside Zip

Complaint - Failing septic system - surfacing effluent - within 200' of water reservoir. -

Confirmed - effluent on surface of ground approximately 60 feet from reservoir.

This is an unacceptable situation, and must be addressed immediately, as it poses a significant threat to a public water supply. - Have system pumped by 4-27-94, have repair started as soon as possible (if it will take more than 2 weeks to start other measures - portable toilets, no washing clothes etc., must be instituted), Call me.


REHS

RECEIVED BY

SAN MATEO COUNTY-LAND USE
ENVIRONMENTAL HEALTH SERVICES

Field & Data Sheet

(415) 363-4305

FAX: (415) 363-7882

APN#

Lot#

Date: 5-31-94

Site Address:

CDF - Blackwood + Skyline

Applicant:

CDF

City

Woodside Zip

Skyline Water

I received a call from Phil Cummins a board member of Skyline Water District that septic system being worked on here may contaminate drinking water reservoir.

When I arrived the leachfield had been opened up by means of two trenches, about 20' long & 8' deep with in 100' feet of reservoir. Saturated mud had flowed down hillside to within 40' of reservoir and work had stopped.

Due to sensitivity of this work San Mateo County Health will require a person from our office to be present when any future work is done.

Please contact me at my office by tomorrow concerning this problem.

Also have system pumped immediately to prevent rainfall from contaminating water supply.

[Signature]

REHS

RECEIVED BY

363 4798



FOOD SERVICE OFFICIAL INSPECTION REPORT
SAN MATEO COUNTY ENVIRONMENTAL HEALTH DIVISION
 590 Hamilton Street, 4th floor, Redwood City, CA. 94063 (415) 363-4305

DBA/NAME CDF (San Mateo Co)		DATE 5-1-94
ADDRESS 17290 Skyline Blvd. Woodside		REINSPECTION DATE
OWNER/OPERATOR	verified	COMPUTER NUMBER
MAILING ADDRESS Same		FEE CATEGORY
PGM/ELE	SERVICE	Applicable Law: California Uniform Retail Food Facilities Law (CURFFL)

		Major	Minor	THE MARKED ITEMS REPRESENT HEALTH & SAFETY VIOLATIONS AND MUST BE CORRECTED AS FOLLOWS:
PROTECTION	Food Temp.	1	2	Cease all work on septic system immediately.
	Prep/Service	3	4	
	Storage/Disp.	5	6	
	Frozen Food	7	8	
	Pure Food	9	10	
	Reused Food	11	12	
	Transportation	13	14	
EMPL	Handwashing	15	16	Due to proximity of public water reservoir - Skyline Water district - plans must be reviewed by our department before proceeding.
	Disease Trans.	17	18	
	Employee Habits	19	20	
VERMIN	Rodents	21	22	
	Insects	23	24	
	Animal/Fowl	25	26	
UTENSIL EQUIPMENT	Wash/Sanitize	27	28	
	Equip. Condition	29	30	
	Utensil Condition	31	32	
	Storage	33	34	
FOOD STORAGE	Storage Facilities	35	36	OK to gravel + pipe portion of trench already dug.
	Refrig. Units	37	38	
	Thermometer	39	40	
	Hazardous mats.	41	42	
	Spoils	43	44	
WATER	Water	45	46	
	Cross Connection	47	48	
WASTE	Liquid Waste	49	50	Herbert Mester CDF 851-1860
	Refuse	51	52	
	Premises	53	54	
REST ROOM	Lavatories	55	56	
	Toilets	57	58	
	Dressing Rooms	59	60	
FACILITIES	Ventilation	61	62	Jeff Arias (363 4453) Supervis. Staff Engineer
	Floors	63	64	
	Walls/Ceiling	65	66	
	Janitorial Fac.	67	68	
	Lighting	69	70	
OTHER	Clothing/Linen	71	72	
	Living Quarters	73	74	
	Signs/Permits	75	76	

Establishment Status: 77E <input type="checkbox"/> 78G <input type="checkbox"/> 79A <input type="checkbox"/> 80P <input type="checkbox"/> 81P <input type="checkbox"/>	
Legal Action: impound <input type="checkbox"/> closure <input type="checkbox"/> VC & DC <input type="checkbox"/>	
ADDITIONAL INSPECTIONS REQUIRED FOR COMPLIANCE WITH MINIMUM STANDARDS BEYOND A NORMAL RE-INSPECTION VISIT WILL BE BILLED AT AN HOURLY RATE AS ALLOWED BY COUNTY ORDINANCE.	
363 4798 Steve Hartsell, REHS	Received By: REHS: Page of

SAN MATEO COUNTY-LAND USE
ENVIRONMENTAL HEALTH SERVICES

Field & Data Sheet
(415) 363-4305
FAX: (415) 363-7882

APN # CDF Lot # _____

Date: 8-10-94

Site Address: 17999

Applicant: _____

City _____ Zip _____


1500 gallon septic tank for pump
chamber installed - OK -

we will ~~per~~ leak test - or not on
Fri. ~~Monday~~ - Tuesday -

OK to construct emergency
trench - as discussed.

please submit as built.


REHS


RECEIVED BY

SAN MATEO COUNTY-LAND USE
ENVIRONMENTAL HEALTH SERVICES

Field & Data Sheet
(415) 363-4305
FAX: (415) 363-7882

APN # _____ Lot # _____

Date: 8-3-94

Site Address: LDF Skyline

Applicant: Complaint

City Woodside Zip _____

We received a complaint of system
being put in illegally -
Confirmed - lines have been installed
without appropriate inspections,
and within 100' of well

[Signature]
REHS

RECEIVED BY

SAN MATEO COUNTY-LAND USE
ENVIRONMENTAL HEALTH SERVICES

Field & Data Sheet
(415) 363-4305
FAX: (415) 363-7882

APN # _____ Lot # _____


Date: 8-3-94

Site Address: CDF Skyline

Applicant: Complaint

City Woodside Zip _____

We received a complaint of system
being put in illegally -
Confirmed - lines have been installed
without appropriate inspections,
and within 100' of well



REHS

RECEIVED BY _____

FAX 363 7802

Office of Environmental Health
590 Hamilton Street
Redwood City, CA 94063

New Construction
Repair

Fee No Fee
Data Paid _____
Receipt No. _____

B.I. Plan Check No. _____
A.H. Permit No. _____

APPLICATION FOR INDIVIDUAL SEWAGE DISPOSAL SYSTEM PERMIT
Two Plot Plans MUST accompany this application for NEW
construction ONLY - scale 1" = 20'

(Filled out by applicant)

Public Works

OWNER San Mateo County CONTRACTOR San Mateo County
ADDRESS 18290 Skyline Woodside
PHONE 851 1860 PHONE 363 4453

SUBDIVISION _____ LOT _____ BLOCK _____ A.P. NO. _____

*STREET _____ COMMUNITY _____

LOT SIZE _____ NUMBER OF BEDROOMS _____

NEW HOUSE CONSTRUCTION _____ ADDITION TO HOUSE _____

SOURCE OF WATER SUPPLY (Name if other than well or spring) _____

Workmen's Compensation Insurance coverage.

I certify that in the performance of the work for which this permit is being issued I shall not employ any person in any manner so as to become subject to the Workman's Compensation laws of California.

SIGNED: SSS DATE: 05 July 94

(Official Use Only)

Date Permit Approved 7-12-94 By: [Signature] Building Application signed (date)

Soil Yarc. Rates (if required) 1 NA 2 _____ 3 _____ 4 _____ 5 _____ Aver. _____

Septic Tank liquid capacity _____ gal. Div. Valve 2 way

Drainfield length and design 2 new drainfield: 100' long Standard trench detail + pump system - (pump, tank, pipe + wiring) - old trench to be emergency fall back system

Date of final installation inspection _____ by _____

DISPOSAL SYSTEM: _____ COMPLETED _____ NOT STARTED _____

PERMIT VOIDED _____ PERMIT APPLICATION REJECTED _____
(date) (date)

SERVICE ROAD

135'


SKYLOBB COFF SEPTIC SYSTEM (UTS)

1500
D
TAPIC



DRAINFIELD

CHECK VALVE



HIGH WATER ALARM



2nd pump float




NON-MERCURY





REUSABLE BALL FLOAT

ST. Bump OFF FLOAT SWITCH




SCOPE OF WORK

This plan shows 268 lineal feet of proposed leachfield trench to be installed at a minimum depth of four feet below the surface of the ground. The 268 feet is provided through three lineal trenches connected by cross trenches. Trench and cross trench detail are shown above. The location of the proposed trenches should not interfere with the proposed new barracks construction. To provide for potential gravity drainage from the proposed new barracks building the system can be installed at a greater depth (with the perforated pipe located at least 2.5 feet below the surface of the ground. The new system would be connected to the distribution piping through a third valve so that the resulting final system would have three valves, each serving on leach field drainage system. Only one valve should be open at a time.



Revised
5-26-2006
+ 96 + 88 + 57 = 241' total
to be added
by length
PH



SOIL PERCOLATION TEST RECORDED MEASUREMENTS

OWNER/APPLICANT		FILE #									
CDP		REHS 3P HARGREAVE # 5977									
LOCATION		PHONE									
7270 SKYLINE		650888 2417									
CONTACT PERSON		DATE									
SKYLINE		10-14-2005									
HOLE #	DEPTH	START TIME	FINISH TIME	MIN	INCH	MPI	START TIME	FINISH TIME	MIN	INCH	MPI
1	4'	2:15	2:18	3.0	1.2	2.5	2:17	2:20	3.0	1.2	2.5
2	4'	2:20	2:23	3.0	1.2	2.5	2:22	2:25	3.0	1.2	2.5
3	4'	2:25	2:28	3.0	1.2	2.5	2:27	2:30	3.0	1.2	2.5
4	4'	2:30	2:33	3.0	1.2	2.5	2:32	2:35	3.0	1.2	2.5
5	4'	2:35	2:38	3.0	1.2	2.5	2:37	2:40	3.0	1.2	2.5
6	4'	2:40	2:43	3.0	1.2	2.5	2:42	2:45	3.0	1.2	2.5
7	4'	2:45	2:48	3.0	1.2	2.5	2:47	2:50	3.0	1.2	2.5
8	4'	2:50	2:53	3.0	1.2	2.5	2:52	2:55	3.0	1.2	2.5
9	4'	2:55	2:58	3.0	1.2	2.5	2:57	3:00	3.0	1.2	2.5
10	4'	3:00	3:03	3.0	1.2	2.5	3:02	3:05	3.0	1.2	2.5

TABLES FROM EPA DESIGN MANUAL 35, ONSITE WASTEWATER TREATMENT AND DISPOSAL

TYPICAL WASTEWATER FLOWS FROM INSTITUTIONAL SOURCES (18)

Source	Unit	Wastewater Flow Range gpd/unit	Typical gpd/unit
Hospital, Medical	Bed Employee	132 - 261	172
Hospital, Mental	Bed Employee	79.3 - 172	106
Prison	Inmate Employee	79.3 - 150	119
Rest Home	Resident Employee	52.8 - 119	92.5
School, Day With Cafeteria, Gym, Showers	Student	15.9 - 30.4	21.1
School, Boarding	Student	5.3 - 17.2	10.6

The existing septic system leach fields were installed in 1994. Two leach field trenches were excavated to a length of at least 100 feet and to a minimum depth of 10' at this time. Wastewater is transmitted to the leach fields from a pump chamber. Although the system appears to work adequately most of the time, there have been several instances when effluent has seeped up on the surface and pond above the leachfield trenches. This has been reported both by CDP personnel and by neighbors.

- I met public works staff at the site on October 14, 2005, and performed a site review and percolation test that produced the following observations:
1. Effluent was near the effective operating level in one of the existing trenches (measured through a pipe that had previously been installed by Public Works).
 2. Four holes were excavated with an auger (12" diameter) and prepared for percolation testing. Soil from these borings was tan to yellow brown in color and appeared to be primarily sandy clay.
 3. Percolation testing was performed and water was found to percolate at rate of 6 minutes per inch in the worst hole. This translates into a percolation rate of 6 (1.4 conversion rate when 4" pipe is used) = 8.4 minutes per inch.
 4. A trench dug about ten feet down gradient from the existing leach field trench had not encountered groundwater or effluent (reported to me verbally by Public Works Staff). This indicates that the problem is not caused solely by naturally occurring groundwater intrusion.
- Based on this information I prepared this plan to install more leach field trench.

DESIGN CRITERIA

The amount of leach field necessary to disperse wastewater depends on two primary considerations, how much wastewater is generated by the facility to be served and how well the soil disperses water.

According to EPA Design Manual # 35, table 4-7, facilities with all day occupancy like hospitals, prisons, and rest home average about 92.5 to 172 gallons per person per day of wastewater flow. If a middle range of 132.5 gallons per person per day is used, and no more than 9 people reside at this facility at any one time, daily wastewater production should be around 1,190 gallons per day.

At a percolation rate of about 8 minutes per inch the EPA Design Manual # 35, Table 7-2, says that soil can disperse about .8 gallons per square foot of infiltrative area.

1,190 gallons per day / .8 gallons per square foot of infiltrative area = 1,487 square feet of infiltrative surface required.

For each lineal foot of the proposed leachfield trench there are three feet of sidewall area on each side of the trench below the perforated pipe, or about 6 square feet of infiltrative surface per lineal foot. If 268 feet of trench is installed as shown, then it will provide 1,608 square feet (268 lineal feet) = 1,608 square feet of infiltrative area. Or about 1.1 times what is required.

RECOMMENDED RATES OF WASTEWATER APPLICATION FOR TRENCH AND SUD BOTTOM AREAS (4111111212P)

Soil Texture	Percolation Rate min/in.	Application Rate gpd/ft ²
Gravel, coarse sand	<1	Not suitable ^a
Coarse to medium sand	1 - 5	1.2
Fine sand, loamy sand	6 - 35	0.8
Sandy loam, loam	16 - 30	0.6
Loam, porous silt loam	31 - 60	0.45
Silty clay loam, clay loam ^b	61 - 120	0.2 ^c



^a May be suitable estimates for sidewall infiltration rates.
^b Rates based on septic tank effluent from a domestic waste source. A factor of safety may be desirable for wastes of significantly different character.
^c Soils with percolation rates <1 min/in. can be used if the soil is replaced with a suitably thick (2 ft) layer of loamy sand or sand.
^d Soils without expandable clays.
^e These soils may be easily damaged during construction.

SEPTIC SYSTEM REPAIR PLAN

EPH... REHS # 5977
10-27-2005

EDGE OF RESERVOIR
LOCATION BASED ON MAP FROM SKYLINE/DA ANNUAL


SITE PLAN




SCOPE OF WORK

This plan shows 268 lineal feet of proposed leachfield trench to be installed at a minimum depth of four feet below the surface of the ground. The 268 feet is provided through three lineal trenches connected by cross trenches. Trench and cross trench detail are shown above. The location of the proposed trenches should not interfere with the proposed new barracks construction. To provide for potential gravity drainage from the proposed new barracks building the system can be installed at a greater depth (with the perforated pipe located at least 2.5 feet below the surface of the ground. The new system would be connected to the distribution piping through a third valve so that the resulting final system would have three valves, each serving on leach field drainage system. Only one valve should be open at a time.


DETAIL NEW LEACH FIELD TRENCH



EXISTING LEACHFIELD DETAIL



Revised
5-26-2006
+ 96 + 88 + 57 = 241' total
to be added
by length
PH



SOIL PERCOLATION TEST RECORDED MEASUREMENTS

OWNER/APPLICANT		FILE #									
CDP		REHS 3P HARGREAVE # 5977									
LOCATION		PHONE									
7270 SKYLINE		650888 2417									
CONTACT PERSON		DATE									
SKYLINE		10-14-2005									
HOLE #	DEPTH	START TIME	FINISH TIME	MIN	INCH	MPI	START TIME	FINISH TIME	MIN	INCH	MPI
1	4'	2:15	2:18	3.0	1.2	2.5	2:19	2:21	3.0	1.2	2.5
2	4'	2:20	2:24	3.0	1.2	2.5	2:25	2:29	3.0	1.2	2.5
3	4'	2:27	2:31	3.0	1.2	2.5	2:32	2:36	3.0	1.2	2.5
4	4'	2:33	2:37	3.0	1.2	2.5	2:38	2:42	3.0	1.2	2.5

HOLE #	DEPTH	START TIME	FINISH TIME	MIN	INCH	MPI	START TIME	FINISH TIME	MIN	INCH	MPI
5	4'	2:41	2:45	3.0	1.2	2.5	2:46	2:50	3.0	1.2	2.5
6	4'	2:47	2:51	3.0	1.2	2.5	2:52	2:56	3.0	1.2	2.5
7	4'	2:53	2:57	3.0	1.2	2.5	2:58	3:02	3.0	1.2	2.5
8	4'	3:00	3:04	3.0	1.2	2.5	3:05	3:09	3.0	1.2	2.5

TABLES FROM EPA DESIGN MANUAL 35, ONSITE WASTEWATER TREATMENT AND DISPOSAL

TYPICAL WASTEWATER FLOWS FROM INSTITUTIONAL SOURCES (18)

Source	Unit	Wastewater Flow Range	Typical
Hospital, Medical	Bed Employee	132 - 261	172
Hospital, Mental	Bed Employee	79.3 - 172	106
Prison	Inmate Employee	79.3 - 150	119
Rest Home	Resident Employee	52.8 - 119	92.5
School, Day With Cafeteria, Gym, Showers	Student	15.9 - 30.4	21.1
School, Boarding	Student	5.3 - 17.2	10.6

The existing septic system leach fields were installed in 1994. Two leach field trenches were excavated to a length of at least 100 feet and to a minimum depth of 10' at this time. Wastewater is transmitted to the leach fields from a pump chamber. Although the system appears to work adequately most of the time, there have been several instances when effluent has seeped to the surface and pond above the leachfield trenches. This has been reported both by CDP personnel and by neighbors.

- I met public works staff at the site on October 14, 2005, and performed a site review and percolation test that produced the following observations:
1. Effluent was near the effective operating level in one of the existing trenches (measured through a pipe that had previously been installed by Public Works).
 2. Four holes were excavated with an auger (12" diameter) and prepared for percolation testing. Soil from these borings was tan to yellow brown in color and appeared to be primarily sandy clay.
 3. Percolation testing was performed and water was found to percolate at rate of 6 minutes per inch in the worst hole. This translates into a percolation rate of 6 (1.4 conversion rate when 4" pipe is used) = 8.4 minutes per inch.
 4. A trench dug about ten feet down gradient from the existing leach field trench had not encountered groundwater or effluent (reported to me verbally by Public Works Staff). This indicates that the problem is not caused solely by naturally occurring groundwater intrusion.
- Based on this information I prepared this plan to install more leach field trench.

DESIGN CRITERIA

The amount of leach field necessary to disperse wastewater depends on two primary considerations, how much wastewater is generated by the facility to be served and how well the soil disperses water.

According to EPA Design Manual # 35, table 4-7, facilities with all day occupancy like hospitals, prisons, and rest home average about 92.5 to 172 gallons per person per day of wastewater flow. If a middle range of 132.5 gallons per person per day is used, and no more than 9 people reside at this facility at any one time, daily wastewater production should be around 1,190 gallons per day.

At a percolation rate of about 8 minutes per inch the EPA Design Manual # 35, Table 7-2, says that soil can disperse about .8 gallons per square foot of infiltrative area.

1,190 gallons per day / .8 gallons per square foot of infiltrative area = 1,487 square feet of infiltrative surface required.

For each lineal foot of the proposed leachfield trench there are three feet of sidewall area on each side of the trench below the perforated pipe, or about 6 square feet of infiltrative surface per lineal foot. If 268 feet of trench is installed as shown, then it will provide 6' square feet (268 lineal feet) = 1,668 square feet of infiltrative area. Or about 1.1 times what is required.

RECOMMENDED RATES OF WASTEWATER APPLICATION FOR TRENCH AND SUD BOTTOM AREAS (4111111212P)

Soil Texture	Percolation Rate min/in.	Application Rate gal/ft ²
Gravel, coarse sand	<1	Not suitable ^a
Coarse to medium sand	1 - 5	1.2
Fine sand, loamy sand	6 - 35	0.8
Sandy loam, loam	16 - 30	0.6
Loam, porous silt loam	31 - 60	0.45
Silty clay loam, clay loam ^b	61 - 120	0.2 ^c



^a May be suitable estimates for sidewall infiltration rates.
^b Rates based on septic tank effluent from a domestic waste source. A factor of safety may be desirable for wastes of significantly different character.
^c Soils with percolation rates <1 min/in. can be used if the soil is replaced with a suitably thick (2 ft) layer of loamy sand or sand.
^d Soils without expandable clays.
^e These soils may be easily damaged during construction.

SEPTIC SYSTEM REPAIR PLAN

EPH... REHS # 5977
10-27-2005

EDGE OF RESERVOIR
LOCATION BASED ON MAP FROM SKYLINE/DA ANNUAL

SITE PLAN




SCOPE OF WORK

This plan shows 268 lineal feet of proposed leachfield trench to be installed at a minimum depth of four feet below the surface of the ground. The 268 feet is provided through three lineal trenches connected by cross trenches. Trench and cross trench detail are shown above. The location of the proposed trenches should not interfere with the proposed new barracks construction. To provide for potential gravity drainage from the proposed new barracks building the system can be installed at a greater depth (with the perforated pipe located at least 2.5 feet below the surface of the ground. The new system would be connected to the distribution piping through a third valve so that the resulting final system would have three valves, each serving on leach field drainage system. Only one valve should be open at a time.


DETAIL NEW LEACH FIELD TRENCH

end view



Revised
5-26-2006
 $96 + 88 + 57 = 241'$ total
to be added
OK by Health

PH



INWOOD WY.

268' new leachfield

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY

PERMIT 07- 2087



Protecting Our Health and Environment

CERTIFIED UNIFIED PROGRAM AGENCY

THIS PERMIT IS ISSUED FOR THE FOLLOWING:

2150	PR0034140	ABOVE GROUND TANK/SPCC
2160	PR0023479	STORES MV FUELS OR WASTE ONLY
2220	PR0000032	GENERATES & RECYCLES WASTE OIL/SOLVENT

FACILITY:

SKYLONDA FIRE DEPT
17290 SKYLINE BLVD.
WOODSIDE, CA 94062

OWNER:

COUNTY OF SAN MATEO
555 COUNTY CTR-DPW
REDWOOD CITY CA 94063
FA0011529

DATE ISSUED: 1/1/2008

Dean D. Peterson, P.E., REHS

EXPIRATION DATE: 1/1/2013

DIRECTOR, ENVIRONMENTAL HEALTH

THIS PERMIT IS NONTRANSFERABLE AND MUST BE POSTED ON-SITE IN A CONSPICUOUS PLACE

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY



Protecting Our Health and Environment

PERMIT CONDITIONS

455 County Center, 4th Floor, Redwood City, CA 94063

Facility Identification Number: FA0011529

*In order to maintain the **Permit to Operate**, the permit holder must comply with the following provisions of related laws concerning management of hazardous materials. Any violation of the conditions may be cause for revocation of the **Permit to operate**.*

- a. **Hazardous Materials Business Plan Program:** California Health and Safety Code, Division 20, Chapter 6.95, Article 1 and Title 19 California Code of Regulations.
- b. **California Accidental Release Prevention Program (Cal-ARP):** California Health and Safety Code, Division 20, Chapter 6.95, Article 2 and Title 19, California Code of Regulations.
- c. **Hazardous Waste Generator Program:** California Health and Safety Code, Division 20, Chapter 6.5, Articles 1-13, Section 25100 et seq., and Title 22, California Code of Regulations, Chapter 20
- d. **Aboveground Petroleum ACT SPCC Plans:** California Health and Safety Code, Division 20, Chapter 6.67 and 40 CFR 112.
- e. **Tiered Permit On-Site Hazardous Waste Treatment:** California Health and Safety Code, Division 20, Chapter 6.5 Article 9, and Title 22 California Code of Regulations, Chapter 20

The Permit to Operate is to be maintained on-site and is valid for a period of five (5) years.

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY

PERMIT 03-0718



Protecting Our Health and Environment

CERTIFIED UNIFIED PROGRAM AGENCY


THIS PERMIT IS ISSUED FOR THE FOLLOWING:

2150 PR0034140
2160 PR0023479
2220 PR0000032

ABOVE-GROUND TANK/SPCC
STORES, MV, FUELS OR WASTE ONLY
GENERATES & RECYCLES WASTE OIL/SOLVENT

FACILITY:
SKYLONDA FIRE DEPT
17290 SKYLINE BLVD
WOODSIDE, CA 940651065

OWNER:
COUNTY OF SAN MATEO
555 COUNTY CTR-DPW
REDWOOD CITY, CA 94063
FA001F529



DATE ISSUED:
EXPIRATION DATE:

4/1/2003
4/1/2008

Dean D. Peterson, P.E., REHS
DIRECTOR, ENVIRONMENTAL HEALTH

THIS PERMIT IS NONTRANSFERABLE AND MUST BE POSTED ON-SITE IN A CONSPICUOUS PLACE

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY



Protecting Our Health and Environment

PERMIT CONDITIONS

455 County Center, 4th Floor, Redwood City, CA 94063

Facility Identification Number: FA0011529

In order to maintain the Permit to Operate, the permit holder must comply with the following provisions of related laws concerning management of hazardous materials. Any violation of the conditions may be cause for revocation of the Permit to operate.

- a. **Hazardous Materials Business Plan Program:** California Health and Safety Code, Division 20, Chapter 6.95, Article 1 and Title 19 California Code of Regulations.
- b. **California Accidental Release Prevention Program (Cal-ARP):** California Health and Safety Code, Division 20, Chapter 6.95, Article 2 and Title 19, California Code of Regulations.
- c. **Hazardous Waste Generator Program:** California Health and Safety Code, Division 20, Chapter 6.5, Articles 1-13, Section 25100 et seq., and Title 22, California Code of Regulations, Chapter 20
- d. **Aboveground Petroleum ACT SPCC Plans:** California Health and Safety Code, Division 20, Chapter 6.67 and 40 CFR 112.
- e. **Tiered Permit On-Site Hazardous Waste Treatment:** California Health and Safety Code, Division 20, Chapter 6.5 Article 9, and Title 22 California Code of Regulations, Chapter 20

The Permit to Operate is to be maintained on-site and is valid for a period of five (5) years.

Record Selection Criteria: Facility ID FA0011529

permit expiration date

Make changes/corrections in RED ink or pencil.

INFORMATION CHANGE (date) : _____
 OWNERSHIP CHANGE (date) : _____

OWNER FILE INFORMATION

Owner ID: OW0012842
 Permit & Owner Name: **COUNTY OF SAN MATEO**
 Owner DBA:
 Owner Address: 555 COUNTY CENTER-5TH FLR
 REDWOOD CITY, CA 94063
 Home Phone: 650-363-4488
 Work/Business Phone: Not Specified
 Mailing Address: 555 COUNTY CTR-DPW
 REDWOOD CITY, CA 94063
 Care of: COUNTY OF SAN MATEO-RUDY LOPEZ

New Owner ID : _____

FACILITY FILE INFORMATION

Facility ID: FA0011529
 Facility Name: SKYLONDA FIRE DEPT
 Location: 17290 SKYLINE BLVD
 WOODSIDE, CA 94062
 Phone: 650-851-1860
 Mailing Address: 17290 SKYLINE BLVD
 WOODSIDE, CA 94062
 Care of: SKYLONDA FIRE DEPT

ACCOUNTS RECEIVABLE FILE INFORMATION

Account ID: AR0011529
 Invoice c/o Name: COUNTY OF SAN MATEO-RUDY LOPEZ
 Permit and Invoice Mail to: **555 COUNTY CTR-DPW**
REDWOOD CITY CA 94063

New Account ID: _____
 Mail Invoices to: Owner / Facility / Account
 (Circle One)

Anniversary Date: 1/1/1994 Permit Expiration: 4/1/2008

Program/Element and Description	Record ID	Employee ID and Name	Status	UST(s) Transfer to			(Circle One)		
				Linked	New Owner?		Active/Inactive	Delete	
2220 - GENERATES & RECYCLES WASTE OIL/SOI	PR0000032	EE0003280 - DIRK JENSEN	Active	0	Y	N	A	I	D
2300 - UNDERGROUND TANK - GENERAL	PR0022731	EE0001020 - TERESA ARAGONA	Inactive	3	Y	N	A	I	D
2160 - STORES MV FUELS OR WASTE ONLY	PR0023479	EE0003280 - DIRK JENSEN	Active	0	Y	N	A	I	D
2150 - ABOVE GROUND TANK/SPCC	PR0034140	EE0003280 - DIRK JENSEN		0	Y	N	A	I	D
3090 - STORMWATER ANNUAL INSPECTION FEE	PR0039429	EE0003280 - DIRK JENSEN	Active	0	Y	N	A	I	D
6000 - CUPA OVERSIGHT/STATE SURCHARGE	PR0043403	EE0003280 - DIRK JENSEN	Active	0	Y	N	A	I	D

Record Selection Criteria: Facility ID FA0011529

permit expiration date

Make changes/corrections in RED ink or pencil.

INFORMATION CHANGE (date) : _____

OWNERSHIP CHANGE (date) : _____

OWNER FILE INFORMATION

Owner ID: OW0012842
 Permit & Owner Name: **COUNTY OF SAN MATEO**
 Owner DBA:
 Owner Address: **555 COUNTY CENTER-5TH FLR**
REDWOOD CITY, CA 94063
 Home Phone: 650-363-4488
 Work/Business Phone: Not Specified
 Mailing Address: **555 COUNTY CTR-DPW**
REDWOOD CITY, CA 94063
 Care of: **COUNTY OF SAN MATEO-RUDY LOPEZ**

New Owner ID : _____

FACILITY FILE INFORMATION

Facility ID: FA0011529
 Facility Name: **SKYLONDA FIRE DEPT**
 Location: **17290 SKYLINE BLVD**
WOODSIDE, CA 940651065
 Phone:
 Mailing Address: **10 TWIN DOLPHIN DR C-200**
REDWOOD CITY, CA 940651065
 Care of: **PUBLIC WORKS ACCOUNTING**

ACCOUNTS RECEIVABLE FILE INFORMATION

Account ID: AR0011529
 Invoice c/o Name: **COUNTY OF SAN MATEO-RUDY LOPEZ**
 Permit and Invoice Mail to: **555 COUNTY CTR-DPW**
REDWOOD CITY CA 94063
 Anniversary Date: 1/1/1994

New Account ID: _____
 Mail Invoices to: **Owner / Facility / Account**
 (Circle One)

Permit Expiration: No Permit Issued

Program/Element and Description	Record ID	Employee ID and Name	Status	UST(s) Transfer to			(Circle One)		
				Linked	New	Owner?	Active/Inactive	Delete	
2220 - GENERATES & RECYCLES WASTE OIL/SOI	PR0000032	EE0003280 - DIRK JENSEN	Active	0	Y	N	A	I	D
2300 - UNDERGROUND TANK - GENERAL	PR0022731	EE0001020 - TERESA ARAGONA	Inactive	3	Y	N	A	I	D
2160 - STORES MV FUELS OR WASTE ONLY	PR0023479	EE0003280 - DIRK JENSEN	Active	0	Y	N	A	I	D
2150 - ABOVE GROUND TANK/SPCC	PR0034140	EE0003280 - DIRK JENSEN		0	Y	N	A	I	D
3090 - STORMWATER ANNUAL INSPECTION FEE	PR0039429	EE0003280 - DIRK JENSEN	Active	0	Y	N	A	I	D
6000 - CUPA OVERSIGHT/STATE SURCHARGE	PR0043403	EE0003280 - DIRK JENSEN	Active	0	Y	N	A	I	D

New Accounts / Change of Information Form

INSPECTORS NAME: D. Jensen

Skylonda Fire Dept.
17290 Skelling Bl. Woodside

DATE: 8/29/02

PROGRAM ELEMENTS

* Indicate program elements below

ADD *1. _____ 3. _____

2. _____ 4. _____

DELETE *1. _____ 3. _____

2. _____ 4. _____

NEW ACCOUNTS

RECORD ID #

DATA SHEET

NEW FOLDER/LABEL

OTHER:

TANKS (ONLY)

DELETE ENTIRE TANK PROGRAM (ALL TANKS)

RCRA LQG (2202-2203)

DELETE SPECIFIC TANK (PARTIAL)

*Indicate tank(s) to be deleted

1. _____ 3. _____

2. _____ 4. _____

CHANGE OF OWNERS

NEW OWNERS NAME: _____

NEW OWNERS ADDRESS: _____

NAME CHANGE (FACILITY)

NEW FACILITY NAME: _____

ADDRESS CHANGE (FACILITY)

NEW FACILITY ADDRESS: _____

OTHER: Change billing status to 01 for
2160, 2220 and 3090. Program 2150
is non-billable P.E.

RETURN TO INSPECTOR: Yes No

Account

ACCOUNT INQUIRY

Rec Cde	Description	Area Code	Phone	Ext	Trans Date	Operator
111	COUNTY OF SAN MATEO		-		05/31/91	WAGNER
112	GENERAL SERVICES		-		05/31/91	WAGNER
121	590 HAMILTON ST, 5TH FL		-		05/31/91	WAGNER
124	REDWOOD CITY	CA94063	-		05/31/91	WAGNER
131	S650021-FEE EXEMPT		-		05/31/91	WAGNER
211	SKYLANDA FIRE STATION		363-4658		05/31/91	WAGNER
221	17290 SKYLINE BLVD		-		05/31/91	WAGNER
224	WOODSIDE	CA94061	-		05/31/91	WAGNER
231	ABANDON 1 TK/ACCUTITE, CONTRACTOR 5/30/91		-		05/31/91	WAGNER
232	PERMIT # HM-319-91		-		05/31/91	WAGNER

Rec Cde	Bill Number	Category	Unit	Mo	C	Fee	Description	Trans Date	Operator
411	000011575	DA01.01	1	05	9	.00	GENERATES AND RECYCLES WASTE OIL/SOLVENT	11/13/91	CHAVEZ
412	000011575	DB01.01	1	05	9	.00	UNDERGROUND TANK (FIRST TANK)	MMYYTIDYY 05/31/91	WAGNER
413	000011575	DB02.01	1	05	9	.00	ADDITIONAL TANK	MMYYTIDYY 05/31/91	WAGNER
414	000011575	DB97.01	1	05	9	.00	ABANDONMENT/REMOVAL FEE	05/31/91	WAGNER
415	000011575	DD01.01	1	05	9	.00	STORES HAZ MATERIALS CATEGORY II (B)	11/13/91	CHAVEZ

DA01
DD01

10/21/91

NOV 13 1991



SAN MATEO COUNTYWIDE
Water Pollution Prevention Program
 Clean Water. Healthy Community.

City: Woodside Unincorporated

Date: 8-11-10 Time: 2:30 PM

Facility has closed Facility information has changed

Reason for Inspection: First Inspection Routine Inspection Response to Complaint Follow-up Follow-up Inspection Due:

NAME OF FACILITY Skylonda Fire Dept. SITE ADDRESS 17290 Skyline Blvd.

CONTACT NAME Bret Talbot PHONE 851-1860 BUSINESS TYPE/ACTIVITY Fire Station SIC _____

Is the property owner different than the facility owner? yes no If yes, complete the following: High Priority Facility

NAME _____ PHONE _____

MAILING ADDRESS _____

Is the facility covered under any other programs or permits? (Check all that apply.)

Air quality Hazmat business plan None Sanitary sewer

Fire department(hazmat storage) Hazmat waste generator Underground storage tanks Above ground storage tanks

Retail food facility Other

Is the facility covered under a storm water permit? Does not need coverage No, but may need to be (Refer to Water Board staff)

Individual General: Does the facility have a SWPPP? yes no

N/A = Not Applicable; PTNL = POTENTIAL for Pollutant Discharge: 1 = low potential, 2 = medium potential, 3 = high potential

BMP effectiveness: 0 = BMPs are effective, 1 = BMPs are fairly/almost effective, 2 = BMPs are not effective, 3 = No BMPs are implemented

NSW = Non-Stormwater Discharge

ACTIVITY AREAS	N/A	Potential	Effect-iveness	Actual Discharge	REMARKS: Describe recommendations, requirements, and time to implement. Check box if remark is a requirement
		PTNL	BMP	NSW	
A. Outdoor Process/Manufacturing Areas	<input checked="" type="checkbox"/>				<input type="checkbox"/>
B. Outdoor Material Storage Areas		1	1		<input type="checkbox"/>
C. Outdoor Waste Storage/Disposal Areas		1	1		<input type="checkbox"/>
D. Outdoor Vehicle and Heavy Equipment Storage, Maintenance Areas		1	1		<input type="checkbox"/>
E. Outdoor Parking Areas and Access Roads		1	1		<input type="checkbox"/>
F. Outdoor Wash Areas	<input checked="" type="checkbox"/>				<input type="checkbox"/>
G. Rooftop Equipment	<input checked="" type="checkbox"/>				<input type="checkbox"/>
H. Outdoor Drainage from Indoor Areas	<input checked="" type="checkbox"/>				<input type="checkbox"/>
I. Other (describe):	<input checked="" type="checkbox"/>				<input type="checkbox"/>

COMMENTS/REMARKS/REQUIREMENTS Structural control present Maintenance required in storm drain system yes no

NO VIOLATIONS

[Handwritten signature]

See attached for more comments.

PRIORITY FOR RE-INSPECTION: 1: First 2: Second 3: Third Referred to: _____ Details: _____

ENFORCEMENT: None Verbal Notice Administrative Action Administrative Action w/ Penalty &/or Cost Recovery Legal Action

Facility Representative: Deanna Schubert

Inspector: D. Rompf



Standard Stormwater Facility Inspection Report Form

Reason for Inspection: First Inspection Routine Inspection Response to Complaint Follow-up Follow-up Inspection Due: _____

NAME OF FACILITY SKYLONDA FIRE STATION SITE ADDRESS 17290 SKYLINE BLVD

CONTACT NAME RICK CUMMINGS PHONE 851-1860 BUSINESS TYPE/ACTIVITY _____ SIC _____

Is the property owner different than the facility owner? yes no If yes, complete the following: High Priority Facility

NAME _____ PHONE _____
MAILING ADDRESS _____

Is the facility covered under any other programs or permits? (Check all that apply.) None Sanitary sewer
 Air quality Hazmat business plan Underground storage tanks Above ground storage tanks
 Fire department(hazmat storage) Hazmat waste generator Retail food facility Other

Is the facility covered under a storm water permit? Does not need coverage No, but may need to be (Refer to Water Board staff)
 Individual General: Does the facility have a SWPPP? yes no

N/A = Not Applicable; PTNL = POTENTIAL for Pollutant Discharge: 1 = low potential, 2 = medium potential, 3 = high potential
 BMP effectiveness: 0 = BMPs are effective, 1 = BMPs are fairly/almost effective, 2 = BMPs are not effective, 3 = No BMPs are implemented
 NSW = Non-Stormwater Discharge

ACTIVITY AREAS	Potential		Effect-iveness	Actual Discharge	<input type="checkbox"/> Check box if educational outreach material is distributed and provide title(s) of outreach material(s): REMARKS: Describe recommendations, requirements, and time to implement. Check box if remark is a requirement
	N/A	PTNL	BMP	NSW	
A. Outdoor Process/Manufacturing Areas					<input type="checkbox"/>
B. Outdoor Material Storage Areas					<input type="checkbox"/>
C. Outdoor Waste Storage/Disposal Areas					<input type="checkbox"/>
D. Outdoor Vehicle and Heavy Equipment Storage, Maintenance Areas		1	0		<input type="checkbox"/>
E. Outdoor Parking Areas and Access Roads					<input type="checkbox"/>
F. Outdoor Wash Areas					<input type="checkbox"/>
G. Rooftop Equipment					<input type="checkbox"/>
H. Outdoor Drainage from Indoor Areas		1	0		<input type="checkbox"/>
I. Other (describe):					<input type="checkbox"/>

COMMENTS/REMARKS/REQUIREMENTS Structural control present Maintenance required in storm drain system yes no

NO VIOLATIONS

See attached for more comments.

PRIORITY FOR RE-INSPECTION: 1; First 2; Second 3; Third Referred to: _____ Details: _____

ENFORCEMENT: None Verbal Notice Administrative Action Administrative Action w/ Penalty &/or Cost Recovery Legal Action

Facility Representative

Richard Cummings

Inspector:

Peter...



San Mateo Countywide
Stormwater Pollution Prevention Program
Standard Stormwater Facility Inspection Report Form

Municipality: WOODSIDE
Date: 4-1-05
Inspector: PETE SMITH

Reason for Inspection: First Inspection Routine Inspection Complaint Other

Facility location: Incorporated Unincorporated

NAME OF FACILITY: SKYLONDA FIRE DEPT SITE ADDRESS: 17290 SKYLINE BLVD

CONTACT NAME: RICK CUMMINGS PHONE: 851-1860 BUSINESS TYPE/ACTIVITY: _____ SIC: _____

Is the facility covered under any other programs or permits? (Check all that apply.) KEN BISCAY

Air quality Hazmat business plan Underground storage tanks Aboveground storage tanks
 Fire department (hazmat storage) Hazmat waste generator Retail food facility Other _____

Is the facility covered under a storm water permit? Does not need coverage No, but may need to be (Refer to Regional Board)
 Individual General: Does the facility have a SWPPP? yes no

N/A = Not Applicable; POTENTIAL for Pollutant Exposure without BMPs: 1 = low potential, 2 = medium potential, 3 = high potential
 ACTUAL Type of Discharge: BMP: 0 = BMPs are effective, 1 = BMPs are fairly/almost effective, 2 = BMPs are not effective, 3 = No BMPs are implemented
 PEX = Pollutant Exposure, NSW = Non-Stormwater Discharge

AREAS OF ACTIVITY	N/A	POTENTIAL	ACTUAL			REMARKS: Describe recommendations, requirements, and time to implement. Check box if remark is a requirement.
			BMP	PEX	NSW	
A. Outdoor Process/Manufacturing Areas						<input type="checkbox"/>
B. Outdoor Material Storage Areas						<input type="checkbox"/>
C. Outdoor Waste Storage/Disposal Areas						<input type="checkbox"/>
D. Outdoor Vehicle and Heavy Equipment Storage, Maintenance Areas		1 0				<input type="checkbox"/>
E. Outdoor Parking Areas and Access Roads		1 0				<input type="checkbox"/>
F. Outdoor Wash Areas		2 0				<input type="checkbox"/> <u>BMP DISCUSSED</u>
G. Rooftop Equipment	X					<input type="checkbox"/>
H. Outdoor Drainage from Indoor Areas		1 0				<input type="checkbox"/>
I. Other (describe):	X					<input type="checkbox"/>

Outreach material distributed: STOPPP Brochure Industrial brochure BMP Information

The existing operational practices of the facility Do / Do Not reduce pollutant discharge to the storm drain system to the maximum extent practicable.

ADDITIONAL COMMENTS/REMARKS

BEST MANAGEMENT PRACTICES DISCUSSED

NO VIOLATIONS

Facility map available See attached for more comments.

FIRST Follow-up Inspection (Date & Findings) _____ SECOND Follow-up Inspection (Date & Findings) _____

PRIORITY FOR RE-INSPECTION: First Second Third

ENFORCEMENT: None Verbal Notice Warning Notice Informal Violation Formal Violation Legal Action

Received by: _____
 Facility Representative Signature: Ken Biscay Date: 4/1/05
 Print Name of Facility Representative: _____ Inspector's Signature: [Signature]



San Mateo Countywide
Stormwater Pollution Prevention Program
10 Twin Dolphin Dr., Suite C-200, Redwood City, CA 94065

Municipality: Woodside
Date: 2/24/03
Inspector: V. Jensen
E.H. Record ID #: _____

Standard Stormwater Facility Inspection Report Form

Inspection conducted by: San Mateo County, Environmental Health Division, 455 County Center, Redwood City, CA 94063

Reason for Inspection: First Inspection Routine Inspection Complaint Other Facility location: Incorporated Unincorporated

NAME OF FACILITY: San Mateo Co./CDF Skylanda Fire Station SITE ADDRESS: 17290 Skyline Blvd. Woodside

CONTACT NAME: Mahlon Schanzenbach PHONE: 851-1860 BUSINESS TYPE/ACTIVITY: Fire suppression SIC: _____

Is the facility covered under any other programs or permits?
 Air quality Hazmat business plan Sanitary sewer
 Fire department(hazmat storage) Hazmat waste generator Underground storage tanks Aboveground storage tanks
 Retail food facility Other

Is the facility covered under a storm water permit? Does not need Coverage No, but may need to be (Refer to Regional Board)
 Individual General: Does the facility have a SWPPP? yes no

N/A = Not Applicable; POTENTIAL for Pollutant Exposure without BMPs: 1 = low potential, 2 = medium potential, 3 = high potential
 ACTUAL Type of Discharge: BMP: 0 = BMPs are effective, 1 = BMPs are fairly/almost effective, 2 = BMPs are not effective, 3 = No BMPs are implemented
 PEX = Pollutant Exposure, NSW = Non-Stormwater Discharge

AREAS OF ACTIVITY	N/A	POTENTIAL	ACTUAL			REMARKS: Describe recommendations, requirements, and time to implement. Check box if remark is a requirement.
			BMP	PEX	NSW	
A. Outdoor Process/Manufacturing Areas	<input checked="" type="checkbox"/>					<input type="checkbox"/>
B. Outdoor Material Storage Areas		2				<input checked="" type="checkbox"/> Three 55-gallon drums with oily residue must be kept under cover. If materials are haz waste then dispose of within 30 days.
C. Outdoor Waste Storage/Disposal Areas	<input checked="" type="checkbox"/>					<input type="checkbox"/>
D. Outdoor Vehicle and Heavy Equipment Storage, Maintenance Areas	<input checked="" type="checkbox"/>					<input type="checkbox"/>
E. Outdoor Parking Areas and Access Roads	<input checked="" type="checkbox"/>					<input type="checkbox"/>
F. Outdoor Wash Areas	<input checked="" type="checkbox"/>					<input type="checkbox"/>
G. Rooftop Equipment	<input checked="" type="checkbox"/>					<input type="checkbox"/>
H. Outdoor Drainage from Indoor Areas	<input checked="" type="checkbox"/>					<input type="checkbox"/>
I. Other (describe):	<input checked="" type="checkbox"/>					<input type="checkbox"/>

Outreach material distributed: STOPPP Brochure Industrial Brochure BMP Information

The existing operational practices of the facility Do / Do Not reduce pollutant discharge to the storm drain system to the maximum extent practicable.

ADDITIONAL COMMENTS/REMARKS
No significant violations observed. Outdoor storage area needs to be covered, relocated under cover, or disposed of if necessary (see above comment).

Facility map available See attached for more comments

PRIORITY FOR RE-INSPECTION: First Second Third

ENFORCEMENT: None Verbal Notice Warning Notice Informal Violation Formal Violation Legal Action

Received by - Facility Representative Signature: Mahlon Schanzenbach FAE

Print Name & Title of Facility Representative: Mahlon Schanzenbach - FAE



San Mateo Countywide
 Stormwater Pollution Prevention Program
 10 Twin Dolphin Dr., Suite C-200, Redwood City, CA 94065

Municipality: Woodside
 Date: 7/31/00
 Inspector: D. Jensen
 E.H. Record ID #: _____

Standard Stormwater Facility Inspection Report Form

Inspection conducted by: San Mateo County, Environmental Health Division, 455 County Center, Redwood City, CA 94063

Reason for Inspection: First Inspection Routine Inspection Complaint Other Facility location: Incorporated Unincorporated

NAME OF FACILITY: Skylands Fire Station SITE ADDRESS: 17290 Skyline Blvd. Woodside

CONTACT NAME: Ed Smith PHONE: 851-1960 BUSINESS TYPE/ACTIVITY: Fire suppression SIC: _____

Is the facility covered under any other programs or permits?
 Air quality Hazmat business plan None Sanitary sewer
 Fire department(hazmat storage) Hazmat waste generator Underground storage tanks Aboveground storage tanks
 Retail food facility Other

Is the facility covered under a storm water permit? Does not need Coverage No, but may need to be (Refer to Regional Board)
 Individual General: Does the facility have a SWPPP? yes no

N/A = Not Applicable; POTENTIAL for Pollutant Exposure without BMPs: 1 = low potential, 2 = medium potential, 3 = high potential
 ACTUAL Type of Discharge: BMP: 0 = BMPs are effective, 1 = BMPs are fairly/almost effective, 2 = BMPs are not effective, 3 = No BMPs are implemented
 PEX = Pollutant Exposure, NSW = Non-Stormwater Discharge

AREAS OF ACTIVITY	N/A	POTENTIAL	ACTUAL			REMARKS: Describe recommendations, requirements, and time to implement. Check box if remark is a requirement.
			BMP	PEX	NSW	
A. Outdoor Process/Manufacturing Areas	<input checked="" type="checkbox"/>					<input type="checkbox"/>
B. Outdoor Material Storage Areas	<input checked="" type="checkbox"/>					<input type="checkbox"/>
C. Outdoor Waste Storage/Disposal Areas	<input checked="" type="checkbox"/>					<input type="checkbox"/>
D. Outdoor Vehicle and Heavy Equipment Storage, Maintenance Areas	<input checked="" type="checkbox"/>					<input type="checkbox"/>
E. Outdoor Parking Areas and Access Roads	<input checked="" type="checkbox"/>					<input type="checkbox"/>
F. Outdoor Wash Areas		1	0			<input type="checkbox"/>
G. Rooftop Equipment	<input checked="" type="checkbox"/>					<input type="checkbox"/>
H. Outdoor Drainage from Indoor Areas	<input checked="" type="checkbox"/>					<input type="checkbox"/>
I. Other (describe):	<input checked="" type="checkbox"/>					<input type="checkbox"/>

Outreach material distributed: STOPPP Brochure Industrial Brochure BMP Information

The existing operational practices of the facility Do / Do Not reduce pollutant discharge to the storm drain system to the maximum extent practicable.

ADDITIONAL COMMENTS/REMARKS
No violations observed.

Facility map available See attached for more comments

PRIORITY FOR RE-INSPECTION: First Second Third

ENFORCEMENT: None Verbal Notice Warning Notice Informal Violation Formal Violation Legal Action

Received by - Facility Representative Signature: Ed Smith FAE

Print Name & Title of Facility Representative: Ed Smith - FAE



San Mateo Countywide
 Stormwater Pollution Prevention Program
 10 Twin Dolphin Dr., Suite C-200, Redwood City, CA 94065

Municipality: Woodside
 Date: 12/2/99
 Inspector: Aragon
 E.H. Record ID #: 657607

Standard Stormwater Facility Inspection Report Form

Inspection conducted by: San Mateo County, Environmental Health Division, 590 Hamilton St., Redwood City, CA 94063

Reason for Inspection: First Inspection Routine Inspection Complaint Other Facility location: Incorporated Unincorporated

NAME OF FACILITY: Skylonda Fire Stn SITE ADDRESS: 17290 Skyline Blvd Woodside

CONTACT NAME: Dave Risney PHONE: 857-1860 BUSINESS TYPE/ACTIVITY: Fire Station SIC:

Is the facility covered under any other programs or permits?
 Air quality Hazmat business plan None Sanitary sewer
 Fire department(hazmat storage) Hazmat waste generator Underground storage tanks Aboveground storage tanks
 Retail food facility Other

Is the facility covered under a storm water permit?
 Does not need Coverage No, but may need to be (Refer to Regional Board)
 Individual General: Does the facility have a SWPPP? yes no

N/A = Not Applicable; POTENTIAL for Pollutant Exposure without BMPs: 1 = low potential, 2 = medium potential, 3 = high potential
 ACTUAL Type of Discharge: BMP: 0 = BMPs are effective, 1 = BMPs are fairly/almost effective, 2 = BMPs are not effective, 3 = No BMPs are implemented
 PEX = Pollutant Exposure, NSW = Non-Stormwater Discharge

AREAS OF ACTIVITY	N/A	POTENTIAL	ACTUAL			REMARKS: Describe recommendations, requirements, and time to implement. Check box if remark is a requirement.
			BMP	PEX	NSW	
A. Outdoor Process/Manufacturing Areas	X					<input type="checkbox"/>
B. Outdoor Material Storage Areas	X					<input type="checkbox"/>
C. Outdoor Waste Storage/Disposal Areas	X					<input type="checkbox"/>
D. Outdoor Vehicle and Heavy Equipment Storage, Maintenance Areas		1	0			<input type="checkbox"/>
E. Outdoor Parking Areas and Access Roads	X					<input type="checkbox"/>
F. Outdoor Wash Areas		1	0			<input type="checkbox"/>
G. Rooftop Equipment	X					<input type="checkbox"/>
H. Outdoor Drainage from Indoor Areas	X					<input type="checkbox"/>
I. Other (describe):	X					<input type="checkbox"/>

Outreach material distributed: STOPPP Brochure Industrial Brochure BMP Information

The existing operational practices of the facility Do / Do Not reduce pollutant discharge to the storm drain system to the maximum extent practicable.

ADDITIONAL COMMENTS/REMARKS

Facility map available See attached for more comments

PRIORITY FOR RE-INSPECTION: First Second Third

ENFORCEMENT: None Verbal Notice Warning Notice Informal Violation Formal Violation Legal Action

Received by - Facility Representative Signature: [Signature]
 Print Name & Title of Facility Representative: DAVE RISNEY FIRE CAPTAIN 12-2-99



San Mateo Countywide
Stormwater Pollution Prevention Program
10 Twin Dolphin Dr., Suite C-200, Redwood City, CA 94065

Municipality: Woodside
Date: 2/20/97
Inspector: Aradona / Wyman
E.H. Record ID #: _____

Standard Stormwater Facility Inspection Report Form

Inspection conducted by: San Mateo County, Environmental Health Division, 590 Hamilton St., Redwood City, CA 94063

Reason for Inspection: First Inspection Routine Inspection Complaint Other Facility location: Incorporated Unincorporated

NAME OF FACILITY: Skyline Fire Station SITE ADDRESS: 17290 Skyline

CONTACT NAME: Mike Roberts PHONE: 851-1860 BUSINESS TYPE/ACTIVITY: Fire Station SIC: _____

Is the facility covered under any other programs or permits?
 Air quality Hazmat business plan None Sanitary sewer
 Fire department(hazmat storage) Hazmat waste generator Underground storage tanks Aboveground storage tanks
 Retail food facility Other

Is the facility covered under a storm water permit? Does not need Coverage No, but may need to be (Refer to Regional Board)
 Individual General: Does the facility have a SWPPP? yes no

N/A = Not Applicable; POTENTIAL for Pollutant Exposure without BMPs: 1 = low potential, 2 = medium potential, 3 = high potential
 ACTUAL Type of Discharge: BMP: 0 = BMPs are effective, 1 = BMPs are fairly/almost effective, 2 = BMPs are not effective, 3 = No BMPs are implemented
 PEX = Pollutant Exposure, NSW = Non-Stormwater Discharge

AREAS OF ACTIVITY	N/A	POTENTIAL	ACTUAL			REMARKS: Describe recommendations, requirements, and time to implement. Check box if remark is a requirement.
			BMP	PEX	NSW	
A. Outdoor Process/Manufacturing Areas	X					<input type="checkbox"/>
B. Outdoor Material Storage Areas		2	3	X		<input type="checkbox"/> move fuel oil drum indoors or into overpack.
C. Outdoor Waste Storage/Disposal Areas	X					<input type="checkbox"/>
D. Outdoor Vehicle and Heavy Equipment Storage, Maintenance Areas	X					<input type="checkbox"/>
E. Outdoor Parking Areas and Access Roads		1	0			<input type="checkbox"/>
F. Outdoor Wash Areas		2	3		X	<input type="checkbox"/> Trucks being washed on site. Discharge continuing down hillside. (See below)
G. Rooftop Equipment	X					<input type="checkbox"/>
H. Outdoor Drainage from Indoor Areas	X					<input type="checkbox"/>
I. Other (describe):	X					<input type="checkbox"/>

Outreach material distributed: STOPPP Brochure Industrial Brochure BMP Information

The existing operational practices of the facility Do / Do Not reduce pollutant discharge to the storm drain system to the maximum extent practicable.

ADDITIONAL COMMENTS/REMARKS
All run off will allegedly be diverted to culvert and discharge to creek, including truck exterior wash water. Will investigate ~~the~~ viability of storm water management plan.
(Jerry Okada, PW) See attached for more comments

PRIORITY FOR RE-INSPECTION: First Second Third

ENFORCEMENT: None Verbal Notice Warning Notice Informal Violation Formal Violation Legal Action

Received by - Facility Representative Signature: X [Signature]
 Print Name & Title of Facility Representative: Michael Roberts F.C.



San Mateo Countywide Stormwater Pollution Prevention Program

10 Twin Dolphin Drive, Suite 200, Redwood City, CA 94063

Municipality: Woodside

Date of inspection: 8-23-95

Agency Conducting Inspection: SMCEH

Date of last inspection: _____

Inspector: Belasco

Time to conduct inspection: _____ hr(s)

Standard Storm Water Industrial and Commercial Business Inspection Report

Page 1 of

I. Type of Inspection: Routine inspection <input checked="" type="checkbox"/> Attempt to track down illicit discharge <input type="checkbox"/> follow up inspection <input type="checkbox"/>	
II. Background Information (As reported by the facility contact.)	
1. Facility Name: <u>COR Skyline</u>	
2. Facility Contact (include title): <u>Herb Masters</u>	
3. Facility Owner: <u>CSM</u>	4. Phone No. of Contact: <u>851-1860</u>
5. Site Address or Location of Mobile Operation Inspected: <u>17290 Skyline, Woodside</u> incorporated <input type="checkbox"/> unincorporated <input type="checkbox"/>	
6. Mailing Address: _____	
7. Prior complaints or reports of illicit discharge? <u>no</u> <input checked="" type="checkbox"/> yes <input type="checkbox"/> If yes, describe: _____	
8. Business Activity: <u>Fire Station</u> Standard Industrial Classification (SIC) Code(s): _____	
9. Check any other permits the facility is covered under: air quality <input type="checkbox"/> sanitary sewer <input type="checkbox"/> HMBP <input checked="" type="checkbox"/> underground storage tanks <input type="checkbox"/> Other <input type="checkbox"/>	
10. Are there any spill prevention plans? <u>no</u> <input checked="" type="checkbox"/> yes <input type="checkbox"/>	
11. Does the facility have a HMBP? <u>yes</u> <input checked="" type="checkbox"/> no <input type="checkbox"/>	
12. Describe the operating schedule Continuous throughout the year: <input checked="" type="checkbox"/> Seasonal: <input type="checkbox"/> Circle months facility is in operation Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec	
III. General Industrial Activity Storm Water or Individual NPDES Permit	
1. Describe the facility's status for coverage under a storm water NPDES permit : <input checked="" type="checkbox"/> Facility is not covered and does not need to be. <input type="checkbox"/> Facility is not covered but should be (Direct facility operator to contact Regional Board staff). <input type="checkbox"/> Facility is covered: (circle which type) general, individual	
2. If the facility/mobile operation has General Industrial Activity Storm Water NPDES permit coverage, answer the following:	
a. Does the facility have a Storm Water Pollution Prevention Plan (SWPPP)?	yes <input type="checkbox"/> no <input checked="" type="checkbox"/>
b. Did the inspector use facility's SWPPP during the inspection?	yes <input type="checkbox"/> no <input checked="" type="checkbox"/>
c. Does the facility/mobile operation conduct storm water monitoring?	yes <input type="checkbox"/> no <input checked="" type="checkbox"/>
1). If yes, what are the parameters tested for? Oil & grease <input type="checkbox"/> TOC <input type="checkbox"/> Bioassay <input type="checkbox"/> pH <input type="checkbox"/> Conductivity <input type="checkbox"/> TSS <input type="checkbox"/> Other _____	
2). If not, does the facility/mobile operation participate in group monitoring?	yes <input type="checkbox"/> no <input checked="" type="checkbox"/>
3). If not, has the facility/mobile operation certified that it has no exposure to storm water and is therefore exempt from monitoring?	yes <input type="checkbox"/> no <input checked="" type="checkbox"/>
IV. Facility Layout Current map on file? yes <input type="checkbox"/> no <input checked="" type="checkbox"/>	
If no, attach map(s) that identify and describe locations of storm drains/inlets, storm water conveyance structures, storage areas, unit process areas, vehicle and heavy equipment wash and maintenance areas, and storm water sampling locations. If facility operator cannot provide an existing map, direct operator to submit a map within 30 calendar days. Submit a current facility map by: <u>9-23-95</u>	

Facility name & address: 17290 Skyline, Woodside

Date: 8-23-95

V. Best Management Practices (BMPs)

1. Describe non-structural BMPs identified during the inspection:

2. Describe structural BMPs identified during the inspection:

VI. Conclusions

1. For each area of activity, indicate a numerical code to describe the level of potential discharge to the storm drains AND a letter code to describe the type of potential discharge found.

Level of Potential Discharge:

- 0 - not applicable for facility
- 1 - little potential for pollutant discharge to storm drains
- 2 - some potential for pollutant discharge to storm drains
- 3 - great potential for pollutant discharge to storm drains

Type of Potential Discharge:

- A - illicit connection
- B - where drain discharges unknown
- C - activity area and/or material exposed to storm water
- D - other (please specify)

Areas of Activity:

Areas of Activity:	Level of Potential Discharge	Type of Potential Discharge
Outdoor Material Storage Areas	2	C
Waste Storage/Handling/Disposal Areas	2	C
Rooftop Equipment and Material Deposited from Vents, etc.		
Vehicle and Heavy Equipment Storage and Maintenance Areas	3	A - Washrack
parking areas and access roads	2	C
repair and maintenance areas		
Other Areas:		

2. Follow-up Activities

- (1) None
- (2) Verbal Warning
- (3) Written Warning
- (4) Notice of Violation

Notify Regional Board staff that NPDES permit coverage may be needed

3. Indicate date of follow-up inspection, if scheduled: _____

- no follow-up inspection necessary
- follow-up inspection to be scheduled at a later date

4. Describe outreach performed by inspector to promote the San Mateo Countywide STOPPP.

- general STOPPP brochure
- verbal
- industrial brochure
- other (describe below)

5. DO THE EXISTING OPERATIONAL PRACTICES OF THIS FACILITY EFFECTIVELY REDUCE THE POTENTIAL DISCHARGE TO THE STORM SEWER SYSTEM TO THE MAXIMUM EXTENT PRACTICABLE? YES NO

6. Corrective Action Needed:

Truck wash rack illicitly discharges to surface above Skyline Water Reservoir. This is a violation of the Federal Clean Water Act, The California Porter-Cologne Water Act, and the San Mateo County NPDES permit. Cease discharge immediately and submit plan for station remodel right away. (30 days)

Received by: Herb Masters Signature

Printed Name Herb Masters

Title FAE

Date 8-23-95

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY



Protecting Our Health and Environment

Hazardous Waste Generator Inspection Report

San Mateo County Environmental Health Services Division

Certified Unified Program Agency (CUPA)

2000 Alameda de las Pulgas, Suite 100, San Mateo, CA 94403

Telephone: (650) 372-6200 Fax Number (650) 627-8244

www.smhealth.org/environ

Inspected By: Rompf P/E: 22 LQG On-site Recycler TP Date: 8-11-10

Facility Name: Skylanda Fire Station EPA ID #: CAL000091153

Facility Address: 17290 skyline Blvd. City: Woodside Zip: 94062

Contact Person: Bret Talbot Work Phone #: 851-1860

Consent given by: _____

Mailing Address: _____ City: _____ State: _____ Zip: _____

Business Owner Name: _____ Owner Phone#: 851-1860

Business Description: Fire Station Reinspection Date: _____

ITEM	SECTION #	RECORDKEEPING	IN COMPLIANCE
1	22-66262.12(a)	Generator has EPA Identification Number.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
2	HSC 25143.10	Recyclable Materials Report submitted biennially to CUPA.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
3	22-66262.40(c)	Test results/waste analyses on site.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
4	22-66262.40(b)	Biennial Report on file.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
5	22-66265.16	Personnel training documented.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
6	HSC 25244.19	Waste Minimization Plan and Summary Progress Report on site.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
MANIFESTS / CONSOLIDATED MANIFESTS			
7	22-66262.23 HSC 25160.2	Manifests or <u>consolidated</u> manifests are available for inspection.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
8	22-66262.23(a)(1)	Applicable sections completed.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
9	22-66262.23(a)(4)	Manifest copies submitted to Cal/EPA within 30 days.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
10	22-66262.12(c)	Hazardous waste hauled by a registered transporter.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
11	22-66262.12(c)	Hazardous waste shipped to a permitted facility.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
12	22-66262.42(a)	Signed "Designated Facility" manifest copies received.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
13	22-66262.40(b)	Exception Report on file.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
14	22-66268.7(a)(6)	Land Disposal Restriction notification on file.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
15	22-66261.107	Extremely Hazardous Waste is managed according to 66261.111 and 66261.113.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)

<u>ITEM</u>	<u>SECTION #</u>	<u>WASTE DETERMINATION</u>	<u>IN COMPLIANCE</u>
16	22-66262.11	Hazardous waste determination made for all waste.....	(N/A) (Yes) (No)
<u>EMERGENCY PREPAREDNESS/CONTINGENCY PLAN</u>			
17	22-66265.31	Facility operated to minimize possibility of fire, explosion, or any unplanned release of hazardous waste to air, soil, or surface water, which could threaten human health or the environment.....	(N/A) (Yes) (No)
18	22-66265.32	Facility has adequate emergency response equipment, internal communication, fire extinguishers and spill control material.....	(N/A) (Yes) (No)
19	22-66265.33/34	Emergency equipment is adequately maintained and accessible.....	(N/A) (Yes) (No)
20	22-66265.35	Aisle space is adequately maintained for emergency response.....	(N/A) (Yes) (No)
21	22-66265.51/53	Facility has a Hazardous Waste Contingency Plan on site.....	(N/A) (Yes) (No)
<u>HAZARDOUS WASTE STORAGE</u>			
22	HSC 25189.5(a)(d) HSC 25201(a)	Generator does not accept, treat, or dispose of hazardous waste on-site without a permit.....	(N/A) (Yes) (No)
23	22-66262.34(a)	Generator does not accumulate hazardous waste on-site for longer than 90 days without a permit.....	(N/A) (Yes) (No)
24	22.66262.34(d)	Generator does not accumulate hazardous waste on site for longer than 180, days or longer than 270 days if transport of waste to a TSD facility is over 200 miles.....	(N/A) (Yes) (No)
25	22-66262.34(e)(1)	Generator uses "Satellite Accumulation" exemption for storage.....	(N/A) (Yes) (No)
26	22-66262.34(f)(3) (A)(B)(C)	Each container is labeled with: "Hazardous Waste", waste composition, hazardous properties and generator information.....	(N/A) (Yes) (No)
27	22-66262.34(f)(1)	Accumulation start date clearly marked and visible for inspection on each container.....	(N/A) (Yes) (No) ①
<u>CONTAINER USE AND MANAGEMENT</u>			
28	22-66265.171	Hazardous waste containers in good condition.....	(N/A) (Yes) (No)
29	22-66265.172	Hazardous waste compatible with holding containers.....	(N/A) (Yes) (No)
30	22-66265.173	Hazardous waste containers closed when not in use.....	(N/A) (Yes) (No)
31	22-66265.174	Hazardous waste storage area inspected weekly.....	(N/A) (Yes) (No)
32	22-66265.177(a)	No mixing of incompatible wastes.....	(N/A) (Yes) (No)
33	22-66265.177(c)	Storage of incompatible hazardous waste is in a secure area which minimizes the possibility of spills, mixing, and escape of materials from the area.....	(N/A) (Yes) (No)
34	22-66261.7(e) 22.66261.7(f)	Empty containers are managed properly.....	(N/A) (Yes) (No)

ITEM SECTION #

UNIVERSAL WASTE

IN COMPLIANCE

35 22-66261.9(a)

Universal waste managed according with the standards of chapter 23.....(N/A) (Yes) (No)

TANK MANAGEMENT

36 22-66265.190-199

Waste stored in tank(s) is in compliance with Article 10.....(N/A) (Yes) (No)

WASTE GENERATED:

QUANTITY / MONTH

used oil/oil filters

CORRECTIVE ACTIONS:

① update accumulation start dates on used oil and used oil filters. used oil filter drum says 2007 on the label. SR - Corrected on-site -

NO VIOLATIONS NOTE D

Facility Representative: Your signature acknowledges receipt of this report and does not imply agreement with the findings.

Diana Schuchart Diana Schuchart

SIGNATURE

NAME

8-11-10

DATE



Protecting Our Health and Environment

Hazardous Waste Generator Inspection Report

San Mateo County Environmental Health Services Division
Certified Unified Program Agency (CUPA)
455 County Center, 4th Floor, Redwood City, CA 94063
Telephone: (650) 363-4305 Fax Number (650) 363-7882

Inspected By: P. Smith P/E: 22 20 LQG N On-site Recycler N TP N Date: 11-15-07
 Facility Name: SKYCONDA FIRE STATION EPA ID #: CAL000091153
 Facility Address: 17290 SKYLINE BLVD. City: WOODSIDE Zip: 94062
 Contact Person: CAPT. RICK CUMMINGS Work Phone #: 851-1860
 Consent given by: RICK CUMMINGS
 Mailing Address: _____ City: _____ State: _____ Zip: _____
 Business Owner Name: _____ Owner Phone #: _____
 Business Description: _____ Reinspection Date: _____

ITEM	SECTION #	RECORDKEEPING	IN COMPLIANCE
1	22-66262.12(a)	Generator has EPA Identification Number.....	(N/A) (Yes) (No)
2	HSC 25143.10	Recyclable Materials Report submitted biennially to CUPA.....	(N/A) (Yes) (No)
3	22-66262.40(c)	Test results/waste analyses on site.....	(N/A) (Yes) (No)
4	22-66262.40(b)	Biennial Report on file.....	(N/A) (Yes) (No)
5	22-66265.16	Personnel training documented.....	(N/A) (Yes) (No)
6	HSC 25244.19	Waste Minimization Plan and Summary Progress Report on site.....	(N/A) (Yes) (No)
MANIFESTS / RECEIPTS			
7	22-66263.42(e)	Manifests or waste pickup receipts available for inspection.....	(N/A) (Yes) (No)
8	22-66262.23(a)(1)	Applicable sections completed.....	(N/A) (Yes) (No)
9	22-66262.23(a)(4)	Manifest copies submitted to Cal/EPA within 30 days.....	(N/A) (Yes) (No)
10	22-66262.12(c)	Hazardous waste hauled by a registered transporter.....	(N/A) (Yes) (No)
11	22-66262.12(c)	Hazardous waste shipped to a permitted facility.....	(N/A) (Yes) (No)
12	22-66262.42(a)	Signed TSDf manifest copies received.....	(N/A) (Yes) (No)
13	22-66262.40(b)	Exception Report on file.....	(N/A) (Yes) (No)
14	22-66268.7(a)(6)	Land Disposal Restriction notification on file.....	(N/A) (Yes) (No)
15	22-66261.107	Extremely Hazardous Waste is managed according to 66261.111 and 66261.113.....	(N/A) (Yes) (No)

ITEM	SECTION #	WASTE DETERMINATION	IN COMPLIANCE
16	22-66262.11	Hazardous waste determination made for all waste.....	(N/A) (Yes) (No)
<u>EMERGENCY PREPAREDNESS/CONTINGENCY PLAN</u>			
17	22-66265.31	Facility operated to minimize possibility of fire, explosion, or any unplanned release of hazardous waste to air, soil, or surface water, which could threaten human health or the environment.....	(N/A) (Yes) (No)
18	22-66265.32	Facility has adequate emergency response equipment, internal communication, fire extinguishers and spill control material.....	(N/A) (Yes) (No)
19	22-66265.33/34	Emergency equipment is adequately maintained and accessible.....	(N/A) (Yes) (No)
20	22-66265.35	Aisle space is adequately maintained for emergency response.....	(N/A) (Yes) (No)
21	22-66265.51/53	Facility has a Hazardous Waste Contingency Plan on site.....	(N/A) (Yes) (No)
<u>HAZARDOUS WASTE STORAGE</u>			
22	HSC 25189.5(a)(d) HSC 25201(a)	Generator does not accept, treat, or dispose of hazardous waste on-site without a permit.....	(N/A) (Yes) (No)
23	22-66262.34(a)	Generator does not accumulate hazardous waste on-site for longer than 90 days without a permit.....	(N/A) (Yes) (No)
24	22.66262.34(d)	Generator does not accumulate hazardous waste on site for longer than 180, days or longer than 270 days if transport of waste to a TSD facility is over 200 miles.....	(N/A) (Yes) (No)
25	22-66262.34(e)(1)	Generator uses "Satellite Accumulation" exemption for storage.....	(N/A) (Yes) (No)
26	22-66262.34(f)(3) (A)(B)(C)	Each container is labeled with: "Hazardous Waste", waste composition, hazardous properties and generator information.....	{ (N/A) (Yes) (No) CORRECTED DURING INSPECTION (N/A) (Yes) (No)
27	22-66262.34(f)(1)	Accumulation start date clearly marked and visible for inspection on each container.....	
<u>CONTAINER USE AND MANAGEMENT</u>			
28	22-66265.171	Hazardous waste containers in good condition.....	(N/A) (Yes) (No)
29	22-66265.172	Hazardous waste compatible with holding containers.....	(N/A) (Yes) (No)
30	22-66265.173	Hazardous waste containers closed when not in use... <i>SEE COMMENT</i>	(N/A) (Yes) (No)
31	22-66265.174	Hazardous waste storage area inspected weekly.....	(N/A) (Yes) (No)
32	22-66265.177(a)	No mixing of incompatible wastes.....	(N/A) (Yes) (No)
33	22-66265.177(c)	Storage of incompatible hazardous waste is in a secure area which minimizes the possibility of spills, mixing, and escape of materials from the area.....	(N/A) (Yes) (No)
34	22-66261.7(e) 22.66261.f	Empty containers are managed properly.....	(N/A) (Yes) (No)

ITEM SECTION# UNIVERSAL WASTE IN COMPLIANCE
35 22-66261.9(a) Universal waste managed according with the standards of chapter 23.....(N/A) (Yes) (No)

TANK MANAGEMENT

36 22-66265.190-199 Waste stored in tank(s) is in compliance with Article 10.....(N/A) (Yes) (No)


WASTE GENERATED: QUANTITY / MONTH

USED OIL - FROM PUBLIC AND SOME VEHICLE MAINTENANCE
WASTE FUEL - MAY BE 1 TIME
DROP OFF FROM PUBLIC

COMMENTS:

- ① ACCUMULATION START DATE WAS ADDED TO HAZ WASTE LABEL ON USED OIL TANK DURING INSPECTION
- ② 3 X 5-GAL WASTE GAS AND DIESEL CONTAINERS WERE PLACED IN CABINET AND HAZ WASTE LABEL ADDED DURING INSPECTION
- ③ HINGED LID ON TANK FUNNEL THAT SCREWS INTO TANK WAS CLOSED & SECURED DURING INSPECTION
- ④ FACILITY WAS CLEAN W/ LOTS OF SPILL RESPONSE AND EMERGENCY EQUIPMENT EASILY ACCESSIBLE

Facility Representative: Your signature acknowledges receipt of this report and does not imply agreement with the findings.


SIGNATURE

Richard Cummings
NAME

11/15/2007
DATE

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY



Protecting Our Health and Environment

Hazardous Waste Generator Inspection Report

San Mateo County Environmental Health Services Division
Certified Unified Program Agency (CUPA)
455 County Center, 4th Floor, Redwood City, CA 94063
Telephone: (650) 363-4305 Fax Number (650) 363-7882

Inspected By: REBECCA P/E: 22 LQG On-site Recycler TP Date: 4-1-05
 Facility Name: SKYLONDA FIRE STATION EPA ID #: CA2000091153
 Facility Address: 17290 SKYLINE BLVD City: WOODSIDE Zip: 94062
 Contact Person: RICK CUMMINGS/KEN BISCAV Work Phone #: 951-1860
 Consent given by: KEN BISCAV
 Mailing Address: _____ City: _____ State: _____ Zip: _____
 Business Owner Name: COUNTY OF SAN MATEO Owner Phone #: _____
 Business Description: _____ Reinspection Date: _____

ITEM	SECTION #	RECORDKEEPING	IN COMPLIANCE
1	22-66262.12(a)	Generator has EPA Identification Number.....	(N/A) (Yes) (No)
2	HSC 25143.10	Recyclable Materials Report submitted biennially to CUPA.....	(N/A) (Yes) (No)
3	22-66262.40(c)	Test results/waste analyses on site.....	(N/A) (Yes) (No)
4	22-66262.40(b)	Biennial Report on file.....	(N/A) (Yes) (No)
5	22-66265.16	Personnel training documented.....	(N/A) (Yes) (No)
6	HSC 25244.19	Waste Minimization Plan and Summary Progress Report on site.....	(N/A) (Yes) (No)
MANIFESTS / RECEIPTS			
7	22-66263.42(e)	Manifests or waste pickup receipts available for inspection.....	(N/A) (Yes) (No)
8	22-66262.23(a)(1)	Applicable sections completed.....	(N/A) (Yes) (No)
9	22-66262.23(a)(4)	Manifest copies submitted to Cal/EPA within 30 days.....	(N/A) (Yes) (No)
10	22-66262.12(c)	Hazardous waste hauled by a registered transporter.....	(N/A) (Yes) (No)
11	22-66262.12(c)	Hazardous waste shipped to a permitted facility.....	(N/A) (Yes) (No)
12	22-66262.42(a)	Signed TSDf manifest copies received.....	(N/A) (Yes) (No)
13	22-66262.40(b)	Exception Report on file.....	(N/A) (Yes) (No)
14	22-66268.7(a)(6)	Land Disposal Restriction notification on file.....	(N/A) (Yes) (No)
15	22-66261.107	Extremely Hazardous Waste is managed according to 66261.111 and 66261.113.....	(N/A) (Yes) (No)

ITEM	SECTION #	WASTE DETERMINATION	IN COMPLIANCE
16	22-66262.11	Hazardous waste determination made for all waste.....	(N/A) (Yes) (No)
EMERGENCY PREPAREDNESS/CONTINGENCY PLAN			
17	22-66265.31	Facility operated to minimize possibility of fire, explosion, or any unplanned release of hazardous waste to air, soil, or surface water, which could threaten human health or the environment.....	(N/A) (Yes) (No)
18	22-66265.32	Facility has adequate emergency response equipment, internal communication, fire extinguishers and spill control material.....	(N/A) (Yes) (No)
19	22-66265.33/34	Emergency equipment is adequately maintained and accessible.....	(N/A) (Yes) (No)
20	22-66265.35	Aisle space is adequately maintained for emergency response.....	(N/A) (Yes) (No)
21	22-66265.51/53	Facility has a Hazardous Waste Contingency Plan on site.....	(N/A) (Yes) (No)
HAZARDOUS WASTE STORAGE			
22	HSC 25189.5(a)(d) HSC 25201(a)	Generator does not accept, treat, or dispose of hazardous waste on-site without a permit.....	(N/A) (Yes) (No)
23	22-66262.34(a)	Generator does not accumulate hazardous waste on-site for longer than 90 days without a permit.....	(N/A) (Yes) (No)
24	22.66262.34(d)	Generator does not accumulate hazardous waste on site for longer than 180, days or longer than 270 days if transport of waste to a TSD facility is over 200 miles.....	(N/A) (Yes) (No)
25	22-66262.34(e)(1)	Generator uses "Satellite Accumulation" exemption for storage.....	(N/A) (Yes) (No)
26	22-66262.34(f)(3) (A)(B)(C)	Each container is labeled with: "Hazardous Waste", waste composition, hazardous properties and generator information.....	(N/A) (Yes) (No)
27	22-66262.34(f)(1)	Accumulation start date clearly marked and visible for inspection on each container.....	(N/A) (Yes) (No)
<i>CORRECTED DURING INSPECTION</i>			
CONTAINER USE AND MANAGEMENT			
28	22-66265.171	Hazardous waste containers in good condition.....	(N/A) (Yes) (No)
29	22-66265.172	Hazardous waste compatible with holding containers.....	(N/A) (Yes) (No)
30	22-66265.173	Hazardous waste containers closed when not in use.....	(N/A) (Yes) (No)
31	22-66265.174	Hazardous waste storage area inspected weekly.....	(N/A) (Yes) (No)
32	22-66265.177(a)	No mixing of incompatible wastes.....	(N/A) (Yes) (No)
33	22-66265.177(c)	Storage of incompatible hazardous waste is in a secure area which minimizes the possibility of spills, mixing, and escape of materials from the area.....	(N/A) (Yes) (No)
34	22-66261.7(e) 22.66261.f	Empty containers are managed properly.....	(N/A) (Yes) (No)

ITEM SECTION#

UNIVERSAL WASTE

IN COMPLIANCE

35 22-66261.9(a)

Universal waste managed according with the standards of chapter 23.....(N/A) (Yes) (No)

TANK MANAGEMENT

36 22-66265.190-199

Waste stored in tank(s) is in compliance with Article 10.....(N/A) (Yes) (No)

WASTE GENERATED:

QUANTITY / MONTH

USED OIL

USED OIL FILTERS

COMMENTS:

- ① REMEMBER TO ADD ACCUMULATION START DATE ON USED OIL TANK HAL WASTE LABEL AFTER EVERY PICKUPS (CORRECTOR) DURING INSPECTION
- ② TRAINING RECORDS THOROUGH.

Facility Representative: Your signature acknowledges receipt of this report and does not imply agreement with the findings.

Ken Biscay
SIGNATURE

Ken BISCAY
NAME

4-1-05
DATE

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY



Protecting Our Health and Environment

Hazardous Waste Generator Inspection Report

San Mateo County Environmental Health Services Division

Certified Unified Program Agency (CUPA)

455 County Center, 4th Floor, Redwood City, CA 94063

Telephone: (650) 363-4305 Fax Number (650) 363-7882

Inspected By: D. Jensen P/E: 22 LQG On-site Recycler TP Date: 2/24/03

Facility Name: San Mateo Co./CDF Skyland Fire Station EPA ID #: CA L000091153

Facility Address: 17290 Skyline Blvd. City: Woodside Zip: 94062

Contact Person: Mahlon Schanzenbach Work Phone #: 851-1860

Consent given by: Same as above.

Mailing Address: Same as above City: _____ State: _____ Zip: _____

Business Owner Name: San Mateo Co./CDF Owner Phone #: _____

Business Description: Fire suppression Reinspection Date: _____

ITEM	SECTION #	RECORDKEEPING	IN COMPLIANCE
1	22-66262.12(a)	Generator has EPA Identification Number.....	(N/A) (Yes) (No)
2	HSC 25143.10	Recyclable Materials Report submitted biennially to CUPA.....	(N/A) (Yes) (No)
3	22-66262.40(c)	Test results/waste analyses on site.....	(N/A) (Yes) (No)
4	22-66262.40(b)	Biennial Report on file.....	(N/A) (Yes) (No)
5	22-66265.16	Personnel training documented.....	(N/A) (Yes) (No)
6	HSC 25244.19	Waste Minimization Plan and Summary Progress Report on site.....	(N/A) (Yes) (No)
<u>MANIFESTS / RECEIPTS</u>			
7	22-66263.42(e)	3 Manifests or waste pickup receipts available for inspection.....	(N/A) (Yes) (No)
8	22-66262.23(a)(1)	Applicable sections completed.....	(N/A) (Yes) (No)
9	22-66262.23(a)(4)	Manifest copies submitted to Cal/EPA within 30 days.....	(N/A) (Yes) (No)
10	22-66262.12(c)	Hazardous waste hauled by a registered transporter.....	(N/A) (Yes) (No)
11	22-66262.12(c)	Hazardous waste shipped to a permitted facility.....	(N/A) (Yes) (No)
12	22-66262.42(a)	Signed TSDf manifest copies received.....	(N/A) (Yes) (No)
13	22-66262.40(b)	Exception Report on file.....	(N/A) (Yes) (No)
14	22-66268.7(a)(6)	Land Disposal Restriction notification on file.....	(N/A) (Yes) (No)
15	22-66261.107	Extremely Hazardous Waste is managed according to 66261.111 and 66261.113.....	(N/A) (Yes) (No)

<u>ITEM</u>	<u>SECTION #</u>	<u>WASTE DETERMINATION</u>	<u>IN COMPLIANCE</u>
16	22-66262.11	X Hazardous waste determination made for all waste.....	(N/A) (Yes) (No)

EMERGENCY PREPAREDNESS/CONTINGENCY PLAN

17	22-66265.31	Facility operated to minimize possibility of fire, explosion, or any unplanned release of hazardous waste to air, soil, or surface water, which could threaten human health or the environment.....	(N/A) (Yes) (No)
18	22-66265.32	Facility has adequate emergency response equipment, internal communication, fire extinguishers and spill control material.....	(N/A) (Yes) (No)
19	22-66265.33/34	Emergency equipment is adequately maintained and accessible.....	(N/A) (Yes) (No)
20	22-66265.35	Aisle space is adequately maintained for emergency response.....	(N/A) (Yes) (No)
21	22-66265.51/53	Facility has a Hazardous Waste Contingency Plan on site.....	(N/A) (Yes) (No)

HAZARDOUS WASTE STORAGE

22	HSC 25189.5(a)(d) HSC 25201(a)	Generator does not accept, treat, or dispose of hazardous waste on-site without a permit.....	(N/A) (Yes) (No)
23	22-66262.34(a)	Generator does not accumulate hazardous waste on-site for longer than 90 days without a permit.....	(N/A) (Yes) (No)
24	22.66262.34(d)	X Generator does not accumulate hazardous waste on site for longer than 180, days or longer than 270 days if transport of waste to a TSD facility is over 200 miles.....	(N/A) (Yes) (No)
25	22-66262.34(e)(1)	X Generator uses "Satellite Accumulation" exemption for storage.....	(N/A) (Yes) (No)
26	22-66262.34(f)(3) (A)(B)(C)	Each container is labeled with: "Hazardous Waste", waste composition, hazardous properties and generator information.....	(N/A) (Yes) (No)
27	22-66262.34(f)(1)	X Accumulation start date clearly marked and visible for inspection on each container.....	(N/A) (Yes) (No)

CONTAINER USE AND MANAGEMENT

28	22-66265.171	Hazardous waste containers in good condition.....	(N/A) (Yes) (No)
29	22-66265.172	Hazardous waste compatible with holding containers.....	(N/A) (Yes) (No)
30	22-66265.173	Hazardous waste containers closed when not in use.....	(N/A) (Yes) (No)
31	22-66265.174	Hazardous waste storage area inspected weekly.....	(N/A) (Yes) (No)
32	22-66265.177(a)	No mixing of incompatible wastes.....	(N/A) (Yes) (No)
33	22-66265.177(c)	Storage of incompatible hazardous waste is in a secure area which minimizes the possibility of spills, mixing, and escape of materials from the area.....	(N/A) (Yes) (No)
34	22-66261.7(e) 22.66261.f	Empty containers are managed properly.....	(N/A) (Yes) (No)

1 year maximum storage period.

ITEM **SECTION #** **UNIVERSAL WASTE** **IN COMPLIANCE**
35 22-66261.9(a) Universal waste managed according with the standards of chapter 23.....(N/A) (Yes) (No)

TANK MANAGEMENT

36 22-66265.190-199 Waste stored in tank(s) is in compliance with Article 10.....(N/A) (Yes) (No)

WASTE GENERATED:

QUANTITY / MONTH

Petroleum oil
Oil filters


COMMENTS:

No violations observed.

Reminder:

- 1) Determine if three 55-gallon drums behind AGT are hazardous waste and if so, dispose of within 30 days. If not haz waste, keep under cover and utilize product as needed.
- 2) Indicate the accumulation start date(s) on haz waste label for all new waste accumulation periods.

Facility Representative: Your signature acknowledges receipt of this report and does not imply agreement with the findings.

 Mahlon Schanzenbach
SIGNATURE NAME

2/24/03
DATE

Hazardous Waste Generator Inspection Report

San Mateo County Division of Environmental Health
 455 County Center, 4th Floor, Redwood City, CA 94063
 (650) 363-4305

Record ID#: _____ P/E: 22 Inspected By: D. Jensen Date: 7/31/00
 Business Contact: Ed Smith Work Phone: 851-1860
 Facility Name: Skyland 9 Fire Station EPA ID#: CA100009453
 Facility Street Address: 17290 Skyline Blvd City: Woodside Zip: 94062
 Mailing Address: Same as above City: _____ State: _____ Zip: _____
 Street: _____ City: _____ Zip: _____
 Business Description: Fire station
 Business Owner Name: S.M. Co./CDF Owner Phone: _____
 Owner Address: _____
 Driver's License #: _____ Expiration Date: _____ Reinspection Date: _____

ITEM	SECTION #	RECORDKEEPING	IN COMPLIANCE
1	22-66262.12(a)	Generator has EPA Identification Number	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
2	22-66263.42(e)	Manifests or waste pickup receipts on file at facility	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
3	22-66262.40(c)	Test results/waste analyses on file	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
4	22-66262.40(b)	Biennial Report on file	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
5	22-66265.18	Personnel training documented	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
<u>MANIFEST</u>			
6	22-66262.20	Applicable sections completed	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
7	22-66262.23(a)(4)	Manifest copies submitted to Cal/EPA within 30 days	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
8	22-66262.12(c)	Hazardous waste hauled by a registered transporter	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
9	22-66262.12(c)	Hazardous waste shipped to a permitted facility	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
10	22-66262.42(a)	Signed TSDf manifest copies received	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
11	22-66262.40(b)	Exception Report on file	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
12	22-67430.1	Extremely hazardous waste disposed of with permit	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
13	22-66268.7(a)(6)	Land Disposal Restriction notification on file	(N/A) (Yes) (No) <input checked="" type="checkbox"/>

<u>ITEM</u>	<u>SECTION #</u>	<u>WASTE DETERMINATION</u>	<u>IN COMPLIANCE</u>
14	22-66262.11	Hazardous waste determination made for all waste	(N/A) (Yes) (No)
<u>EMERGENCY PREPAREDNESS/CONTINGENCY PLAN</u>			
15	22-66265.31	Facility operated to minimize possibility of fire, explosion, or unplanned release of hazardous waste to air, soil or surface water which could threaten human health or the environment	(N/A) (Yes) (No)
16	22-66265.32	Facility has adequate emergency response equipment; internal communication, fire extinguisher(s) and spill control	(N/A) (Yes) (No)
17	22-66265.33/.34	Emergency equipment is adequately maintained and accessible	(N/A) (Yes) (No)
18	22-66265.35	Aisle space is adequately maintained for emergency response	(N/A) (Yes) (No)
19	22-66265.51/.53	Facility has a copy of a written hazardous waste contingency plan or Hazardous Material Business Plan on-site	(N/A) (Yes) (No)
<u>HAZARDOUS WASTE STORAGE</u>			
20	HSC 25189.5 HSC 25201	Generator does not accept, treat or dispose of hazardous waste on-site without a permit	(N/A) (Yes) (No)
21	22-66262.34(a)	Generator does not store more than 100 kg (27 gal) on-site for longer than 90 days without a permit	(N/A) (Yes) (No)
22	22-66262.34(e)(1)	Generator uses "Satellite Accumulation" exemption for storage	(N/A) (Yes) (No)
23	22-66262.34(f)(3)	Each container is labeled with: "Hazardous Waste", waste composition, hazardous properties and generator information	(N/A) (Yes) (No)
24	22-66262.34(f)(1)	Accumulation start date clearly marked and visible on each container	(N/A) (Yes) (No)
<u>CONTAINER MANAGEMENT</u>			
25	22-66265.171	Hazardous waste containers in good condition	(N/A) (Yes) (No)
26	22-66265.172	Hazardous waste compatible with holding containers	(N/A) (Yes) (No)
27	22-66265.173	Hazardous waste containers closed when not in use	(N/A) (Yes) (No)
28	22-66265.174	Hazardous waste storage area inspected weekly	(N/A) (Yes) (No)

<u>ITEM</u>	<u>SECTION #</u>	<u>CONTAINER MANAGEMENT (Con't)</u>	<u>IN COMPLIANCE</u>
29	22-66265.177(a)	No mixing of incompatible wastes	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
30	22-66265.177(c)	Storage of waste is in a secure area which minimizes the possibility of spills, mixing of incompatible and escape of materials from the area	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
31	22-66261.7	Empty containers are managed properly	(N/A) (Yes) (No) <input checked="" type="checkbox"/>

TANK MANAGEMENT

32	22-66265.190-199	Waste stored in tank(s) in compliance with Article 10	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
----	------------------	---	--

WASTE GENERATED:

QUANTITY/MONTH

Petroleum oil	
Oil filters	

COMMENTS:

No violations observed.

Ed Smith

NAME

Ed Smith

SIGNATURE

7/31/00

DATE

Hazardous Waste Generator Inspection Report

San Mateo County Division of Environmental Health
590 Hamilton Street, 4th Floor, Redwood City, CA 94063
Telephone: (415) 363-4305

Record ID#: 659007 P/E: 22 90 Inspected By: Aragon Date: 12/2/97
 Business Contact: Dave Rusney Mittie Roberts Work Phone: 851-1860
 Facility Name: Skylanda Fire Stn EPA ID#: CAL000091153
 Facility Street Address: 17290 Skyline City: Woodside Zip: 94062
 Mailing Address: same City: _____ State: _____ Zip: _____
 Street: same City: _____ Zip: _____
 Business Description: Fire Station
 Business Owner Name: County of San Mateo Owner Phone: _____
 Owner Address: 10 Twin Dolphin Dr., Redwood City
 Driver's License #: _____ Expiration Date: _____ Reinspection Date: _____

ITEM	SECTION #	RECORDKEEPING	I N COMPLIANCE
1	22-66262.12(a)	Generator has EPA Identification Number	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
2	22-66263.42(e)	Manifests or <u>waste pickup receipts</u> on file at facility	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
3	22-66262.40(c)	Test results/waste analyses on file	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
4	22-66262.40(b)	Biennial Report on file	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
5	22-66265.16	Personnel training documented	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
MANIFEST			
6	22-66262.20	Applicable sections completed	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
7	22-66262.23(a)(4)	Manifest copies submitted to Cal/EPA within 30 days	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
8	22-66262.12(c)	Hazardous waste hauled by a registered transporter	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
9	22-66262.12(c)	Hazardous waste shipped to a permitted facility	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
10	22-66262.42(a)	Signed TSDf manifest copies received	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
11	22-66262.40(b)	Exception Report on file	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
12	22-67430.1	Extremely hazardous waste disposed of with permit	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
13	22-66268.7(a)(6)	Land Disposal Restriction notification on file	(N/A) (Yes) (No) <input checked="" type="checkbox"/>

<u>ITEM</u>	<u>SECTION #</u>	<u>WASTE DETERMINATION</u>	<u>IN COMPLIANCE</u>
14	22-66262.11	Hazardous waste determination made for all waste	(N/A) (Yes) (No)
<u>EMERGENCY PREPAREDNESS/CONTINGENCY PLAN</u>			
15	22-66265.31	Facility operated to minimize possibility of fire, explosion, or unplanned release of hazardous waste to air, soil or surface water which could threaten human health or the environment	(N/A) (Yes) (No)
16	22-66265.32	Facility has adequate emergency response equipment; internal communication, fire extinguisher(s) and spill control	(N/A) (Yes) (No)
17	22-66265.33/34	Emergency equipment is adequately maintained and <u>accessible</u>	(N/A) (Yes) (No)
18	22-66265.35	Aisle space is adequately maintained for emergency response	(N/A) (Yes) (No)
19	22-66265.51/53	* Facility has a copy of a written hazardous waste contingency plan or Hazardous Material Business Plan on-site <i>Draft only</i>	(N/A) (Yes) (No)
<u>HAZARDOUS WASTE STORAGE</u>			
20	HSC 25189.5 HSC 25201	Generator does not accept, treat or dispose of hazardous waste on-site without a permit	(N/A) (Yes) (No)
21	22-66262.34(a)	Generator does not store more than 100 kg (27 gal) on-site for longer than 90 days without a permit	(N/A) (Yes) (No)
22	22-66262.34(e)(1)	Generator uses "Satellite Accumulation" exemption for storage	(N/A) (Yes) (No)
23	22-66262.34(f)(3)	Each container is labeled with: "Hazardous Waste", waste composition, hazardous properties and generator information	(N/A) (Yes) (No)
24	22-66262.34(f)(1)	Accumulation start date clearly marked and visible on each container	(N/A) (Yes) (No)
<u>CONTAINER MANAGEMENT</u>			
25	22-66265.171	Hazardous waste containers in good condition	(N/A) (Yes) (No)
26	22-66265.172	Hazardous waste compatible with holding containers	(N/A) (Yes) (No)
27	22-66265.173	Hazardous waste containers closed when not in use	(N/A) (Yes) (No)
28	22-66265.174	Hazardous waste storage area inspected weekly	(N/A) (Yes) (No)

<u>ITEM</u>	<u>SECTION #</u>	<u>CONTAINER MANAGEMENT (Con't)</u>	<u>IN COMPLIANCE</u>
29	22-66265.177(a)	No mixing of incompatible wastes	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
30	22-66265.177(c)	Storage of waste is in a secure area which minimizes the possibility of spills, mixing of incompatible and escape of materials from the area	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
31	22-66261.7	Empty containers are managed properly	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
<u>TANK MANAGEMENT</u>			
32	22-66265.190-199	Waste stored in tank(s) in compliance with Article 10	(N/A) (Yes) (No) <input checked="" type="checkbox"/>

WASTE GENERATED:

QUANTITY/MONTH

waste oil

COMMENTS:

1. Update HUBP w/new contacts, updated inventory and maintain final draft onsite

DAVE RISNEY F.C.  12-2-97
 NAME SIGNATURE DATE

SAN MATEO COUNTY

DEPARTMENT OF HEALTH SERVICES - ENVIRONMENTAL HEALTH

590 Hamilton Street, Redwood City, CA 94063

(415) 363-4305

FAX 851-2862

OFFICIAL INSPECTION REPORT / FIELD OBSERVATIONS

Site Name: <u>COIC Skylanda</u>	Page <u>1</u> of <u>1</u>
Site Address: <u>17240 Skyline Blvd.</u> <u>Woodside 94062</u>	Date: <u>8-31-95</u>
	Program: <u>3000</u>
	Site Computer # _____
	APN: <u>Red Cummins + Herb Masters</u>

Stormwater reinspection + re-evaluation.

Recommendations:

- ① Hose washing may continue, as it drains onto an area of vegetation.
- ② Vehicle washing may continue, as it drains onto an area of vegetation.
- ③ A non-petroleum, solvent free soap should be used.
- ④ Washing of engine and undercarriage is ~~not~~ ~~prohibited~~ as it could introduce hazardous contamination into the environment, and violate the Clean Water Act, with \$25,000 per day fines. In order to utilize a steam cleaner, the use of an advanced oil water separator or water recycling system is necessary to reduce pollution to the maximum extent practicable.

Inspector: D. D. Jones

Received By: [Signature]

Hazardous Waste Generator Inspection Report

San Mateo County Division of Environmental Health
590 Hamilton Street, 4th Floor, Redwood City, CA 94063
Telephone: (415) 363-4305

Record ID#: 655007 P/E: 22-00 Inspected By: Aracora Wynn Date: 2/20/97
 Business Contact: Mike Roberts Work Phone: 851-7860
 Facility Name: Skylonda Fire Stn EPA ID#: CAL000091153
 Facility Street Address: 17290 Skyline City: Woodside Zip: 94062
 Mailing Address: same City: _____ State: _____ Zip: _____
 Street: _____ City: _____ Zip: _____
 Business Description: Fire Stn
 Business Owner Name: County of San Mateo Owner Phone: same
 Owner Address: 10 Twin Dolphin, RWC
 Driver's License #: _____ Expiration Date: _____ Reinspection Date: _____

ITEM	SECTION #	RECORDKEEPING	IN COMPLIANCE
1	22-66262.12(a)	Generator has EPA Identification Number	(N/A) (Yes) (No)
2	22-66263.42(e)	Manifests or waste pickup receipts on file at facility	(N/A) (Yes) (No)
3	22-66262.40(c)	Test results/waste analyses on file	(N/A) (Yes) (No)
4	22-66262.40(b)	Biennial Report on file	(N/A) (Yes) (No)
5	22-66265.16	* Personnel training documented	(N/A) (Yes) (No)
MANIFEST			
6	22-66262.20	Applicable sections completed	(N/A) (Yes) (No)
7	22-66262.23(a)(4)	Manifest copies submitted to Cal/EPA within 30 days	(N/A) (Yes) (No)
8	22-66262.12(c)	Hazardous waste hauled by a registered transporter	(N/A) (Yes) (No)
9	22-66262.12(c)	Hazardous waste shipped to a permitted facility	(N/A) (Yes) (No)
10	22-66262.42(a)	Signed TSDF manifest copies received	(N/A) (Yes) (No)
11	22-66262.40(b)	Exception Report on file	(N/A) (Yes) (No)
12	22-67430.1	Extremely hazardous waste disposed of with permit	(N/A) (Yes) (No)
13	22-66268.7(a)(6)	Land Disposal Restriction notification on file	(N/A) (Yes) (No)

<u>ITEM</u>	<u>SECTION #</u>	<u>WASTE DETERMINATION</u>	<u>IN COMPLIANCE</u>
14	22-66262.11	Hazardous waste determination made for all waste	(N/A) (Yes) (No)

EMERGENCY PREPAREDNESS/CONTINGENCY PLAN

15	22-66265.31	Facility operated to minimize possibility of fire, explosion, or unplanned release of hazardous waste to air, soil or surface water which could threaten human health or the environment	(N/A) (Yes) (No)
16	22-66265.32	Facility has adequate emergency response equipment; internal communication, fire extinguisher(s) and spill control	(N/A) (Yes) (No)
17	22-66265.33/34	Emergency equipment is adequately maintained and accessible	(N/A) (Yes) (No)
18	22-66265.35	Aisle space is adequately maintained for emergency response	(N/A) (Yes) (No)
19	22-66265.51/.53	Facility has a copy of a written hazardous waste contingency plan or Hazardous Material Business Plan on-site	(N/A) (Yes) (No)

HAZARDOUS WASTE STORAGE

20	HSC 25189.5 HSC 25201	Generator does not accept, treat or dispose of hazardous waste on-site without a permit	(N/A) (Yes) (No)
21	22-66262.34(a)	Generator does not store more than 100 kg (27 gal) on-site for longer than 90 days without a permit	(N/A) (Yes) (No)
22	22-66262.34(e)(1)	Generator uses "Satellite Accumulation" exemption for storage	(N/A) (Yes) (No)
23	22-66262.34(f)(3)	Each container is labeled with: "Hazardous Waste", waste composition, hazardous properties and generator information	(N/A) (Yes) (No)
24	22-66262.34(f)(1)	Accumulation start date clearly marked and visible on each container	(N/A) (Yes) (No)

CONTAINER MANAGEMENT

25	22-66265.171	Hazardous waste containers in good condition	(N/A) (Yes) (No)
26	22-66265.172	Hazardous waste compatible with holding containers	(N/A) (Yes) (No)
27	22-66265.173	Hazardous waste containers closed when not in use	(N/A) (Yes) (No)
28	22-66265.174	Hazardous waste storage area inspected weekly	(N/A) (Yes) (No)

<u>ITEM</u>	<u>SECTION #</u>	<u>CONTAINER MANAGEMENT (Con't)</u>	<u>IN COMPLIANCE</u>
29	22-66265.177(a)	No mixing of incompatible wastes	(N/A) (Yes) (No)
30	22-66265.177(c)	Storage of waste is in a secure area which minimizes the possibility of spills, mixing of incompatible and escape of materials from the area	(N/A) (Yes) (No)
31	22-66261.7	Empty containers are managed properly	(N/A) (Yes) (No)
<u>TANK MANAGEMENT</u>			
32	22-66265.190-199	Waste stored in tank(s) in compliance with Article 10	(N/A) (Yes) (No)

WASTE GENERATED:

QUANTITY/MONTH

waste oil

COMMENTS:

1. Conduct employee training in hazardous waste mgmt and send documentation w/in 30 days

Good work

[Signature]
NAME

Michael O'Hearts
SIGNATURE

2-20-97
DATE

SAN MATEO COUNTY
DEPARTMENT OF HEALTH SERVICES - ENVIRONMENTAL HEALTH
590 Hamilton Street, Redwood City, CA 94063
(415) 363-4305

OFFICIAL INSPECTION REPORT / FIELD OBSERVATIONS

Site Name: <u>Skylonda Fire Station</u>	Page <u>1</u> of <u>1</u>
Site Address: <u>17290 Skyline Blvd</u> <u>Woodside CA 94062</u>	Date: <u>9/25/95</u>
	Program: <u>UST</u>
	Site Computer # <u>050021</u>
	APN: _____

- ① Provide copies of employee training and waste oil receipts within 15 days.
- ② Have unknown drums analyzed & disposed of w/in 15 days. Send copy of manifest once removed.
- ③ Re-write Generator info on wastecal drums that has faded.

* I will mail 2 copies of Financial Responsibility Ted DiNapoli
CDF
P.O. Box 279
Pescadero, CA 94060

Inspector: X Inusa Belasco

Received By: X [Signature]

Hazardous Waste Generator Inspection Report

San Mateo County Division of Environmental Health
590 Hamilton Street, 4th Floor, Redwood City, CA 94063
Telephone: (415) 363-4305

Record ID#: 655007 P/E: 22.00 Inspected By: Belasos Date: 8/23/95
 Business Contact: Herb Masters Work Phone: 851-1860
 Facility Name: CDF Skylonda EPA ID#: CAL000091153
 Facility Street Address: 17290 Skyline City: Woodside Zip: 94062
 Mailing Address: same City: _____ State: _____ Zip: _____
 Street: _____ City: _____ Zip: _____
 Business Description: Fire station, vehicle repair, fuel facility
 Business Owner Name: County of San Mateo Owner Phone: _____
 Owner Address: 590 Hamilton, RWC 94063
 Driver's License #: _____ Expiration Date: _____ Reinspection Date: _____

ITEM	SECTION #	RECORDKEEPING	IN COMPLIANCE
1	22-66262.12(a)	Generator has EPA Identification Number	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
2	22-66263.42(e)	Manifests or <u>waste pickup receipts</u> on file at facility	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
3	22-66262.40(c)	Test results/waste analyses on file	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
4	22-66262.40(b)	Biennial Report on file	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
5	22-66265.16	<input checked="" type="checkbox"/> Personnel training documented	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
MANIFEST			
6	22-66262.20	Applicable sections completed'	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
7	22-66262.23(a)(4)	Manifest copies submitted to Cal/EPA within 30 days	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
8	22-66262.12(c)	Hazardous waste hauled by a registered transporter	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
9	22-66262.12(c)	Hazardous waste shipped to a permitted facility	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
10	22-66262.42(a)	Signed TSDf manifest copies received	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
11	22-66262.40(b)	Exception Report on file	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
12	22-67430.1	Extremely hazardous waste disposed of with permit	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
13	22-66268.7(a)(6)	Land Disposal Restriction notification on file	(N/A) (Yes) (No) <input checked="" type="checkbox"/>

<u>ITEM</u>	<u>SECTION #</u>	<u>WASTE DETERMINATION</u>	<u>IN COMPLIANCE</u>
14	22-66262.11	Hazardous waste determination made for all waste	(N/A) (Yes) (No) ✓
<u>EMERGENCY PREPAREDNESS/CONTINGENCY PLAN</u>			
15	22-66265.31	Facility operated to minimize possibility of fire, explosion, or unplanned release of hazardous waste to air, soil or surface water which could threaten human health or the environment	(N/A) (Yes) (No) ✓
16	22-66265.32	* Facility has adequate emergency response equipment; internal communication, fire extinguisher(s) and spill control <i>(Need absorbent in fueling shed)</i>	(N/A) (Yes) (No) ✓
17	22-66265.33/34	Emergency equipment is adequately maintained and accessible	(N/A) (Yes) (No) ✓
18	22-66265.35	Aisle space is adequately maintained for emergency response	(N/A) (Yes) (No) ✓
19	22-66265.51/.53	Facility has a copy of a written hazardous waste contingency plan or Hazardous Material Business Plan on-site <i>(Need update)</i>	(N/A) (Yes) (No) ✓
<u>HAZARDOUS WASTE STORAGE</u>			
20	HSC 25189.5 HSC 25201	Generator does not accept, treat or dispose of hazardous waste on-site without a permit	(N/A) (Yes) (No) ✓
21	22-66262.34(a)	* Generator does not store more than 100 kg (27 gal) on-site for longer than 90 days without a permit	(N/A) (Yes) (No) ✓
22	22-66262.34(e)(1)	Generator uses "Satellite Accumulation" exemption for storage	(N/A) (Yes) (No) ✓
23	22-66262.34(f)(3)	Each container is labeled with: "Hazardous Waste", waste composition, hazardous properties and generator information	(N/A) (Yes) (No) ✓
24	22-66262.34(f)(1)	Accumulation start date clearly marked and visible on each container	(N/A) (Yes) (No) ✓
<u>CONTAINER MANAGEMENT</u>			
25	22-66265.171	Hazardous waste containers in good condition	(N/A) (Yes) (No) ✓
26	22-66265.172	Hazardous waste compatible with holding containers	(N/A) (Yes) (No) ✓
27	22-66265.173	Hazardous waste containers closed when not in use	(N/A) (Yes) (No) ✓
28	22-66265.174	Hazardous waste storage area inspected weekly	(N/A) (Yes) (No) ✓

<u>ITEM</u>	<u>SECTION #</u>	<u>CONTAINER MANAGEMENT (Con't)</u>	<u>IN COMPLIANCE</u>
29	22-66265.177(a)	No mixing of incompatible wastes	(N/A) (Yes) (No)
30	22-66265.177(c)	Storage of waste is in a secure area which minimizes the possibility of spills, mixing of incompatible and escape of materials from the area	(N/A) (Yes) (No)
31	22-66261.7	Empty containers are managed properly	(N/A) (Yes) (No)
<u>TANK MANAGEMENT</u>			
32	22-66265.190-199	Waste stored in tank(s) in compliance with Article 10	(N/A) (Yes) (No)

WASTE GENERATED:

QUANTITY/MONTH

waste oil

COMMENTS:

- ① Maintain waste oil pick up receipts!! This is your only documentation of proper disposal. Mail photocopy of next receipt.
- ② Perform employee training w/in 30 days.
- ③ Place absorbent in fueling shed for spill control.
- ④ Update HMBP w/in 30 days.
- ⑤ You have 90^{days} from the date 27 gallons of waste oil is accumulated to dispose of waste. Include accumulation start dates on all labels.
- ⑥ Have "unknown" drums analyzed and disposed of within 30 days. Once analyzed you must fill "contents" in on label.

Herb Masters

NAME

Herb Masters

SIGNATURE

8-23-95

DATE

Hazardous Waste Generator Inspection Report

San Mateo County Division of Environmental Health
590 Hamilton Street, 4th Floor, Redwood City, CA 94063
Telephone: (415) 363-4305

File #: 655007 Inspected By: Rick Miller Date: 5-14-93
 Business Name: CDF County Fire Skylands EPA ID#: _____
 Business Representative: Herb Masters Title: Engineer
 Street Address: 1729b Skyline Blvd. City: Woodside
 Mailing Address: Same as above Phone Number: 851-1860
 Type of Business: Fire Station Business Owner Name: County of San Mateo
 Property Owner Name and Address: County of San Mateo

ITEM	SECTION #	RECORDKEEPING	IN COMPLIANCE
1	22-66262.12(a)	Generator has EPA Identification Number	(N/A) (Yes) (No)
2	22-66263.42(e)	Manifests or waste pickup receipts on file at facility	(N/A) (Yes) (No)
3	22-66262.40(c)	Test results/waste analyses on file	(N/A) (Yes) (No)
4	22-66262.40(b)	Biennial Report on file	(N/A) (Yes) (No)
5	22-66265.16	Personnel training documented	(N/A) (Yes) (No)
<u>MANIFEST</u>			
6	22-66262.20	Applicable sections completed	(N/A) (Yes) (No)
7	22-66262.23(a)(4)	Manifest copies submitted to Cal/EPA within 30 days	(N/A) (Yes) (No)
8	22-66262.12(c)	Hazardous waste hauled by a registered transporter	(N/A) (Yes) (No)
9	22-66262.12(c)	Hazardous waste shipped to a permitted facility	(N/A) (Yes) (No)
10	22-66262.42(a)	Signed TSDf manifest copies received	(N/A) (Yes) (No)
11	22-66262.40(b)	Exception Report on file	(N/A) (Yes) (No)
12	22-67430.1	Extremely hazardous waste disposed of with permit	(N/A) (Yes) (No)
13	22-66268.7(a)(6)	Land Disposal Restriction notification on file	(N/A) (Yes) (No)

Hazardous Waste Generator Inspection Report

San Mateo County Division of Environmental Health
590 Hamilton Street, 4th Floor, Redwood City, CA 94063
Telephone: (415) 363-4305

File #: 655007 Inspected By: Rick Miller Date: 5-14-93
 Business Name: CDF County Fire Skyland EPA ID#: _____
 Business Representative: Herb Masters Title: Engineer
 Street Address: 17290 Skyline Blvd. City: Woodside
 Mailing Address: Same as above Phone Number: 851-1860
 Type of Business: Fire Station Business Owner Name: County of San Mateo
 Property Owner Name and Address: County of San Mateo

ITEM	SECTION #	RECORDKEEPING	IN COMPLIANCE
1	22-66262.12(a)	Generator has EPA Identification Number	(N/A) Yes (No)
2	22-66263.42(e)	Manifests or waste pickup receipts on file at facility	(N/A) (Yes) (No)
3	22-66262.40(c)	Test results/waste analyses on file	(N/A) (Yes) (No)
4	22-66262.40(b)	Biennial Report on file	(N/A) (Yes) (No)
5	22-66265.16	Personnel training documented	(N/A) (Yes) (No)
<u>MANIFEST</u>			
6	22-66262.20	Applicable sections completed	(N/A) (Yes) (No)
7	22-66262.23(a)(4)	Manifest copies submitted to Cal/EPA within 30 days	(N/A) (Yes) (No)
8	22-66262.12(c)	Hazardous waste hauled by a registered transporter	(N/A) (Yes) (No)
9	22-66262.12(c)	Hazardous waste shipped to a permitted facility	(N/A) (Yes) (No)
10	22-66262.42(a)	Signed TSDF manifest copies received	(N/A) (Yes) (No)
11	22-66262.40(b)	Exception Report on file	(N/A) (Yes) (No)
12	22-67430.1	Extremely hazardous waste disposed of with permit	(N/A) (Yes) (No)
13	22-66268.7(a)(6)	Land Disposal Restriction notification on file	(N/A) (Yes) (No)

<u>ITEM</u>	<u>SECTION #</u>	<u>WASTE DETERMINATION</u>	<u>IN COMPLIANCE</u>
14	* 22-66262.11	Hazardous waste determination made for all waste	(N/A) (Yes) (No)
<u>EMERGENCY PREPAREDNESS/CONTINGENCY PLAN</u>			
15	22-66265.31	Facility operated to minimize possibility of fire, explosion, or unplanned release of hazardous waste to air, soil or surface water which could threaten human health or the environment	(N/A) (Yes) (No)
16	22-66265.32	Facility has adequate emergency response equipment; internal communication, fire extinguisher(s) and spill control	(N/A) (Yes) (No)
17	22-66265.33/34	Emergency equipment is adequately maintained and accessible	(N/A) (Yes) (No)
18	22-66265.35	Aisle space is adequately maintained for emergency response	(N/A) (Yes) (No)
19	22-66265.51/53	Facility has a copy of a written hazardous waste contingency plan or Hazardous Material Business Plan on-site	(N/A) (Yes) (No)
<u>HAZARDOUS WASTE STORAGE</u>			
20	HSC 25189.5 HSC 25201	Generator does not accept, treat or dispose of hazardous waste on-site without a permit	(N/A) (Yes) (No)
21	22-66262.34(a)	Generator does not store more than 100 kg (27 gal) on-site for longer than 90 days without a permit	(N/A) (Yes) (No)
22	22-66262.34(e)(1)	Generator uses "Satellite Accumulation" exemption for storage	(N/A) (Yes) (No) <i>Ru</i>
23	22-66262.34(f)(3)	Each container is labeled with: "Hazardous Waste", waste composition, hazardous properties and generator information	(N/A) (Yes) (No)
24	22-66262.34(f)(1)	Accumulation start date clearly marked and visible on each container	(N/A) (Yes) (No)
<u>CONTAINER MANAGEMENT</u>			
25	22-66265.171	Hazardous waste containers in good condition	(N/A) (Yes) (No)
26	22-66265.172	Hazardous waste compatible with holding containers	(N/A) (Yes) (No)
27	22-66265.173	Hazardous waste containers closed when not in use	(N/A) (Yes) (No)
28	22-66265.174	Hazardous waste storage area inspected weekly	(N/A) (Yes) (No)

<u>ITEM</u>	<u>SECTION #</u>	<u>WASTE DETERMINATION</u>	<u>IN COMPLIANCE</u>
14	* 22-66262.11	Hazardous waste determination made for all waste	(N/A) (Yes) (No)
<u>EMERGENCY PREPAREDNESS/CONTINGENCY PLAN</u>			
15	22-66265.31	Facility operated to minimize possibility of fire, explosion, or unplanned release of hazardous waste to air, soil or surface water which could threaten human health or the environment	(N/A) (Yes) (No)
16	22-66265.32	Facility has adequate emergency response equipment; internal communication, fire extinguisher(s) and spill control	(N/A) (Yes) (No)
17	22-66265.33/34	Emergency equipment is adequately maintained and accessible	(N/A) (Yes) (No)
18	22-66265.35	Aisle space is adequately maintained for emergency response	(N/A) (Yes) (No)
19	22-66265.51/.53	Facility has a copy of a written hazardous waste contingency plan or Hazardous Material Business Plan on-site	(N/A) (Yes) (No)
<u>HAZARDOUS WASTE STORAGE</u>			
20	HSC 25189.5 HSC 25201	Generator does not accept, treat or dispose of hazardous waste on-site without a permit	(N/A) (Yes) (No)
21	22-66262.34(a)	Generator does not store more than 100 kg (27 gal) on-site for longer than 90 days without a permit	(N/A) (Yes) (No)
22	22-66262.34(e)(1)	Generator uses "Satellite Accumulation" exemption for storage	(N/A) (Yes) (No) <i>Lu</i>
23	22-66262.34(f)(3)	Each container is labeled with: "Hazardous Waste", waste composition, hazardous properties and generator information	(N/A) (Yes) (No)
24	22-66262.34(f)(1)	Accumulation start date clearly marked and visible on each container	(N/A) (Yes) (No)
<u>CONTAINER MANAGEMENT</u>			
25	22-66265.171	Hazardous waste containers in good condition	(N/A) (Yes) (No)
26	22-66265.172	Hazardous waste compatible with holding containers	(N/A) (Yes) (No)
27	22-66265.173	Hazardous waste containers closed when not in use	(N/A) (Yes) (No)
28	22-66265.174	Hazardous waste storage area inspected weekly	(N/A) (Yes) (No)

<u>ITEM</u>	<u>SECTION #</u>	<u>CONTAINER MANAGEMENT (Con't)</u>	<u>IN COMPLIANCE</u>
29	22-66265.177(a)	No mixing of incompatible wastes	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
30	22-66265.177(c)	Storage of waste is in a secure area which minimizes the possibility of spills, mixing of incompatible and escape of materials from the area	(N/A) (Yes) <input checked="" type="checkbox"/> (No)
31	22-66261.7	Empty containers are managed properly	(N/A) <input checked="" type="checkbox"/> (Yes) (No)

TANK MANAGEMENT

32	22-66265.190-199	Waste stored in tank(s) in compliance with Article 10	<input checked="" type="checkbox"/> (N/A) (Yes) <input checked="" type="checkbox"/> (No)
----	------------------	---	--

WASTE GENERATED:

QUANTITY/MONTH

<u>Waste motor oil</u>	<u>200 gal / yr.</u>

COMMENTS:

- 2) Waste oil spillage on ground (disposal on ground). Ground was use to dispose of waste oil for unknown amount of time. Submit a Work Plan to address this issue within 30 days. (see # 15 and 30 inspection report)
- 1) Waste receipts needs to be kept on site.
- 3) copy of HMMSB need to be on site at all times.
- 4) drums need to label with "Hazardous Waste" and waste composition est. (see # 23 and 24 on inspection)

H. Masters
NAME

[Signature]
SIGNATURE

5-14-93
DATE

ITEM	SECTION #	CONTAINER MANAGEMENT (Con't)	IN COMPLIANCE
29	22-66265.177(a)	No mixing of incompatible wastes	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
30	22-66265.177(c)	Storage of waste is in a secure area which minimizes the possibility of spills, mixing of incompatible and escape of materials from the area	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
31	22-66261.7	Empty containers are managed properly	(N/A) (Yes) (No) <input checked="" type="checkbox"/>

TANK MANAGEMENT

32	22-66265.190-199	Waste stored in tank(s) in compliance with Article 10	(N/A) (Yes) (No) <input checked="" type="checkbox"/>
----	------------------	---	--

WASTE GENERATED:

QUANTITY/MONTH

Waste motor oil 200 gal / yr

COMMENTS:

- 2) Waste oil spillage on ground (disposal on ground). Ground was use to dispose of waste oil for unknown amount of time. Submit a Work Plan to address this issue within 30 days. (see # 15 and 30 inspection Report)
- 1) Waste receipts needs to be kept on site
- 3) copy of HMMS need to be on site at all times
- 4) drums need to label with "Hazardous Waste" and waste composition est. (see # 23 and 24 on inspection)

H. Masters
NAME

[Signature]
SIGNATURE

5-14-93
DATE

SAN MATEO COUNTY
DEPARTMENT OF HEALTH SERVICES
ENVIRONMENTAL HEALTH
590 HAMILTON STREET, REDWOOD CITY, CA - (415) 363-4305

HAZARDOUS WASTE GENERATOR INSPECTION REPORT

Date 9/30/91

File #: 655007 Inspected by: KAREN McCARTHEY
 EPA #: N/A Company Representative: PARRY ANDERSEN
 Facility Name: SKYLONDA FIRE STATION (CDF)
 Address: 17290 SKYLINE BLVD. City: WOODSIDE
 Type of Business: STATE FIRE STATION
 Business Owner: _____ Phone #: 951-1860
 Owner Address: _____
 Mailing Address: _____

SECTION # GENERATOR INSPECTION CHECKLIST In Compliance?

<u>H&S</u>	<u>CAC</u>	<u>40 CFR</u>		<u>N/A</u>	<u>YES</u>	<u>NO</u>
			<u>HAZARDOUS WASTE DETERMINATION</u>			
	66305 66471	262.11	Hazardous waste determination made for all waste..	()	(<input checked="" type="checkbox"/>)	()
			<u>HAZARDOUS WASTE FACILITY</u>			
25123.3	66508	262.34(a)	Generator <u>does not</u> store more than 100 kilograms..	()	(<input checked="" type="checkbox"/>)	()
			of waste on-site for more than 90 days.			
	66371		Generator <u>does not</u> treat waste on-site..	()	(<input checked="" type="checkbox"/>)	()
	66371		Generator <u>does not</u> dispose of waste on-site..	()	(<input checked="" type="checkbox"/>)	()
			<u>MANIFEST</u>			
	66480	262.20	Applicable sections accurately completed for ..	()	(<input checked="" type="checkbox"/>)	()
	66484(a-e,g)	262.21 262.23	all waste transported off-site.			
			The following is on all manifests:			
			Manifest document number..	()	()	()
			Name, mailing address, phone #, EPA ID #..	()	()	()
			of generator.			
			Name, EPA ID # of transporter(s)..	()	()	()
			Name, address, EPA ID # of designated/	()	()	()
			alternative facility.			
			DOT description of waste(s)..	()	()	()
			Total quantity of waste(s) & type /# container(s)..	()	()	()
			Certification statement/required signatures..	()	()	()

SECTION #

GENERATOR INSPECTION CHECKLIST

In Compliance?

H&S

CAC

40 CFR

N/A YES NO

66484(f)

Properly completed copies submitted monthly to DOHS. (V) () ()

Name of Hazardous Waste Hauler EVERGREEN

For recycled waste oil and solvent, the recycler's receipts are filed to verify proper disposal. () (V) ()

DEPOSITION OF WASTE

66545(b)

Hazardous waste taken only to a State approved facility. () (V) ()

EXTREMELY HAZARDOUS WASTE

66570(a,b)

Extremely hazardous waste not handled/dispose of without permit. (V) () ()

66570(d)

No deviation from DOHS approved handling/ disposal methods. (V) () ()

USE AND MANAGEMENT OF CONTAINERS

66508(c)

262.34

Containers are marked "Hazardous Waste," and the accumulation start dates, physical state, hazardous properties & name & address of generator clearly indicated. LABEL USED ON ALL USED OIL FILTER CONTAINERS () () (V)

67242

262.34

Containers are compatible with waste in them. () (V) ()

67247(a)

262.34

Contact/mixing of incompatibles does not occur. () (V) ()

67105

Generator has a training plan for employees handling hazardous wastes. () (V) ()

67140
67141

Generator has an emergency plan in the event of spills. () (V) ()

67120

Storage of waste is in a secure area which minimizes the possibility of spills, mixing of incompatibles & escape of material from the area. () (V) ()

67247(c)

262.34

Incompatibles are stored/protected in separate tanks. () (V) ()

RECORD KEEPING AND REPORTING

25342

66493

Submittal of annual report to the Board of Equalization. (V) () ()

UNDERGROUND TANKS INFORMATIONAL SURVEY

Does generator have underground tanks containing:

Hazardous material? () (V) ()

Hazardous waste? () () ()

Does generator have leak detection system for underground tanks? () () ()

Other: IN COMPLIANCE () () ()

TO GENERATOR INSPECTION CHECKLIST

- 1 H&S - Health and Safety Code, Division 20, Chapter 6.5
- 2 CAC - California Administrative Code, Title 22, Division 4, Chapter 30
- 3 CFR - Code of Federal Regulations, Part 40

COMMENTS: ① OBTAIN EPA ID#

② LABEL USED OIL CONTAINER AND USED OIL FILTERS

WASTE GENERATED & QUANTITIES:

Type of Waste	Quantity/Month
WASTE OIL	
USED OIL FILTERS	

Received By: [Signature] Date: 9/30/91 Signature: [Signature]

Total Inspection Time: _____

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY



Protecting Our Health and Environment

Hazardous Materials Business Plan Inspection Report
San Mateo County Environmental Health Services Division
Certified Unified Program Agency (CUPA)
2000 Alameda de Las Pulgas, Suite 100, San Mateo, CA 94403
Phone: (650) 372-6200 | Fax: (650) 627-8244
http://www.smhealth.org/enviro

Business Name: <u>Skylanda Fire Dept.</u>		Date: <u>8-11-10</u>	
Site Address: <u>17290 Skyline Blvd.</u>		Phone #: <u>851-1860</u>	
City: <u>woodside</u>		Zip Code: <u>94062</u>	
Mailing Address:	City:	State:	Zip Code:
Facility Contact Name: <u>Brett Talbot</u>		Title: <u>Battalion Chief</u>	

Description	Section	In Compliance	Comments
Business Activities	CCR 2729.2	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Business Owner/Operator Ident. Facility/Owner information, Emergency contacts, Certification	CCR 2729.2	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A	<u>update 24 HR emergency contacts.</u>
Chemical Inventory Chemical disclosure, Complete information	HSC 25509	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Emergency Preparedness Spill prevention, Emergency response plan, Adequate response equipment	HSC 25504	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Employee Training Chemical safety, Emergency response, Annual documentation	HSC 25504	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Site Map Chemical location, Evacuation route, Assembly area, Complete information	CCR 2729.2	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
HMBP Review/Certification Completed minimum every three years	HSC 25505	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
HMBP Annual Certification	HSC 25505	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Spill Notification and Reporting	HSC 25507	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A	
Aboveground Petroleum Storage SPCC plan required, SPCC plan on-site	HSC 25270.5	<input checked="" type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A	<u>Review EPA website for SPCC requirements</u>
CalARP Program Registration submitted	HSC 25533	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A	

HMBP Report Narrative: HMBP Review Summary of Violations Notice to Comply Continued

NO VIOLATIONS

Please make any necessary corrections to the violations noted on this inspection report and submit proof of corrective action within **30 DAYS** from the inspection date. **TWO COPIES** of the new or revised HMBP must be submitted upon request.

Consent to Inspect Facility: <u>Diana Schuchert</u>	Signature: <u>Diana Schuchert</u>	Inspected by: <u>D. Rompt</u>
Printed Name: <u>Diana Schuchert</u>	Facility Contact Signature: <u>Diana Schuchert</u>	Date: <u>8/11/10</u>

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY



Protecting Our Health and Environment

Hazardous Materials Business Plan Inspection Report

San Mateo County Environmental Health Services Division
Certified Unified Program Agency (CUPA)
455 County Center, EHS126, Redwood City, CA 94063
Phone: (650) 363-4305 | Fax: (650) 363-7882
http://www.smhealth.org/envirom

Business Name: <u>SKYLONDA FIRE STATION</u>		Date: <u>11-15-07</u>	
Site Address: <u>17290 SKYLINE BLVD</u>		Phone #: <u>851-1860</u>	
City: <u>WOODSIDE</u>		Zip Code: <u>94062</u>	
Mailing Address:	City:	State:	Zip Code:
Facility Contact Name: <u>RICK CUMMINGS</u>		Title: <u>CAPTAIN</u>	

Description	Section	In Compliance	Comments
Business Activities	HSC 25505	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Business Owner/Operator Ident. Facility/Owner information, Emergency contacts, Certification	HSC 25504	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	<u>UPDATED DURING INSPECTION</u>
Chemical Inventory Chemical disclosure, Complete information	HSC 25509	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Emergency Preparedness Spill prevention, Emergency response plan, Adequate response equipment	HSC 25504	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Employee Training Chemical safety, Emergency response, Annual documentation	HSC 25504	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Site Map Chemical location, Evacuation route, Assembly area, Complete information	HSC 25505	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
HMBP Review/Certification Completed minimum every three years	HSC 25505	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	} <u>OCCURRED DURING INSPECTION</u>
HMBP Annual Certification	HSC 25505	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Spill Notification and Reporting	HSC 25507	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A	
Aboveground Petroleum Storage SPCC plan required, SPCC plan on-site	HSC 25270.5	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A	
CalARP Program Registration submitted	HSC 25533	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A	

HMBP Report Narrative: HMBP Review Summary of Violations Notice to Comply Continued

Please make any necessary corrections to the violations noted on this inspection report and submit proof of corrective action within **30 DAYS** from the inspection date. **TWO COPIES** of the new or revised HMBP must be submitted upon request.

<input type="radio"/> Follow-up Required	Next Inspection Date:	Inspected by: <u>PETE SMITH</u>
Facility Contact Signature: <u>[Signature]</u>	Printed Name: <u>Richard Cummings</u>	Date: <u>11/15/2007</u>

SAN MATEO COUNTY
 ENVIRONMENTAL HEALTH DIVISION
 CERTIFIED UNIFIED PROGRAM AGENCY (CUPA)
 455 COUNTY CENTER, 4TH FLOOR, REDWOOD CITY, CA 94063
 (650) 363-4305

HAZARDOUS MATERIALS BUSINESS PLAN INSPECTION/REVIEW REPORT

Date: 2/24/03 Inspector: D. Jensen
 Business Name: San Mateo Co./CDF-Skyland F.S. Phone #: _____
 Business Address: 17290 Skyline Blvd. City/Zip: Woodside
 Contact Person: Mahlon Schanzenschach Title: FAE

Hazardous Materials Business Plan Inspection Elements	In Compliance		
	YES	NO	N/A
Business Owner/Operator Identification (HSC §25504) (Facility info., owner info., emergency contacts, certification)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Chemical Inventory (HSC §25509) (Chemical disclosure adequate, complete information)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Emergency Preparedness (HSC §25504) (Spill prevention, emergency response plan, adequate equipment)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Employee Training (HSC §25504) (Chemical safety, emergency response, documentation)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site Map (CCR Title 19 §2729) (Chemical location, evacuation route, assembly area, complete info.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
HMBP On-Site/HMBP Review/Annual Cert. (HSC §25505)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Aboveground Petroleum Storage Tank/SPCC Plan (HSC §25270) (SPCC plan available, daily visual inspection conducted)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
CalARP/RMP Program (CCR Title 19) (Registration submitted, RMP complete, RMP implemented)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Please make any necessary corrections to the violations noted on this inspection report and submit proof of corrective action within **30 days** from the inspection date. **Two copies** of the new or revised HMBP must be submitted upon request.

Notice to Comply/Comments: _____

No violations observed for HMBP Program.
No SPCC Plan available at time of inspection.
Employee training documentation to be centralized online in the future.

Mahlon Schanzenschach _____
 Signature Printed Name Title

Rec. ID _____
Fee _____

SAN MATEO COUNTY
ENVIRONMENTAL HEALTH DIVISION
CERTIFIED UNIFIED PROGRAM AGENCY
455 County Center, 4th Floor, Redwood City, CA 94063
(650) 363-4305

HAZARDOUS MATERIALS BUSINESS PLAN INSPECTION/REVIEW REPORT

Date: 7/27/00 Inspector: D. Jensen
Business Name: Skyloada Fire Station
Business Address: 17290 Skyline Blvd.
Contact Person: Ed Smith

Phone No: _____
City/Zip: Woodside
Title: FAE

Hazardous Materials Business Plan Inspection Elements

In Compliance
YES NO NA

Business Owner/Operator Identification (HSC §25504)
(Facility info., owner info., emergency contacts, certification)

Chemical Inventory (HSC §25509)
(Undisclosed chemicals, complete info.)

Emergency Preparedness (HSC §25504)
(Spill prev., emergency notification/mitigation/evac. plan, adequate equipment)

Employee Training (HSC §25504)
(Chemical safety, emergency response, documentation)

Site Map (CCR Title 19 §2729)
(Chemical location, evac. route, assembly area, complete info.)

HMBP On-site (HSC §25505)

Aboveground Petroleum Storage Tank/SPCC Plan (HSC §25270)
(SPCC plan available, daily visual inspection conducted)

CalARP Program/RMP (CCR Title 19 Chapter 4.5)
(Registration submitted, RMP complete, RMP implemented)

Notice to Comply: Please make any necessary corrections to the violations noted on this inspection report and submit proof of corrective action within 30 days from the inspection date. Two copies of the new or revised HMBP must be submitted upon request. Comments:

No violations observed. This site has fuel storage above SPCC Plan threshold (>600gal for single tank / >1,320gal multiple containers).

Ed Smith

Signature

ED SMITH

Printed Name

FAE

Title

File # 65707
Fee _____

SAN MATEO COUNTY
ENVIRONMENTAL HEALTH DIVISION
590 Hamilton Street, 4th Floor, Redwood City, CA 94063
(415) 363-4305

Long Form _____

HAZARDOUS MATERIALS BUSINESS PLAN INSPECTION/ REVIEW FORM

DATE: 12/2/97 INSPECTOR: Aragono
FACILITY NAME: Skylonda Fuel Str PHONE NO: 851-1860
FACILITY ADDRESS: 17290 Skyline CITY: Woodside
CONTACT PERSON: Michelle Roberts TITLE: Captain
Dave Risney

<u>COMPLIANCE</u>		<u>BUSINESS PLAN REQUIREMENTS</u>	<u>COMMENTS</u>
YES	NO		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	BUSINESS INFORMATION (HSC §25504)	
<input type="checkbox"/>	<input type="checkbox"/>	Facility identification	<u>Update new</u>
<input type="checkbox"/>	<input type="checkbox"/>	Contact information	<u>contacts</u>
<input type="checkbox"/>	<input type="checkbox"/>	Business information	
<input type="checkbox"/>	<input type="checkbox"/>	Emergency contact information	
<input type="checkbox"/>	<input type="checkbox"/>	Certification	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	CHEMICAL INVENTORY (HSC §25509)	
<input type="checkbox"/>	<input type="checkbox"/>	Previously undisclosed chemicals	<u>Remove VST</u>
<input type="checkbox"/>	<input type="checkbox"/>	100% increase in quantity	<u>inventory; Add</u>
<input type="checkbox"/>	<input type="checkbox"/>	Incomplete information	<u>AST'S.</u>
<input type="checkbox"/>	<input type="checkbox"/>	Extremely Hazardous Materials Ident.	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	EMERGENCY PREPAREDNESS (HSC §25504)	
<input type="checkbox"/>	<input type="checkbox"/>	Procedures to prevent release	
<input type="checkbox"/>	<input type="checkbox"/>	Procedures to control release	
<input type="checkbox"/>	<input type="checkbox"/>	Agency notification	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	EMPLOYEE TRAINING (HSC §25504)	
<input type="checkbox"/>	<input type="checkbox"/>	Hazmat safety/emergency response	
<input type="checkbox"/>	<input type="checkbox"/>	Adequate for materials handled	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	SITE MAPS (HSC §25504)	
<input type="checkbox"/>	<input type="checkbox"/>	Location of chemicals stored	<u>Provide final copy</u>
<input type="checkbox"/>	<input type="checkbox"/>	Evacuation routes/assembly areas	<u>(Draft only)</u>
<input type="checkbox"/>	<input type="checkbox"/>	Adequate info to describe facility	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	HMBP ON-SITE (HSC §25505)	

Items checked represent a violation for which civil penalties ranging from \$2,000 to \$5,000 per violation per day may be assessed (HSC §25514). Please make corrections to the HMBP and submit TWO copies to the Environmental Health Division within 30 days of the inspection date or receipt of the review notice. Comments: _____

Dave Risney DAVE RISNEY FIRE CAPTAIN 12/2/97
SIGNATURE PRINT NAME TITLE DATE

File # 457007
Fee _____

SAN MATEO COUNTY
ENVIRONMENTAL HEALTH DIVISION
590 Hamilton Street, 4th Floor, Redwood City, CA 94063
(415) 363-4305

Long Form _____

HAZARDOUS MATERIALS BUSINESS PLAN INSPECTION/ REVIEW FORM

DATE: 2/20/97 INSPECTOR: Aragona / Wyman
FACILITY NAME: Skylonda Fire Station (PHONE NO: 851-1810)
FACILITY ADDRESS: 17290 Skyline CITY: Woodside
CONTACT PERSON: Mike Roberts TITLE: Captain

<u>COMPLIANCE</u>	<u>BUSINESS PLAN REQUIREMENTS</u>	<u>COMMENTS</u>
YES NO		
<input checked="" type="checkbox"/>	BUSINESS INFORMATION (HSC §25504)	
<input checked="" type="checkbox"/>	Facility identification	
<input checked="" type="checkbox"/>	Contact information	
<input checked="" type="checkbox"/>	Business information	
<input checked="" type="checkbox"/>	Emergency contact information	
<input checked="" type="checkbox"/>	Certification	
<input checked="" type="checkbox"/>	CHEMICAL INVENTORY (HSC §25509)	
<input checked="" type="checkbox"/>	Previously undisclosed chemicals	
<input checked="" type="checkbox"/>	100% increase in quantity	
<input checked="" type="checkbox"/>	Incomplete information	
<input checked="" type="checkbox"/>	Extremely Hazardous Materials Ident.	
<input checked="" type="checkbox"/>	EMERGENCY PREPAREDNESS (HSC §25504)	
<input checked="" type="checkbox"/>	Procedures to prevent release	
<input checked="" type="checkbox"/>	Procedures to control release	
<input checked="" type="checkbox"/>	Agency notification	
<input checked="" type="checkbox"/>	Employee notification/evacuation	
<input checked="" type="checkbox"/>	EMPLOYEE TRAINING (HSC §25504)	
<input checked="" type="checkbox"/>	Hazmat safety/emergency response	<u>Conduct within</u>
<input checked="" type="checkbox"/>	Adequate for materials handled	<u>30 days & send</u>
<input checked="" type="checkbox"/>	Documentation on site	<u>documentation.</u>
<input checked="" type="checkbox"/>	SITE MAPS (HSC §25504)	
<input checked="" type="checkbox"/>	Location of chemicals stored	
<input checked="" type="checkbox"/>	Evacuation routes/assembly areas	
<input checked="" type="checkbox"/>	Adequate info to describe facility	
<input checked="" type="checkbox"/>	HMBP ON-SITE (HSC §25505)	

Items checked represent a violation for which civil penalties ranging from \$2,000 to \$5,000 per violation per day may be assessed (HSC §25514). Please make corrections to the HMBP and submit TWO copies to the Environmental Health Division within 30 days of the inspection date or receipt of the review notice. Comments: Update HMBP using new format w/in 30 days.

MR Roberts SIGNATURE Michael Roberts PRINT NAME FC TITLE 2-20-97 DATE

File # 457007
Fee _____

SAN MATEO COUNTY
ENVIRONMENTAL HEALTH DIVISION
590 Hamilton Street, 4th Floor, Redwood City, CA 94063
(415) 363-4305

Long Form _____

HAZARDOUS MATERIALS BUSINESS PLAN INSPECTION/REVIEW FORM

DATE: 8/23/95 INSPECTOR: Belacet
FACILITY NAME: Skylonda Fire Station PHONE NO: 951-1860
FACILITY ADDRESS: 17290 Skyline CITY: Woodside
CONTACT PERSON: Herb Masters TITLE: Engineer

COMPLIANCE **BUSINESS PLAN REQUIREMENTS** **COMMENTS**
YES **NO**

BUSINESS INFORMATION (HSC §25504)
— Facility identification _____
— Contact information _____
— Business information _____
— Emergency contact information _____
— Certification _____

CHEMICAL INVENTORY (HSC §25509)
— Previously undisclosed chemicals Add compressed
— 100% increase in quantity O₂ to inventory
— Incomplete information _____
— Extremely Hazardous Materials Ident. _____

EMERGENCY PREPAREDNESS (HSC §25504)
— Procedures to prevent release _____
— Procedures to control release _____
— Agency notification _____
— Employee notification/evacuation _____

EMPLOYEE TRAINING (HSC §25504)
— Hazmat safety/emergency response You must conduct
— Adequate for materials handled employee training within
— Documentation on site 30 days.

SITE MAPS (HSC §25504)
— Location of chemicals stored outdated. Needs
— Evacuation routes/assembly areas to be updated within
— Adequate info to describe facility 30 days.

HMBP ON-SITE (HSC §25505)

Items checked represent a violation for which civil penalties ranging from \$2,000 to \$5,000 per violation per day may be assessed (HSC §25514). Please make corrections to the HMBP and submit **TWO** copies to the Environmental Health Division within **30 days** of the inspection date or receipt of the review notice. Comments: _____

Herbert A. Masters III Herbert A. Masters III FAE 8-23-95
SIGNATURE PRINT NAME TITLE DATE

File # 659007

SAN MATEO COUNTY

Long Form _____

Fee _____

ENVIRONMENTAL HEALTH DIVISION

590 Hamilton Street, 4th Floor, Redwood City, CA 94063

(415) 363-4305

HAZARDOUS MATERIALS BUSINESS PLAN INSPECTION/ REVIEW FORM

DATE: 5-14-93 INSPECTOR: Rick Miller
 FACILITY NAME: CDF County Fire Skyland PHONE NO: 851-1860
 FACILITY ADDRESS: 17290 Skyline Blvd. CITY: Woodside
 CONTACT PERSON: Herb Masters TITLE: Engineer

<u>COMPLIANCE</u>	<u>BUSINESS PLAN REQUIREMENTS</u>	<u>COMMENTS</u>
YES NO		
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	BUSINESS INFORMATION (HSC §25504)	
	Facility identification	_____
	Contact information	_____
	Business information	_____
	Emergency contact information	_____
	Certification	_____
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	CHEMICAL INVENTORY (HSC §25509)	
	Previously undisclosed chemicals	_____
	100% increase in quantity	_____
	Incomplete information	_____
	Extremely Hazardous Materials Ident.	_____
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	EMERGENCY PREPAREDNESS (HSC §25504)	
	Procedures to prevent release	_____
	Procedures to control release	_____
	Agency notification	_____
	Employee notification/evacuation	_____
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	EMPLOYEE TRAINING (HSC §25504)	
	Hazmat safety/emergency response	_____
	Adequate for materials handled	_____
	Documentation on site	_____
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	SITE MAPS (HSC §25504)	
	Location of chemicals stored	_____
	Evacuation routes/assembly areas	_____
	Adequate info to describe facility	_____
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	HMBP ON-SITE (HSC §25505)	_____

Items checked represent a violation for which civil penalties ranging from \$2,000 to \$5,000 per violation per day may be assessed (HSC §25514). Please make corrections to the HMBP and submit TWO copies to the Environmental Health Division within ~~30 days~~ of the inspection date or receipt of the review notice. Comments: (60 days)

Herb Masters (Engineer)
 SIGNATURE H. Masters FAE DATE 5-14-93

File # 659007
Fee _____

SAN MATEO COUNTY
ENVIRONMENTAL HEALTH DIVISION
590 Hamilton Street, 4th Floor, Redwood City, CA 94063
(415) 363-4305

Long Form _____

HAZARDOUS MATERIALS BUSINESS PLAN INSPECTION/ REVIEW FORM

DATE: 5-14-93 INSPECTOR: Rick Miller
FACILITY NAME: CDF County Fire Skylanda PHONE NO: 851-1860
FACILITY ADDRESS: 17290 Skyline Blvd. CITY: Woodside
CONTACT PERSON: Herb Masters TITLE: Engineer

<u>COMPLIANCE</u>		<u>BUSINESS PLAN REQUIREMENTS</u>	<u>COMMENTS</u>
YES	NO		
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	BUSINESS INFORMATION (HSC §25504)	
		- Facility identification	_____
		- Contact information	_____
		- Business information	_____
		- Emergency contact information	_____
		- Certification	_____
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	CHEMICAL INVENTORY (HSC §25509)	
		- Previously undisclosed chemicals	_____
		- 100% increase in quantity	_____
		- Incomplete information	_____
		- Extremely Hazardous Materials Ident.	_____
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	EMERGENCY PREPAREDNESS (HSC §25504)	
		- Procedures to prevent release	_____
		- Procedures to control release	_____
		- Agency notification	_____
		- Employee notification/evacuation	_____
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	EMPLOYEE TRAINING (HSC §25504)	
		- Hazmat safety/emergency response	_____
		- Adequate for materials handled	_____
		- Documentation on site	_____
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	SITE MAPS (HSC §25504)	
		- Location of chemicals stored	_____
		- Evacuation routes/assembly areas	_____
		- Adequate info to describe facility	_____
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	HMBP ON-SITE (HSC §25505)	_____

Items checked represent a violation for which civil penalties ranging from \$2,000 to \$5,000 per violation per day may be assessed (HSC §25514). Please make corrections to the HMBP and submit TWO copies to the Environmental Health Division within 30 days of the inspection date or receipt of the review notice. Comments: (60 days)

Herb H. Masters (Engineer) FAE 5-14-93
SIGNATURE PRINT NAME TITLE DATE

File # _____
Fee 0001

SAN MATEO COUNTY
ENVIRONMENTAL HEALTH DIVISION
590 Hamilton Avenue, Redwood City, CA 94063
(415) 363-4305

Sent to Fire _____

S657007

HAZARDOUS MATERIALS BUSINESS PLAN INSPECTION/ REVIEW FORM

DATE: 9/30/91 INSPECTOR: KAREN MCCARTHY
FACILITY NAME: SKYLONDA FIRE STATION (CDF)
ADDRESS: 17290 SKYLINE BLVD.
CITY: WOODSIDE
CONTACT PERSON: BARRY AMUNDSON TITLE: FIRE CAPTAIN

<u>COMPLIANCE</u>	<u>BUSINESS PLAN REQUIREMENTS</u>	<u>COMMENTS</u>
—	BUSINESS INFORMATION (25505 & 25510)	_____
—	— Business information	_____
—	— Location information	_____
—	— Property owner information	_____
—	— Emergency contact information	_____
—	— Plan available for inspection	_____
—	INVENTORY INFORMATION (25509)	_____
—	— Previously undisclosed chemicals	_____
—	— 100% increase in quantity	_____
—	— Incomplete information (comply w/SARA)	_____
—	— Acutely Hazardous Materials Reg. Form	_____
—	EMERGENCY PLAN (25504)	_____
—	— Long Form required	_____
—	— Materials stored to prevent discharge	_____
—	— Adequate emergency equipment	_____
—	— Notification system	_____
—	— Evacuation Plan	_____
—	— Container labeling	_____
—	EMPLOYEE TRAINING PROGRAM (25504)	_____
—	— Adequate for materials/wastes handled	_____
—	— Documentation on site	_____
—	SITE MAPS	_____
—	— Location of materials stored	_____
—	— Location of emergency equipment	_____
—	— Adjacent land uses accurate	_____

Items checked represent a violation for which civil penalties in addition to fines ranging from \$2,000 to \$25,000 per violation per day may be assessed. Please make required corrections and/or provide proof of correction by providing TWO copies to the Environmental Health Division by: RECEIVED - INSPECTION COMPLETED

RECEIVED BY: _____
B. Amundson FC. 9-30-91
NAME TITLE DATE

DEPARTMENT OF PUBLIC WORKS

Hazardous Materials Business Plan

**Skylonda CDF
Woodside, California**



California Hazardous Materials Inventory Reporting Form - Business Owner/Operator Identification Page

CALANDER YEAR BEGINING ENDING PAGE 1 OF

BUSINESS NAME BUSINES

SITE ADDRESS

CITY STATE ZIP

DUN & BRADSTREET SIC (4 DIGIT #)

OPERATOR NAME OPERATO

OWNER INFORMATION

OWNER NAME OWNER PHONE

OWNER MAILING ADDRESS

CITY STATE ZIP

ENVIRONMENTAL CONTACT

CONTACT NAME CONTACT PHONE

MAILING ADDRESS

CITY STATE ZIP

EMERGENCY CONTACTS

Primary	Secondary
NAME <input type="text" value="MARK COLBERT"/>	NAME <input type="text" value="DAVE RISNEY"/>
TITLE <input type="text" value="FIRE CAPTAIN"/>	TITLE <input type="text" value="FIRE CAPTAIN"/>
BUSINESS PHONE <input type="text" value="(415) 851-1860"/>	BUSINESS PHONE <input type="text" value="(415) 851-2862"/>
24-HOUR PHONE <input type="text"/>	24-HOUR PHONE <input type="text"/>
PAGER # <input type="text"/>	PAGER # <input type="text"/>

ACUTELY HAZARDOUS MATERIALS (AHM)

ON SITE AHM if yes and above the Threshold Planning Quantities, attach a sheet of paper with a general description of the process and principal equipment.

ADDITIONALLY LOCALLY COLLECTED INFORMATION

Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in this inventory and believe the information is true, accurate, and complete.

Print Name of Document Preparer
 Signature of Owner/Operator Date

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

ADD DELETE REVISE

PAGE OF

BUSINESS NAME **CDF, SKYLONDA**

CHEMICAL LOCATION **ABOVE GROUND STORAGE TANK**

MAP # **1** GRID # **3-B**

CHEMICAL NAME **PETROLEUM HYDROCARBON** TRADE SECRET Y N

COMMON NAME **DIESEL** EHS* Y N

CAS # **MIXTURE** * IF EHS BOX IS "Y", ALL AMOUNTS MUST BE IN LBS.

FIRE CODE **COMBUSTIBLE LIQUID**

HAZARD CLASSES COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE PURE MIXTURE WASTE RADIOACTIVE Y N

PHYSICAL STATE SOLID LIQUID GAS CURIES

FED HAZARD CATAGORIES FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE UNITS * GAL CU FT MAX DAILY AMT **1,500**

DAYS ON SITE **365** LBS AVG DAILY AMT **750**

LARGEST CONTAINER **1,500** ANNUAL WASTE AMT TONS

STORAGE CONTAINER ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTL
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALIC DRUM BAG TOTE BIN

STORAGE PRESSURE AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

% WEIGHT	HAZARDOUS COMPONENT	EHS	CAS #
1 100	DIESEL	<input type="checkbox"/> Y <input checked="" type="checkbox"/> X <input type="checkbox"/> N	MIXTURE
2		<input type="checkbox"/> Y <input type="checkbox"/> X <input type="checkbox"/> N	
3		<input type="checkbox"/> Y <input type="checkbox"/> X <input type="checkbox"/> N	
4		<input type="checkbox"/> Y <input type="checkbox"/> X <input type="checkbox"/> N	
5		<input type="checkbox"/> Y <input type="checkbox"/> X <input type="checkbox"/> N	

ADDITIONAL LOCALLY COLLECTED INFORMATION

SEE ADDENDUM TO CALIFORNIA HAZARDOUS MATERIALS INVENTORY REPORTING FORM (i.e., HAZARDOUS MATERIALS BUSINESS PLAN) INCLUDED HEREIN.

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

ADD DELETE REVISE

PAGE OF

BUSINESS NAME **CDF, SKYLONDA**

CHEMICAL LOCATION **ABOVE GROUND STORAGE TANK**

MAP # **1** GRID # **3-B**

CHEMICAL NAME **PETROLEUM HYDROCARBON** TRADE SECRET Y N

COMMON NAME **UNLEADED GASOLINE** EHS* Y N

CAS # **MIXTURE** * IF EHS BOX IS "Y", ALL AMOUNTS MUST BE IN LBS.

FIRE CODE HAZARD CLASSES **FLAMMABLE LIQUID**

COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE PURE MIXTURE WASTE RADIOACTIVE Y N

PHYSICAL STATE SOLID LIQUID GAS CURIES

FED HAZARD CATAGORIES FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE UNITS * GAL CU FT MAX DAILY AMT **500**

DAYS ON SITE **365** LBS AVG DAILY AMT **300**

LARGEST CONTAINER **500** ANNUAL WASTE AMT

STORAGE CONTAINER ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTL
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALIC DRUM BAG TOTE BIN

STORAGE PRESSURE AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

% WEIGHT	HAZARDOUS COMPONENT	EHS	CAS #
1 100	GASOLINE	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	MIXTURE
2		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
3		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
4		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
5		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	

ADDITIONAL LOCALLY COLLECTED INFORMATION

SEE ADDENDUM TO CALIFORNIA HAZARDOUS MATERIALS INVENTORY REPORTING FORM (i.e., HAZARDOUS MATERIALS BUSINESS PLAN) INCLUDED HEREIN.

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

ADD DELETE REVISE

PAGE OF

BUSINESS NAME **CDF, SKYLONDA**

CHEMICAL LOCATION **FUEL HOUSE**

MAP # **1** GRID # **3-D**

CHEMICAL NAME **PETROLEUM HYDROCARBON** TRADE SECRET Y N

COMMON NAME **USED OIL** EHS* Y N

CAS # **64742-65-0** AMOUNTS MUST BE IN LBS.

FIRE CODE HAZARD CLASSES
 COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE PURE MIXTURE WASTE RADIOACTIVE Y N

PHYSICAL STATE SOLID LIQUID GAS CURIES

FED HAZARD CATAGORIES FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE UNITS * GAL CU FT MAX DAILY AMT **240**

DAYS ON SITE **365** LBS AVG DAILY AMT **200**

LARGEST CONTAINER **240** ANNUAL WASTE AMT

STORAGE CONTAINER ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTL BATTERY
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALIC DRUM BAG TOTE BIN

STORAGE PRESSURE AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

% WEIGHT	HAZARDOUS COMPONENT	EHS	CAS #
1 100	PETROLEUM OIL	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	64742-65-0
2		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
3		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
4		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
5		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	

ADDITIONAL LOCALLY COLLECTED INFORMATION

SEE ADDENDUM TO CALIFORNIA HAZARDOUS MATERIALS INVENTORY REPORTING FORM (i.e., HAZARDOUS MATERIALS BUSINESS PLAN) INCLUDED HEREIN.

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

ADD DELETE REVISE

PAGE OF

BUSINESS NAME

CHEMICAL LOCATION

MAP # GRID #

CHEMICAL NAME TRADE SECRET Y X N

COMMON NAME EHS* Y X N

CAS # * IF EHS BOX IS "Y", ALL AMOUNTS MUST BE IN LBS.

FIRE CODE
HAZARD CLASSES

COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE PURE MIXTURE WASTE RADIOACTIVE Y X N

PHYSICAL STATE SOLID LIQUID GAS CURIES

FED HAZARD CATAGORIES FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE UNITS * GAL CU FT LBS TONS MAX DAILY AMT

DAYS ON SITE AVG DAILY AMT

LARGEST CONTAINER ANNUAL WASTE AMT

STORAGE CONTAINER

<input type="checkbox"/> ABOVE GROUND TANK	<input type="checkbox"/> CAN	<input type="checkbox"/> BOX	<input type="checkbox"/> TANK WAGON
<input type="checkbox"/> UNDER GROUND TANK	<input type="checkbox"/> CARBOY	<input type="checkbox"/> CYLINDER	<input type="checkbox"/> RAIL CAR
<input type="checkbox"/> TANK INSIDE BUILDING	<input type="checkbox"/> SILO	<input type="checkbox"/> GLASS BOTTLE	
<input checked="" type="checkbox"/> STEEL DRUM	<input type="checkbox"/> FIBER DRUM	<input type="checkbox"/> PLASTIC BOTTLE	
<input type="checkbox"/> PLASTIC/NONMETALIC DRUM	<input type="checkbox"/> BAG	<input type="checkbox"/> TOTE BIN	

STORAGE PRESSURE AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

% WEIGHT	HAZARDOUS COMPONENT	EHS	CAS #
1 100 %	MOTOR OIL	<input type="checkbox"/> Y <input type="checkbox"/> N	8012-95-1
2		<input type="checkbox"/> Y <input type="checkbox"/> N	
3		<input type="checkbox"/> Y <input type="checkbox"/> N	
4		<input type="checkbox"/> Y <input type="checkbox"/> N	
5		<input type="checkbox"/> Y <input type="checkbox"/> N	

ADDITIONAL LOCALLY COLLECTED INFORMATION

SEE ADDENDUM TO CALIFORNIA HAZARDOUS MATERIALS INVENTORY REPORTING FORM (i.e., HAZARDOUS MATERIALS BUSINESS PLAN) INCLUDED HEREIN.

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

ADD DELETE REVISE

PAGE OF

BUSINESS NAME
 CHEMICAL LOCATION
 MAP # GRID #

CHEMICAL NAME TRADE SECRET
 COMMON NAME EHS*
 CAS # * IF EHS BOX IS "Y", ALL AMOUNTS MUST BE IN LBS.

FIRE CODE HAZARD CLASSES
 COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE PURE MIXTURE WASTE RADIOACTIVE

PHYSICAL STATE SOLID LIQUID GAS CURIES

FED HAZARD CATEGORIES FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE UNITS* GAL CU FT MAX DAILY AMT

DAYS ON SITE LBS AVG DAILY AMT

LARGEST CONTAINER ANNUAL WASTE AMT

STORAGE CONTAINER ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTLE
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALIC DRUM BAG TOTE BIN

STORAGE PRESSURE AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

% WEIGHT	HAZARDOUS COMPONENT	EHS	CAS #
1 100	PROPANE	<input type="text" value="Y X N"/>	74-98-6
2		<input type="text" value="Y X N"/>	
3		<input type="text" value="Y X N"/>	
4		<input type="text" value="Y X N"/>	
5		<input type="text" value="Y X N"/>	

ADDITIONAL LOCALLY COLLECTED INFORMATION

SEE ADDENDUM TO CALIFORNIA HAZARDOUS MATERIALS INVENTORY REPORTING FORM (i.e., HAZARDOUS MATERIALS BUSINESS PLAN) INCLUDED HEREIN.

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

ADD DELETE REVISE

PAGE OF

BUSINESS NAME

CHEMICAL LOCATION

MAP # GRID #

CHEMICAL NAME TRADE SECRET Y N

COMMON NAME EHS* Y N

CAS # * IF EHS BOX IS "Y", ALL AMOUNTS MUST BE IN LBS.

FIRE CODE
HAZARD CLASSES

COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE PURE MIXTURE WASTE RADIOACTIVE Y N

PHYSICAL STATE SOLID LIQUID GAS CURIES

FED HAZARD CATAGORIES FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE UNITS* GAL CU FT MAX DAILY AMT

DAYS ON SITE LBS TONS AVG DAILY AMT

LARGEST CONTAINER ANNUAL WASTE AMT

STORAGE CONTAINER ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTLE
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALIC DRUM BAG TOTE BIN

STORAGE PRESSURE AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

% WEIGHT	HAZARDOUS COMPONENT	EHS	CAS #
1 100	OXYGEN GAS	<input type="checkbox"/> Y <input checked="" type="checkbox"/> X <input type="checkbox"/> N	7782-44-7
2		<input type="checkbox"/> Y <input checked="" type="checkbox"/> X <input type="checkbox"/> N	
3		<input type="checkbox"/> Y <input checked="" type="checkbox"/> X <input type="checkbox"/> N	
4		<input type="checkbox"/> Y <input checked="" type="checkbox"/> X <input type="checkbox"/> N	
5		<input type="checkbox"/> Y <input checked="" type="checkbox"/> X <input type="checkbox"/> N	

ADDITIONAL LOCALLY COLLECTED INFORMATION

SEE ADDENDUM TO CALIFORNIA HAZARDOUS MATERIALS INVENTORY REPORTING FORM (i.e., HAZARDOUS MATERIALS BUSINESS PLAN) INCLUDED HEREIN.

HAZARDOUS MATERIALS BUSINESS PLAN ADDENDUM

BUSINESS NAME: CDF, SKYLONDA
BUSINESS ADDRESS: 17290 SKYLIND BOULEVARD, WOODSIDE

In addition to the general business, chemical inventory and site map information, the San Mateo County Environmental Health Division requires completion of the following sections pertaining to spill prevention, emergency response, employee training and site closure. This addendum contains specific elements pertaining to the hazardous materials business plan, the hazardous waste contingency plan, storm water pollution prevention, underground storage tank (UST) monitoring and unauthorized release response requirements.

SPILL PREVENTION PLAN

1. Describe how hazardous materials and/or wastes are handled, stored and monitored to prevent a spill or release from occurring.

PRODUCTS ARE KEPT IN CLOSED CONTAINERS AND INSPECTED DAILY FOR LEAKS AND SPILLAGE. WHENEVER POSSIBLE, CONTAINERS ARE DOUBLE CONTAINED TO REDUCE SPILL POTENTIAL.

2. Describe operations, activities and/or storage locations where a release is most likely to occur.

USED OIL STORAGE AREA.

3. Describe the Best Management Practices (BMPs) you use to reduce or eliminate illicit discharges to the storm sewer system.

A - DOUBLE CONTAINMENT WHERE EVER NECESSARY.

B - ABSORBENT MATERIAL AND RAGS ARE LOCATED NEAR POTENTIAL SPILL AREAS.

4. Describe UST monitoring procedures used to prevent an unauthorized release from occurring.

NO UST AT FACILITY

EMERGENCY RESPONSE PLAN

1. Provide a list of all on-site emergency response equipment designated for a hazardous material and/or waste or UST emergency response. Examples of equipment include fire extinguishers, fire suppression systems, spill control equipment, UST pump shut-off switches, personal protective equipment and communication and alarm systems.

EQUIPMENT TYPE

LOCATION

FIRE EXTINGUISHERS

EMERGENCY SHUT OFF SWITCH

ABSORBENT MATERIALS AND RAGS

SHOWER AND EYE WASH STATIONS

2. Identify local emergency medical providers to be used during a hazardous material and/or waste emergency.

SEQUOIA OCCUPATIONAL HEALTH SERVICES FOR CLINICAL EMERGENCIES AND KAISER HOSPITAL FOR EMERGENCY HOSPITALIZATION.

3. The definition of a release or threatened release includes incidents that pose a present or potential hazard to human health and safety, property or the environment. In the event of a hazardous material and/or waste release or threatened release, state law requires immediate verbal notification to the agencies listed below once any necessary emergency response procedures are initiated.
 - a. Local Fire Department
 - b. County Environmental Health
 - c. State Office of Emergency Services

Provide phone numbers other than 9-1-1 for the following:

Local Fire Department	(415) 851-1860	CDF (ON SITE)
Local Police Department	(415) 363-4000	SHERRIF
Nearest Hospital	(415) 299-2200	KAISER, 1150 VETERANS
County Environmental Health	(415)363-4305	
State Office of Emergency Services	(800)852-7550 or (916)262-1621	

4. Describe notification procedures for on-site emergency response personnel and agencies (e.g., Fire, Health, Police, State OES) during emergency incidents requiring outside assistance.

**VERBAL NOTIFICATION TO EMPLOYEES TO EVACUATE IF NECESSARY.
DIAL 9-1-1 TO REQUEST EMERGENCY ASSISTANCE.**

5. Describe any security system or device that could impede site access by emergency responders.

GATES, DOORS, LOCKS.

6. Describe procedures for notification and evacuation of visitors and employees on-site during an emergency involving a hazardous material and/or waste. Evacuation routes and assembly areas must be clearly identified on the site map.

**VERBAL NOTIFICATION TO ALL EMPLOYEE STATIONS.
SEE ATTACHED SITE MAP.**

7. Describe mitigation procedures to be implemented by on-site personnel in the event of a release, threatened release, fire or explosion involving a hazardous material and/or waste. Indicate if the business has an on-site emergency response team (ERT) and if so, describe how this ERT would interact with the County's ERT if outside assistance is required.

SITE DOES NOT HAVE AN ON-SITE ERT, BUT EMPLOYEES ARE TRAINED TO WIPE AND SWEEP MINOR SPILLS OF WASTE AND MATERIALS.

8. Describe procedures for immediate inspection, isolation and shut-down of mechanical or other systems which are involved in a release or threatened release.

NO UST AT FACILITY.

EMPLOYEE TRAINING PLAN


All employees must receive training in how to respond to a hazardous material and/or waste emergency. Training may be tailored to each job classification since certain employees may not work with or around chemical products. New hires must receive initial training and existing employees must receive annual "refresher" training.

1. Describe employee training as it pertains to the following:
 - a. Safe handling of a hazardous material and/or waste
 - b. Notification and evacuation of on-site personnel
 - c. Notification of local emergency responders and other agencies
 - d. Use of emergency response equipment
 - e. Implementation of emergency response procedures
 - f. UST monitoring and release response procedures

DEPARTMENT OF PUBLIC WORKS

Hazardous Materials Business Plan

**Skylonda CDF
Woodside, California**



California Hazardous Materials Inventory Reporting Form - Business Owner/Operator Identification Page

CALANDER YEAR BEGINING ENDING PAGE 1 OF

BUSINESS NAME BUSINESS

SITE ADDRESS

CITY STATE ZIP

DUN & BRADSTREET SIC (4 DIGIT #)

OPERATOR NAME OPERATO

OWNER INFORMATION

OWNER NAME OWNER PHONE

OWNER MAILING ADDRESS

CITY STATE ZIP

ENVIRONMENTAL CONTACT

CONTACT NAME CONTACT PHONE

MAILING ADDRESS

CITY STATE ZIP

EMERGENCY CONTACTS

Primary NAME

TITLE

BUSINESS PHONE

24-HOUR PHONE

PAGER #

Secondary NAME

TITLE

BUSINESS PHONE

24-HOUR PHONE

PAGER #

ACUTELY HAZARDOUS MATERIALS (AHM)

ON SITE AHM If yes and above the Threshold Planning Quantities, attach a sheet of paper with a general description of the process and principal equipment.

ADDITIONALLY LOCALLY COLLECTED INFORMATION

Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in this inventory and believe the information is true, accurate, and complete.

Print Name of Document Preparer

Signature of Owner/Operator Date

ADD DELETE REVISE

BUSINESS NAME **CDF, SKYLONDA**
 CHEMICAL LOCATION **FUEL HOUSE**
 MAP # GRID #

CHEMICAL NAME **PETROLEUM HYDROCARBON** TRADE SECRET Y N
 COMMON NAME **USED OIL** EHS* Y N
 CAS # **64742-65-0**
* IF EHS BOX IS "Y", ALL AMOUNTS MUST BE IN LBS.

FIRE CODE HAZARD CLASSES
COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE PURE MIXTURE WASTE RADIOACTIVE Y N
 PHYSICAL STATE SOLID LIQUID GAS CURIES
 FED HAZARD CATAGORIES FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE UNITS * GAL CU FT
 DAYS ON SITE LBS TONS
 LARGEST CONTAINER MAX DAILY AMT
 ANNUAL WASTE AMT AVG DAILY AMT

STORAGE CONTAINER ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTL BATTERY
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALIC DRUM BAG TOTE BIN

STORAGE PRESSURE AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

% WEIGHT	HAZARDOUS COMPONENT	EHS	CAS #
1 100	PETROLEUM OIL	<input type="checkbox"/> Y <input checked="" type="checkbox"/> X <input type="checkbox"/> N	64742-65-0
2		<input type="checkbox"/> Y <input checked="" type="checkbox"/> X <input type="checkbox"/> N	
3		<input type="checkbox"/> Y <input checked="" type="checkbox"/> X <input type="checkbox"/> N	
4		<input type="checkbox"/> Y <input checked="" type="checkbox"/> X <input type="checkbox"/> N	
5		<input type="checkbox"/> Y <input checked="" type="checkbox"/> X <input type="checkbox"/> N	

ADDITIONAL LOCALLY COLLECTED INFORMATION

SEE ADDENDUM TO CALIFORNIA HAZARDOUS MATERIALS INVENTORY REPORTING FORM (i.e., HAZARDOUS MATERIALS BUSINESS PLAN) INCLUDED HEREIN.

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

ADD DELETE REVISE

PAGE OF

BUSINESS NAME **CDF, SKYLONDA**

CHEMICAL LOCATION **FUEL HOUSE**

MAP # **1** GRID # **44**

CHEMICAL NAME **PETROLEUM HYDROCARBON** TRADE SECRET Y N

COMMON NAME **MOTOR OIL** EHS* Y N

CAS # **8012-95-1** * IF EHS BOX IS "Y", ALL AMOUNTS MUST BE IN LBS.

FIRE CODE HAZARD CLASSES **COMBUSTIBLE LIQUID**
 COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE PURE MIXTURE WASTE RADIOACTIVE Y N

PHYSICAL STATE SOLID LIQUID GAS CURIES

FED HAZARD CATAGORIES FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE UNITS * GAL CU FT LBS TONS MAX DAILY AMT **70**

DAYS ON SITE **365** AVG DAILY AMT **55**

LARGEST CONTAINER **55** ANNUAL WASTE AMT

STORAGE CONTAINER
 ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTLE
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALIC DRUM BAG TOTE BIN

STORAGE PRESSURE AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

% WEIGHT	HAZARDOUS COMPONENT	EHS	CAS #
1 100 %	MOTOR OIL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	8012-95-1
2		<input type="checkbox"/> Y <input type="checkbox"/> N	
3		<input type="checkbox"/> Y <input type="checkbox"/> N	
4		<input type="checkbox"/> Y <input type="checkbox"/> N	
5		<input type="checkbox"/> Y <input type="checkbox"/> N	

ADDITIONAL LOCALLY COLLECTED INFORMATION

SEE ADDENDUM TO CALIFORNIA HAZARDOUS MATERIALS INVENTORY REPORTING FORM (i.e., HAZARDOUS MATERIALS BUSINESS PLAN) INCLUDED HEREIN.

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

ADD DELETE REVISE

PAGE OF

BUSINESS NAME **CDF, SKYLONDA**

CHEMICAL LOCATION **UNDERGROUND STORAGE TANK (REMOVED)**

MAP # **1** GRID # **AGT-TBD**

CHEMICAL NAME **PETROLEUM HYDROCARBON** TRADE SECRET Y N

COMMON NAME **UNLEADED GASOLINE** EHS* Y N

* IF EHS BOX IS "Y", ALL AMOUNTS MUST BE IN LBS.

CAS # **MIXTURE**

FIRE CODE **FLAMMABLE LIQUID**

COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE PURE MIXTURE WASTE RADIOACTIVE Y N

PHYSICAL STATE SOLID LIQUID GAS CURIES

FED HAZARD CATAGORIES FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE UNITS* GAL CU FT MAX DAILY AMT **550**

DAYS ON SITE **365** LBS AVG DAILY AMT **300**

LARGEST CONTAINER **550** ANNUAL WASTE AMT TONS

STORAGE CONTAINER

<input type="checkbox"/> ABOVE GROUND TANK	<input type="checkbox"/> CAN	<input type="checkbox"/> BOX	<input type="checkbox"/> TANK WAGON
<input checked="" type="checkbox"/> UNDER GROUND TANK	<input type="checkbox"/> CARBOY	<input type="checkbox"/> CYLINDER	<input type="checkbox"/> RAIL CAR
<input type="checkbox"/> TANK INSIDE BUILDING	<input type="checkbox"/> SILO	<input type="checkbox"/> GLASS BOTTL	
<input type="checkbox"/> STEEL DRUM	<input type="checkbox"/> FIBER DRUM	<input type="checkbox"/> PLASTIC BOTTLE	
<input type="checkbox"/> PLASTIC/NONMETALIC DRUM	<input type="checkbox"/> BAG	<input type="checkbox"/> TOTE BIN	

STORAGE PRESSURE AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

% WEIGHT	HAZARDOUS COMPONENT	EHS	CAS #
1 100	GASOLINE	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	MIXTURE
2		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
3		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
4		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
5		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	

ADDITIONAL LOCALLY COLLECTED INFORMATION

SEE ADDENDUM TO CALIFORNIA HAZARDOUS MATERIALS INVENTORY REPORTING FORM (i.e., HAZARDOUS MATERIALS BUSINESS PLAN) INCLUDED HEREIN.

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

ADD DELETE REVISE

PAGE OF

BUSINESS NAME **CDF, SKYLONDA**
 CHEMICAL LOCATION **UNDERGROUND STORAGE TANK *REMOVED***
 MAP # **1** GRID # **AGT-TBD**

CHEMICAL NAME **RETROLEUM HYDROCARBON** TRADE SECRET Y N
 COMMON NAME **DIESEL** EHS* Y N
 CAS # **MIXTURE** * IF EHS BOX IS "Y", ALL AMOUNTS MUST BE IN LBS.

FIRE CODE HAZARD CLASSES **COMBUSTIBLE LIQUID**
 COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE PURE MIXTURE WASTE RADIOACTIVE Y N
 PHYSICAL STATE SOLID LIQUID GAS CURIES
 FED HAZARD CATAGORIES FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE UNITS * GAL CU FT
 DAYS ON SITE **365** LBS TONS MAX DAILY AMT **550**
 LARGEST CONTAINER **550** AVG DAILY AMT **300**
 ANNUAL WASTE AMT

STORAGE CONTAINER
 ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTL
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALIC DRUM BAG TOTE BIN

STORAGE PRESSURE AMBIENT ABOVE AMBIENT BELOW AMBIENT
 STORAGE TEMPERATURE AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

% WEIGHT	HAZARDOUS COMPONENT	EHS	CAS #
1 100	DIESEL	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	MIXTURE
2		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
3		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
4		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
5		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	

ADDITIONAL LOCALLY COLLECTED INFORMATION

SEE ADDENDUM TO CALIFORNIA HAZARDOUS MATERIALS INVENTORY REPORTING FORM (i.e., HAZARDOUS MATERIALS BUSINESS PLAN) INCLUDED HEREIN.

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

ADD DELETE REVISE

PAGE OF

BUSINESS NAME **CDF, SKYLONDA**

CHEMICAL LOCATION

MAP # **1** GRID #

CHEMICAL NAME **PROPANE GAS** TRADE SECRET Y N

COMMON NAME **PROPANE** EHS* Y N

CAS # **74-98-6** * IF EHS BOX IS "Y", ALL AMOUNTS MUST BE IN LBS.

FIRE CODE **FLAMMABLE GAS**
HAZARD CLASSES

COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE PURE MIXTURE WASTE RADIOACTIVE Y N

PHYSICAL STATE SOLID LIQUID GAS CURIES

FED HAZARD CATAGORIES FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE UNITS* GAL CU FT MAX DAILY AMT **1015**

DAYS ON SITE **365** LBS AVG DAILY AMT **500**

LARGEST CONTAINER **580** ANNUAL WASTE AMT

STORAGE CONTAINER ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTL
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALIC DRUM BAG TOTE BIN

STORAGE PRESSURE AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

% WEIGHT	HAZARDOUS COMPONENT	EHS	CAS #
1 100	PROPANE	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	74-98-6
2		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
3		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
4		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
5		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	

ADDITIONAL LOCALLY COLLECTED INFORMATION

SEE ADDENDUM TO CALIFORNIA HAZARDOUS MATERIALS INVENTORY REPORTING FORM (I.e., HAZARDOUS MATERIALS BUSINESS PLAN) INCLUDED HEREIN.

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

ADD DELETE REVISE

PAGE OF

BUSINESS NAME **CDF, SKYLONDA**

CHEMICAL LOCATION

MAP # **1** GRID #

CHEMICAL NAME TRADE SECRET Y N

COMMON NAME **OXYGEN GAS** EHS* Y N

CAS # **7782-44-7** * IF EHS BOX IS "Y", ALL AMOUNTS MUST BE IN LBS.

FIRE CODE **INERT COMPRESSED GAS**
HAZARD CLASSES **OXIDIZER**

COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE PURE MIXTURE WASTE RADIOACTIVE Y N

PHYSICAL STATE SOLID LIQUID GAS CURIES

FED HAZARD CATAGORIES FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE UNITS * GAL CU FT MAX DAILY AMT **2,022**

DAYS ON SITE **365** LBS AVG DAILY AMT **1,000**

LARGEST CONTAINER **337** ANNUAL WASTE AMT

STORAGE CONTAINER
 ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTLE
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALIC DRUM BAG TOTE BIN

STORAGE PRESSURE AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

% WEIGHT	HAZARDOUS COMPONENT	EHS	CAS #
1 100	OXYGEN GAS	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	7782-44-7
2		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
3		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
4		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
5		<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	

ADDITIONAL LOCALLY COLLECTED INFORMATION

SEE ADDENDUM TO CALIFORNIA HAZARDOUS MATERIALS INVENTORY REPORTING FORM (i.e., HAZARDOUS MATERIALS BUSINESS PLAN) INCLUDED HEREIN.

HAZARDOUS MATERIALS BUSINESS PLAN ADDENDUM

BUSINESS NAME: CDF, SKYLONDA
BUSINESS ADDRESS: 17290 SKYLIND BOULEVARD, WOODSIDE

In addition to the general business, chemical inventory and site map information, the San Mateo County Environmental Health Division requires completion of the following sections pertaining to spill prevention, emergency response, employee training and site closure. This addendum contains specific elements pertaining to the hazardous materials business plan, the hazardous waste contingency plan, storm water pollution prevention, underground storage tank (UST) monitoring and unauthorized release response requirements.

SPILL PREVENTION PLAN

1. Describe how hazardous materials and/or wastes are handled, stored and monitored to prevent a spill or release from occurring.

PRODUCTS ARE KEPT IN CLOSED CONTAINERS AND INSPECTED DAILY FOR LEAKS AND SPILLAGE. WHENEVER POSSIBLE, CONTAINERS ARE DOUBLE CONTAINED TO REDUCE SPILL POTENTIAL.

2. Describe operations, activities and/or storage locations where a release is most likely to occur.

USED OIL STORAGE AREA.

3. Describe the Best Management Practices (BMPs) you use to reduce or eliminate illicit discharges to the storm sewer system.

A - DOUBLE CONTAINMENT WHERE EVER NECESSARY.

B - ABSORBENT MATERIAL AND RAGS ARE LOCATED NEAR POTENTIAL SPILL AREAS.

4. Describe UST monitoring procedures used to prevent an unauthorized release from occurring.

NO UST AT FACILITY

EMERGENCY RESPONSE PLAN

1. Provide a list of all on-site emergency response equipment designated for a hazardous material and/or waste or UST emergency response. Examples of equipment include fire extinguishers, fire suppression systems, spill control equipment, UST pump shut-off switches, personal protective equipment and communication and alarm systems.

EQUIPMENT TYPE

LOCATION

FIRE EXTINGUISHERS

EMERGENCY SHUT OFF SWITCH

ABSORBENT MATERIALS AND RAGS

SHOWER AND EYE WASH STATIONS

2. Identify local emergency medical providers to be used during a hazardous material and/or waste emergency.

**SEQUOIA OCCUPATIONAL HEALTH SERVICES FOR CLINICAL
EMERGENCIES AND KAISER HOSPITAL FOR EMERGENCY
HOSPITALIZATION.**

3. The definition of a release or threatened release includes incidents that pose a present or potential hazard to human health and safety, property or the environment. In the event of a hazardous material and/or waste release or threatened release, state law requires immediate verbal notification to the agencies listed below once any necessary emergency response procedures are initiated.
 - a. Local Fire Department
 - b. County Environmental Health
 - c. State Office of Emergency Services

Provide phone numbers other than 9-1-1 for the following:

Local Fire Department	(415) 851-1860	CDF (ON SITE)
Local Police Department	(415) 363-4000	SHERRIF
Nearest Hospital	(415) 299-2200	KAISER, 1150 VETERANS
County Environmental Health	(415)363-4305	
State Office of Emergency Services	(800)852-7550 or (916)262-1621	

4. Describe notification procedures for on-site emergency response personnel and agencies (e.g., Fire, Health, Police, State OES) during emergency incidents requiring outside assistance.

**VERBAL NOTIFICATION TO EMPLOYEES TO EVACUATE IF NECESSARY.
DIAL 9-1-1 TO REQUEST EMERGENCY ASSISTANCE.**

5. Describe any security system or device that could impede site access by emergency responders.

GATES, DOORS, LOCKS.

6. Describe procedures for notification and evacuation of visitors and employees on-site during an emergency involving a hazardous material and/or waste. Evacuation routes and assembly areas must be clearly identified on the site map.

**VERBAL NOTIFICATION TO ALL EMPLOYEE STATIONS.
SEE ATTACHED SITE MAP.**

7. Describe mitigation procedures to be implemented by on-site personnel in the event of a release, threatened release, fire or explosion involving a hazardous material and/or waste. Indicate if the business has an on-site emergency response team (ERT) and if so, describe how this ERT would interact with the County's ERT if outside assistance is required.

SITE DOES NOT HAVE AN ON-SITE ERT, BUT EMPLOYEES ARE TRAINED TO WIPE AND SWEEP MINOR SPILLS OF WASTE AND MATERIALS.

8. Describe procedures for immediate inspection, isolation and shut-down of mechanical or other systems which are involved in a release or threatened release.

NO UST AT FACILITY.

EMPLOYEE TRAINING PLAN

All employees must receive training in how to respond to a hazardous material and/or waste emergency. Training may be tailored to each job classification since certain employees may not work with or around chemical products. New hires must receive initial training and existing employees must receive annual "refresher" training.

1. Describe employee training as it pertains to the following:
 - a. Safe handling of a hazardous material and/or waste
 - b. Notification and evacuation of on-site personnel
 - c. Notification of local emergency responders and other agencies
 - d. Use of emergency response equipment
 - e. Implementation of emergency response procedures
 - f. UST monitoring and release response procedures

UPON EMPLOYMENT, ALL EMPLOYEES MUST REVIEW SAFETY MATERIALS FOLDER WHICH CONTAINS MSDS, IIPP AND OTHER SAFETY RELATED MATERIALS. ANNUAL REFRESHER TRAINING IS REQUIRED OR WHEN NEW MATERIALS ARE INTRODUCED TO THE WORKPLACE.

2. Describe procedures for documenting employee training activities.

TRAINING IS DOCUMENTED BY EMPLOYEES SIGNING NAME AND DATE TO AUTHORIZE ACTUAL ATTENDANCE AT TRAINING.

CLOSURE PLAN

San Mateo County Environmental Health must be contacted by a business representative if the business is closing or relocating. Failure to comply with appropriate closure requirements may lead to significant civil and criminal penalties.

1. Describe procedures that would be implemented in the event of a full or partial facility closure. Include procedures for agency notification, hazardous materials removal, hazardous waste disposal, site decontamination, UST removal or change of ownership.

SUPERVISOR WILL NOTIFY SAN MATEO COUNTY ENVIRONMENTAL HEALTH FOR CURRENT GUIDELINES PRIOR TO CLOSURE OR RE-LOCATION.



HAZARDOUS MATERIALS BUSINESS PLAN (HMBP)

SAN MATEO COUNTY DIVISION OF ENVIRONMENTAL HEALTH
590 HAMILTON STREET, 4TH FLOOR, REDWOOD CITY, CA 94063
TELEPHONE: (415) 363-4305.

SEP 19 1995
RECEIVED
SAN MATEO COUNTY ENVIRONMENTAL HEALTH

NOTE: Sections A and B must be completed for each separate facility location (HMBP only).
Sections A and C-G must be completed to comply with the Hazardous Waste Contingency Plan.

SECTION A. GENERAL BUSINESS INFORMATION

FACILITY IDENTIFICATION

1. Legal Business Name Skylanda Fire station
2. Business/ Site Address 17290 Skyline Blvd Woodside CA 94062
3. Business Phone Number 415-851-1862 Emergency 415-345-1612
4. Business Type (sole proprietor, corporation, etc.) Fire station
5. Property Owner Name County of San Mateo
6. Property Owner Address 590 Hamilton Redwood City CA 94063

CONTACT INFORMATION

1. Contact Name James Asche Phone 415 345 1612 Ext. _____
2. Mailing Address 20 Tower Rd San Mateo CA 94402
3. Business Owner Name State of California Phone SAME as above
4. Business Owner ID/DL # — SSN —

BUSINESS INFORMATION


1. Business Description Fire station
2. # Employees 4-8 on Duty
3. Square Footage 200
4. Dun & Bradstreet # _____
5. SIC Code -
6. EPA Identification # CO00 91153
7. Sewer Permit -
8. Fire Dept. Permit # We are the F.D.
9. Air Permit -
10. Are there any schools, hospitals or health care facilities located within 1000 feet of the business?
NO YES _____ (Name of facility) _____
11. Location of the HMBP Office

EMERGENCY COORDINATOR INFORMATION

1. Primary Name L Shep Shepherd Day Phone 415-851-1860
Title Battalion Chief Night Phone 415-345-1611
2. Alternate Name Kirk Landuyt Day Phone 415-345-1612
Title Battalion chief Night Phone 415-345-1611

CERTIFICATION

I certify that I have examined and am familiar with the information submitted in the HMBP or Contingency Plan and that the information is true, accurate and complete to the best of my knowledge or ability.


SIGNATURE

THEODORE A. DINICOLA
PRINT NAME

F.S.
TITLE

9-19-95
DATE

SECTION B. CHEM INVENTORY

INSTRUCTIONS: Complete a separate form for each building or area where hazardous materials or wastes are located. If necessary, make extra copies of this form. Please copy both sides of the inventory form before submitting the IHBP.

BUSINESS NAME: CDF/San Mateo Co. Fire Dept. Skylands Building/Area Name: Apparatus Building

BUSINESS ADDRESS: 17290 Skyline Blvd Woodside

DATE:

ROOM NAME/NUMBER:

1. Name	2	3	4	5	6	OTHER
PRODUCT/WASTE DESCRIPTION	CHEMICAL ID	QUANTITY	HAZARD CLASS	STORAGE	HAZARD	HAZARD
a) Ingredient %	a) UR/HA#	a) Max. amt.	a) Code	a) Container	a) Health	a) Extremely Hazardous
b) Ingredient %	b) CAS#	b) Lg. Cont.	(See Back)	b) Pressure	b) Physical	b) Material
				c) Temp.-F		b) Annual Amount Handled

1. Oxygen Gas UR/HA# 1072 LBS./GAL./CU.FT. a) NA b) Yes / NO
 a) 100% CASH a) a) OXY b) 345 b) _____
 b) _____ b) 387 c) _____

2. Air, Compressed UR/HA# _____ LBS./GAL./CU.FT. a) NA b) Yes / NO
 a) _____ CASH a) a) NFS b) 4 b) _____
 b) _____ b) 360 c) _____

3. _____ UR/HA# _____ LBS./GAL./CU.FT. a) _____ b) Yes / No
 a) _____ CASH a) a) _____ b) _____ b) _____
 b) _____ b) _____ c) _____

4. _____ UR/HA# _____ LBS./GAL./CU.FT. a) _____ b) Yes / No
 a) _____ CASH a) a) _____ b) _____ b) _____
 b) _____ b) _____ c) _____

5. _____ UR/HA# _____ LBS./GAL./CU.FT. a) _____ b) Yes / No
 a) _____ CASH a) a) _____ b) _____ b) _____
 b) _____ b) _____ c) _____

5a) STORAGE CONTAINER CODES
 A = Aboveground Tank
 B = Belowground Tank
 C = Tank Inside Building
 D = Steel Drum
 E = Plastic or Non-Metal Drum
 F = Can
 G = Carboy
 H = Silo
 I = Fiberdrum
 J = Bag
 K = Box
 L = Cylinder
 M = Glass Bottle or Jug
 N = Plastic
 O = Tote Bin
 P = Tank Wagon
 Q = Rail Car
 R = Other

5b) PRESSURE CODES
 1 = Above Ambient
 2 = Ambient
 3 = Below Ambient

5c) TEMPERATURE CODES
 1 = Above Ambient
 2 = Ambient
 3 = Below Ambient

6a) HEALTH AND PHYSICAL HAZARDS
 1 = Immediate (Acute) Health Hazard
 2 = Delayed (Chronic) Health Hazard
 3 = Fire Hazard
 4 = Pressure Hazard
 5 = Reactive Hazard
 6 = Not Applicable

Business Name SKYLANDA FIRE STATION
Business Address 17290 SKYLINE BLVD.
WOODSIDE, C.A. 94062

Date 12-19-90

SAN MATEO COUNTY
ENVIRONMENTAL HEALTH DIVISION

Acct # 11575 LONG FORM EMERGENCY PLAN OUTLINE

(Indicate page # or location
of required information here)

SECTION A. BUSINESS INFORMATION - complete blank form attached. 1

SECTION B. GENERAL BUSINESS INFORMATION - complete blank
inventory form attached. 2

SECTION C. PREVENTION PLAN

STORAGE 4
HANDLING 4
MONITORING AND INSPECTION 4
EMERGENCY EQUIPMENT LIST 5
ARRANGEMENTS WITH LOCAL AGENCIES

SECTION D. EMERGENCY PROCEDURES

SECURITY 6
NOTIFICATION PROCEDURES 6
MITIGATION AND ABATEMENT 6
EVACUATION PROCEDURES 7
MEDICAL ASSISTANCE 7

SECTION E. NEW EMPLOYEE TRAINING AND REFRESHER PROGRAM

HAZARD IDENTIFICATION AND SAFE HANDLING 8
WASTE MANAGEMENT PROCEDURES 8
NOTIFICATION PROCEDURES 8
USE OF EMERGENCY EQUIPMENT 8
EMERGENCY RESPOSNE PLAN AND PROCEDURES 8
DOCUMENTATION 8

SECTION F. CLOSURE PLAN

NOTIFICATION 8
SAMPLING AND ANALYSIS PLAN
DECONTAMINATION PROCEDURES
HAZARDOUS WASTE DISPOSAL

SECTION G. SITE MAPS - complete both a site detail and facility map. 9+10

SAN MATEO COUNTY
ENVIRONMENTAL HEALTH DIVISION

HAZARDOUS MATERIALS BUSINESS PLAN

INSTRUCTIONS: Complete for each facility address.

SECTION A. GENERAL BUSINESS INFORMATION

FACILITY IDENTIFICATION

1. Legal Business Name SKYLONDA FIRE STATION
2. Business Address 17290 SKYLINE BLVD. WOODSIDE CA. 94062
3. Business Type (sole proprietor, corporation, etc.) FIRE STATION
4. Property Owner Name COUNTY OF SAN MATEO
5. Property Owner Address _____
Street City State Zip

CONTACT INFORMATION

1. Contact Name BILL RUSKIN, DIVISION CHIEF Phone 345-1612
2. Mailing Address 20 TOWER RD. SAN MATEO CA. 94402
3. Business Owner Name CA. DEPT. OF FORESTRY Phone _____

BUSINESS INFORMATION

1. Business Description FIRE STATION
2. # Employees (per shift) 4 TO 6 (24 HRS) 3. Square Footage 200 ~~ACRE~~
4. Dun & Bradstreet # _____ 5. SIC Code _____
6. EPA Identification # _____ 7. Sewer Permit _____
8. Fire Permit # _____ 9. Air Permit _____
10. Industrial process water discharged to sewer NONE (GPD)
11. Any sensitive facilities within 1000 feet? NO YES (name) _____
12. Location of completed Business Plan at facility _____

EMERGENCY COORDINATOR INFORMATION

1. Primary Name JAMES ASCHE Day Phone 851-1860
Title BATTALION CHIEF Night Phone 345-1611
2. Alternate Name SHEP SHEPPARD Day Phone 345-1612
Title BATTALION CHIEF Night Phone 345-1611

CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in the Business Plan and that the information is true, accurate and complete. I also understand the requirements for updating the inventory (annually) and entire Business Plan (bi-annually).

James Asche _____ 12-13-90
SIGNATURE DATE

- * Attach completed Section B (Inventory), Section C - F (Short Form or Long Form Outline) and Section G (Site Maps) and return to Environmental Health (or appropriate Fire agency).

CHEMICAL INVENTORY FORM

DATE: 12-13-90

PAGE 1 OF 2

INSTRUCTIONS: Complete a separate form for each building or area where hazardous materials or waste are located. Please refer to the instruction packet and photo copy extra copies of this form before completing it.

BUSINESS NAME: _____ BUILDING/AREA NAME: _____

BUSINESS ADDRESS: _____ ROOM NAME/NUMBER: _____

1. PRODUCT/WASTE DESCRIPTION 1. Name a) Ingredient % b) Ingredient % c) Waste Code	2. CHEMICAL ID a) DOT# b) CAS# c) Waste Code	3. QUANTITY a) Max. amt. b) Lg. Cont.	4. HAZARD CLASS a) Code b) Subcode	5. STORAGE a) Container b) Pressure c) Temp. F	6. HAZARDS a) Health b) Physical	7. OTHER (Circle) a) Waste b) Acute c) Annual Amt			
							UN/NA#	CAS#	LBS/GAL

1. GASOLINE, UNLEADED
 a) UN/NA# 1203 LBS/GAL 550 CU. FT. a) FL b) 2 c) B a) 2 b) 3 c) 2
 b) CAS# 75-65-0 b) 550 b) 1-A c) 2 a) 2 b) 2 c) 2 a) Yes/No b) Yes/No c) Yes/No

2. DIESEL #2
 a) UN/NA# 1993 LBS/GAL 550 CU. FT. a) CL b) 2 c) B a) 2 b) 3 c) 2
 b) CAS# 68476-34-6 b) 550 b) 2 c) 2 a) 2 b) 2 c) 2 a) Yes/No b) Yes/No c) Yes/No

3. MOTOR OIL
 a) UN/NA# NA LBS/GAL 55 CU. FT. a) NA b) 2 c) D a) 2 b) NA c) 2
 b) CAS# 64742547 b) 55 b) 2 c) 2 a) 2 b) 2 c) 2 a) Yes/No b) Yes/No c) Yes/No

4. MOTOR OIL (WASTE)
 a) UN/NA# NA LBS/GAL 150 CU. FT. a) NA b) 2 c) D a) 2 b) NA c) 2
 b) CAS# 64742547 b) 150 b) 2 c) 2 a) 2 b) 2 c) 2 a) Yes/No b) Yes/No c) Yes/No

5. OXYGEN, COMPRESSED
 a) UN/NA# 1072 LBS/GAL 1550 CU. FT. a) OXG b) 1 c) L a) 1 b) 3,5 c) 2
 b) CAS# 778284 b) 1550 b) 1 c) 2 a) 1 b) 3,5 c) 2 a) Yes/No b) Yes/No c) Yes/No

STORAGE CONTAINER TYPES

- A = Aboveground Tank
- B = Below ground Tank
- C = Tank inside Building
- D = Steel Drum
- E = Plastic or Non-Metal Drum
- F = Can
- G = Carboy
- H = Silo
- I = fiberdrum

PRESSURE CODES

- 1 = Above Ambient
- 2 = Ambient
- 3 = Below Ambient

HEALTH AND PHYSICAL HAZARDS

- 1 = Immediate (Acute) Health Hazard
- 2 = Delayed (Chronic) Health Hazard
- 3 = Fire Hazard
- 4 = Sudden Release of Pressure Hazard
- 5 = Reactive Hazard

6. AIR COMPRESSED UN/NA# 1007 LBS/GAL/CU.FT. 3750 a) B a) N a) Yes / No (No)
 b) X CAS# b) UFG b) 2 b) 4 b) Yes / No (No)
 c) X c) 2 c) 2 c) 2 c) Yes / No (No)

4. UN/NA# _____ LBS/GAL/CU.FT. _____ a) _____ a) _____ a) Yes / No _____
 a) X CAS# b) _____ b) _____ b) _____ b) Yes / No _____
 b) X c) _____ c) _____ c) _____ c) Yes / No _____

5. UN/NA# _____ LBS/GAL/CU.FT. _____ a) _____ a) _____ a) Yes / No _____
 a) X CAS# b) _____ b) _____ b) _____ b) Yes / No _____
 b) X c) _____ c) _____ c) _____ c) Yes / No _____

STORAGE CONTAINER TYPES

- A = Aboveground Tank
- B = Below ground Tank
- C = Tank Inside Building
- D = Steel Drum
- E = Plastic or Non-Metal Drum
- F = Can
- G = Carboy
- H = Silo
- I = Fiberdrum
- J = Bag
- K = Box
- L = Cylinder
- M = Glass Bottle or Jug
- N = Plastic
- O = Tote Bin
- P = Tank Wagon
- Q = Rail Car
- R = Other

PRESSURE CODES

- 1 = Above Ambient
- 2 = Ambient
- 3 = Below Ambient

HEALTH AND PHYSICAL HAZARDS

- 1 = Immediate (Acute) Health Hazard
- 2 = Delayed (Chronic Health Hazard)
- 3 = Fire Hazard
- 4 = Sudden Release of Pressure Hazard
- 5 = Reactive Hazard

BUSINESS PLAN SKYLONDA FIRE STATION

SECTION C. PREVENTION PROGRAM

1. STORAGE

Hazardous material are stored in the following manner at Skylonda Fire Station.

Compressed Air	Cylinders are stored upright and chained to the wall.
Compressed Oxygen	Cylinders are stored upright and chained to the wall. (signed to indicate no smoking.)
Gas and Diesel	Underground storage tanks. (signed to indicate no smoking, shut off motor)
Waste oil	Stored in metal 55 gallon drums contained in an oversized, plastic containment drums.
Motor oil	Stored in a metal 55 gallon drum inside a building used for petroleum product storage only.

2. HANDLING PROCEDURES

Compressed Air and Oxygen are transferred via high pressure hose lines to other cylinders.

Gasoline and Diesel are dispensed in the traditional manner by means of certified electric fuel pumps.

Motor oil is pumped from a 55 gallon drum with a barrel pump into dispensing cans from which it is put into vehicles.

Waste oil is collected from vehicles in oil pans and poured manually into 55 gallon drums by use of a funnel.

3. MONITORING AND INSPECTION

Visual monitoring is used for all materials. The gasoline and diesel tanks are dipped and measured daily. The S.O.P. calls for immediately reporting any discrepancy of 25 gallons or more. Measurement are taken only monthly of the motor oil but any leak of the barrel(s) would be readily visible during daily inspections.

Underground tanks are pressure tested annually.

4. EMERGENCY EQUIPMENT

As a fire station Skylonda has a considerable quantity of emergency equipment including:

- 12 Self Contained Breathing Apparatus
- 30 Gallons A.F.F.F. foam (lightwater)
- 2 Type 2 Fire Engines
- 2 Type 3 Fire Engines

BUSINESS PLAN SKYLONDA FIRE STATION

SECTION D. EMERGENCY PROCEDURES

1. SECURITY

Security of hazardous materials at the Skylonda Fire Station is provided by 24 hour a day staffing of the facility by the assigned fire crews. If crews are out of quarters the areas containing hazardous materials are locked. This includes locks on both the gas and diesel pumps.

2. EMERGENCY NOTIFICATION

Should a release of hazardous material occur at the Skylonda Fire Station that is beyond the control of the facility personnel, and/or impacts the environment or human health outside the boundaries of the facility, the station captain is to report this immediately to the "on duty" battalion chief. It will be the B.C.s responsibility to assure that the duty chief is advised as well as San Mateo County Environmental Health and the County Office of Emergency Services.

Information to be reported will include:

- Name and address of the facility.
- Type of incident and the time it occurred.
- Name and quantity of the hazardous substance released.
- Name and phone number of the County Fire contact.
- Injuries, if any.
- Potential of incident or additional hazards.

Upon consultation with these agencies a report will be made to the State Department of Health Services.

If the release is such that the station personnel cannot control it then the county Hazardous Material Team will be requested through normal dispatch channels (Felton Command Center or 9-1-1). Station personnel will work with the team to control and clean up the release.

3. MITIGATION AND ABATEMENT

The most probable event involving hazardous substances at this facility that would require immediate mitigation and abatement would be a fuel spill from either the gasoline or diesel distribution pumps. If this should occur in an amount that station personnel could deal with, this fuel should be cleaned

up by use of absorbent material. Any spill that involves the contamination of the surrounding earth will require technical assistance from the county

Environmental Health.

To prevent fuel spills from occurring, vehicles will never be left unattended while being fueled. Also, all emergency shutoff switches are readily identified for use in case of a fuel pump nozzle failure.

4. EVACUATION

Should evacuation of a building or the entire facility be required due to a hazardous material release, all personnel will be alerted by use of the station public address system. As per the station emergency plan, all personnel will muster in the driveway outside the office building prior to leaving the facility.

5. MEDICAL ASSISTANCE

In the event of an injury to station personnel follow the guidelines in the station emergency plan. If ground or air ambulance is required request this through the Felton Command Center.

The usual medical facilities which Skylonda station uses are:

Sequoia Hospital Emergency Room 367-5541
Corner of Whipple Ave and the Alameda in Redwood City.
Thomas Bros. Map page 36 D-4.

Redwood Medical Clinic Urgent Care 367-5455
Open Mon-Fri 0800 to 1900, Sat. 0800 to 1200.
2900 Whipple Ave, Redwood City (behind Sequoia Hosp.)

Stanford University Hospital E.R. 723-5111
300 Pasteur Dr. Palo Alto
Thomas Bros. Map page 43 E-2.

BUSINESS PLAN SKYLONDA FIRE STATION

SECTION E. EMPLOYEE TRAINING

1. All employees working at the Skylonda Fire Station are trained emergency responders. Required training includes over 50 hours of haz-mat training at C.D.F.s fire academy prior to being assigned to the fire station. Additionally, all emergency response personnel are trained to the "responder level" which includes 24 hours of hazardous materials and related training annually.

As part of their fire station orientation, new employees are shown the areas used for storage of hazardous materials and waste. Procedures for monitoring usage of these materials (and their release) are explained to them as well as being posted.

Information on dealing with emergencies at the facility, such as a fire, injury or hazardous materials release is contained in the Skylonda Facility Emergency Plan which is reviewed by all fire station personnel at least once a year.

Station records will document station training on facility specific hazards and plans. Records of hazardous material training of all employees can be obtained by contacting our training office at the C.D.F.-County Fire Headquarters in Felton. (408) 335-5355.

SECTION F CLOSURE PLAN

As a San Mateo County owned facility, if it should be necessary to close the fuel dispensing system at Skylonda Fire Station (underground fuel storage), the following agencies would be contacted:

General Services 363-4321
Environmental Health 363-4305

Guidance would be sought of these agencies for specific requirements in regards to sampling, analysis and decontamination.

SECTION B. CHEM INVENTORY

INSTRUCTIONS: Complete a separate form for each building or area where hazardous materials or wastes are located. If necessary, make extra copies of this form. Please copy both sides of the inventory form before submitting the IHBP.

BUSINESS NAME: PDF/San Mateo Co. Fire Dept. Skyline Bldg. Woodside BUILDING/AREA NAME: Fuel House

BUSINESS ADDRESS: 17290 Skyline Blvd Woodside ROOM NAME/NUMBER: Skyline F-5 DATE: _____

1	2	3	4	5	6	7
PRODUCT/WASTE DESCRIPTION	CHEMICAL ID	QUANTITY	HAZARD CLASS	STORAGE	HAZARDS	OTHER
a) Name	a) UN/HAZ	a) Max. amt.	a) Code	a) Container	a) Health	a) Extremely Hazardous Material
b) Ingredient %	b) CAS#	b) Lg. Cont.	(See Back)	b) Pressure	b) Physical	b) Annual Amount handled
c) Ingredient %				c) Temp. °F		

1. Gasoline Unleaded UN/HAZ 1203 LBS/GAL/QU. FT. a) B n) 1,2 n) Yes / No (No)
 a) 100% CAS# a) FL b) 2 b) 3 b) _____
 b) _____ c) 2 c) _____

2. Diesel #2 UN/HAZ 1993 LBS/GAL/QU. FT. a) B n) 1,2 n) Yes / No (No)
 a) 100% CAS# a) CL b) 2 b) 3 b) _____
 b) _____ c) 2 c) _____

3. Motor Oil UN/HAZ 1270 LBS/GAL/QU. FT. a) D n) 2 n) Yes / No (No)
 a) 100% CAS# a) CL b) 2 b) 3 b) _____
 b) _____ c) 2 c) _____

4. Motor Oil Waste UN/HAZ 1270 LBS/GAL/QU. FT. a) D n) 2 n) Yes / No (No)
 a) _____ CAS# a) CL b) 2 b) 3 b) Less than 500 gal.
 b) _____ c) 2 c) _____

5. _____ UN/HAZ _____ LBS/GAL/QU. FT. a) _____ n) Yes / No _____
 a) _____ CAS# a) _____ b) _____ b) _____
 b) _____ c) _____ c) _____

5a) STORAGE CONTAINER CODES
 A = Aboveground Tank
 B = Below Ground Tank
 C = Tank Inside Building
 D = Steel Drum
 E = Plastic or Non-Metal Drum
 F = Can
 G = Carboy
 H = Silo
 I = Fiberdrum
 J = Bag
 K = Box
 L = Cylinder
 M = Glass Bottle or Jug
 N = Plastic
 U = Tote Bin
 P = Tank Wagon
 Q = Rail Car
 R = Other

5b) PRESSURE CODES
 1 = Above Ambient
 2 = Ambient
 3 = Below Ambient

5c) TEMPERATURE CODES
 1 = Above Ambient
 2 = Ambient
 3 = Below Ambient

6a) HEALTH AND PHYSICAL HAZARDS
 1 = Immediate (Acute) Health Hazard
 2 = Delayed (Chronic) Health Hazard
 3 = Fire Hazard
 4 = Pressure Hazard
 5 = Reactive Hazard
 6 = Not Applicable

HAZARD CLASS CODES AND DEFINITIONS

HAZARD CLASS	HAZARD CODE	EXAMPLE	DEFINITION
COMBUSTIBLE LIQUID	CL	motor oil diesel	Any liquid having a flashpoint at or above 100F and below 200F.
FLAMMABLE LIQUID	FL	gasoline; acetone	Any liquid having a flashpoint below 100F.
FLAMMABLE SOLID	FS	potassium metal sodium metal	Any solid material, other than an explosive, which is liable to cause fires through friction, retained heat from manufacturing or processing, which can be ignited readily and when ignited, burns so vigorously and persistently as to create a serious hazard.
ORGANIC PEROXIDE	OP	MEK peroxide	An organic compound containing the bivalent o-o structure and which may be considered a derivative of hydrogen peroxide.
OXIDIZER	OXY	fertilizer	A substance that yields oxygen readily to stimulate the combustion of organic matter.
POISON A	POISA	phosphine	Poisonous gases or liquids of such nature that a very small amount of the gas or the vapor of the liquid, mixed with air is dangerous to life.
POISON B	POISB	arsenic	Substances other than poison A which are known to be so toxic to man as to afford hazard to health.
RADIOACTIVE	RAD	uranium	Any material, or combination of materials, that spontaneously emits ionizing radiation, and having a specific activity greater than 0.002 microcuries per gram.
CORROSIVE-ACID	CORR-A	sulfuric acid	Any liquid or solid that causes visible destruction or irreversible alterations in human skin tissue or a liquid that has a severe corrosion rate on steel. Contains the (H+) ion.
CORROSIVE-BASE	CORR-B	sodium hydroxide	See above definition for CORR-A. Contains the hydroxyl anion (OH-).
EXPLOSIVE	EXP	gun powder dynamite	Any chemical compound, mixture, or device, the primary or common purpose of which is to function by explosion, i.e. with substantially instantaneous release of gas and heat (Class A,B and C).
FLAMMABLE GAS	FG	acetylene; hydrogen	Any compressed gas meeting the requirements for lower flammability limits specified in 49 CFR, Section 173.300(b).
INERT COMPRESSED GAS	NFG	argon, nitrogen	Any compressed gas (having a pre exceeding 40psi at 70 F) other than a flammable gas.
OTHER REGULATED MATERIAL	ORM	freon; antifreeze	Any material not listed above that may pose a hazard to health and safety.

C

PREVENTION PROGRAM

1. STORAGE

Hazardous materials are stored in the following manner at Sky Londa Fire Station.

COMPRESSED GASSES

Oxygen cascade system is chained to the wall at the north end of the apparatus building. Breathing air cascade system is mounted on a vehicle (BS 58) stored in the north end of the apparatus building. SCBA cylinders are stored in racks at the north end of the apparatus building or in brackets on the various apparatus. Oxygen resuscitator cylinders are stored in racks at the north end of the apparatus building or carried on the apparatus.

FLUIDS

Gasoline and Diesel fuels are stored in underground tanks. They are dispensed by electric fuel pumps at a concrete pump station. Small quantities of fuels are stored in portable safety cans. Motor oil is stored in bulk in a 55 gal. drum in the north end of the apparatus building. Motor oil is also stored in individual 1 qt. containers in the "gas house" adjacent to the fuel pumps along with other miscellaneous lubricants and automotive fluids. Waste oil is stored in metal 55 gal. drums in orange plastic overpacks. These are located next to the gas house.

Liquefied Petroleum Gas is stored in two steel tanks that are plumbed into the buildings. One is located between the barracks and the office, the other is located on the southeast side of the apparatus building.

2. HANDLING PROCEDURES

Compressed Breathing Air and Oxygen are transferred via high pressure hose lines to cylinders for usage. Gasoline and Diesel are dispensed by standard fuel pumps. Motor Oil is dispensed by standard fuel pumps.

Waste Oil is collected in drain pans and manually poured into the waste oil barrels.

Liquefied Petroleum Gas is piped into the barracks, office and apparatus buildings.

3. MONITORING AND INSPECTION

Gasoline, Diesel fuel, and motor oils are manually inventoried on a daily basis.

Underground storage tanks are tested annually.

C

4. EMERGENCY EQUIPMENT

As this is a fire station there is a considerable quantity of emergency equipment. Some of the key resources available are:

- 9 Self Contained Breathing Apparatus
- 30 gal. AFFF
- 1 Type 2 fire engine (structure)
- 1 Type 3 fire engine (wildland)
- 1 3000 gal. water tender
- 1 air and lighting support unit with spare air cylinders, cascade air system, and 110 volt generator and lighting.

D

EMERGENCY PROCEDURES

1. SECURITY

Sky Londa fire station is staffed 24 hours per day. The crews have regular daytime schedules and consequently cannot be counted on to remain awake at night. There are individual smoke alarms in the barracks. The fuel pumps and motor oil are kept locked. The compressed Oxygen cylinders for the cascade system are stored chained to the wall.

2. EMERGENCY NOTIFICATION

Should a release of a hazardous material occur that is beyond the control of the facility personnel, impacts the environment, or human health there shall be immediate notification made to the CDF ECC. There are three possible ways to do this; by radio, direct phone call, or 911. The CDF ECC is responsible for notifying the appropriate entities. These may be but are not limited to the on duty battalion chief, duty chief, San Mateo County OES, San Mateo County Environmental Health, etc..

Information to be reported will include:

- Name and address of facility
- Type of incident and time of occurrence
- Name and quantity of substance
- Name of the Reporting party
- Injuries if any
- Potential of incident or additional hazards if known

If the station personnel cannot control the incident, or if they request it, the San Mateo County Hazardous Materials Team will be requested through normal channels. The personnel will operate as if this were any hazardous materials incident and support the Haz May team on arrival.

3. MITIGATION AND ABATEMENT

The most probable event at this facility that would require immediate mitigation would be a fuel spill at the fuel pumps. If this should occur the station personnel should initiate control and clean up.

Any spill that involves contamination of surrounding earth shall be referred to the San Mateo Co. Environmental Health Department.

To prevent spills from occurring vehicles will never be left unattended while being fueled. All emergency shutoff switches are to be readily identified.

EVACUATION

Should evacuation of a building or the entire facility be required due to a hazardous material release, all personnel will be alerted. This will be done by use of the station public address system, the intercom, or use of the radio. This announcement will include the location for the personnel to assemble at for head counts and assignments. Efforts shall be made to protect or inform the local populace of any problem or action needed to be taken. This shall be done by phone, P.A. systems, law enforcement, or other means available.

MEDICAL ASSISTANCE

In the event of an injury to station personnel, follow the guidelines in the Facility Emergency Plan. Ground or air ambulance may be requested through 911 or CDF ECC. The closest LZ is Skywood behind Skywood Market at the intersection of HWY 35 and Hwy 84.

The usual medical facilities which Sky Londa Station uses are:

Sequoia Hospital Emerg Room Phone: 367-5541
corner of Whipple and Alameda streets in
Redwood City Thomas Bros. page 36 D-4

Stanford Univ Hospital ER Phone: 723-5111
300 Pasteur Dr., Palo Alto (off of Sand Hill
Rd.) Thomas Bros. page 43 E-2

E EMPLOYEE TRAINING

All employees working at Sky Londa Fire Station are trained emergency responders. The basic level of hazardous materials training is First Responder Operational. (Some new Limited Term employees may need to acquire this training.)

As part of their fire station orientation new employees are shown the areas used for the storage and use of hazardous materials and waste. Procedures for monitoring these materials are explained as well as being posted. The Sky Londa Facility Emergency Plan is reviewed once a year by the station personnel. It contains instructions and procedures for handling incidents that occur at the facility. Station records will document training of facility specific hazards and plans. Records of haz mat training for all employees can be obtained from our office.

F

CLOSURE PLAN

As a San Mateo County owned facility if it should be necessary to close it the following agencies should be notified:

San Mateo County General Services 363-4321
San Mateo County Environmental Health 363-4305
California Department of Forestry and Fire
Protection, Felton Headquarters, 800-233-9710

The services of these agencies will be needed in regards to sampling, analysis, and decontamination.

Record ID	Facility ID	Name	Program/Element	Last Touched	Site Address	City	Pr
PR0023476	FA0009389	WOODSIDE FIRE PROTECT	2150 2352	6/25/2010	3111 WOODSIDE RD	WOODSIDE	AE
PR0034095	FA0017604	VETERANS ADMIN MEDICA	2150 2353	6/25/2010	795 WILLOW RD	MENLO PARK	AE
PR0034099	FA0002348	THE SEQUOIAS	2150 2352	6/25/2010	501 PORTOLA RD	PORTOLA VALLE	AE
PR0034139	FA0012451	STATE OF CA DEPT OF TR	2150 2352	6/25/2010	5055 FARM HILL BLVD	WOODSIDE	AE
PR0034140	FA0011529	SKYLONDA FIRE DEPT	2150 2352	6/25/2010	17290 SKYLINE BLVD	WOODSIDE	AE
PR0034141	FA0017945	MENLO COUNTRY CLUB	2150 2352	6/25/2010	2300 WOODSIDE RD	WOODSIDE	AE
PR0035400	FA0022511	MENLO PARK PUMP STATI	2150 2352	6/25/2010	1401 MARSH RD	MENLO PARK	AE
PR0037408	FA0017623	SLAC NATIONAL ACCELER	2150 2354	6/25/2010	2575 SAND HILL RD M/S 36	MENLO PARK	AE
PR0037726	FA0004567	US GEOLOGICAL SURVEY	2150 2353	6/25/2010	345 MIDDLEFIELD RD	MENLO PARK	AE
PR0038168	FA0017672	PONY TRACKS RANCH	2150 2352	6/25/2010	495 OLD SPANISH TRAIL	PORTOLA VALLE	AE
PR0040064	FA0012328	UNITED PARCEL SERVICE	2150 2352	6/25/2010	1355 ADAMS CT	MENLO PARK	AE
PR0040592	FA0022409	PG&E BELLE HAVEN SUBS	2150 2352	6/25/2010	TERMINAL AVE/DEL NORTE	MENLO PARK	A
PR0044014	FA0022412	PG&E COOLEY LANDING S	2150 2352	6/25/2010	2000 BAY RD	E PALO ALTO	A
PR0044015	FA0012447	PG&E RAVENSWOOD SUBS	2150 2352	6/25/2010	WILLOW RD & DUMBARTON	MENLO PARK	A
PR0044016	FA0022408	PG&E GLENWOOD SUBSTA	2150 2352	6/25/2010	GLENWOOD DR/EL CAMIN	MENLO PARK	A
PR0044017	FA0022410	PG&E MENLO SUBSTATION	2150 2352	6/25/2010	ASHTON AVE/ALAMEDA DE	MENLO PARK	A
PR0044018	FA0022411	PG&E SRI SUBSTATION	2150 2352	6/25/2010	RAVENSWOOD & LAUREL ST	MENLO PARK	A
PR0046902	FA0023962	ORACLE AMERICA INC	2150 2352	3/10/2011	1601 WILLOW RD 12-16	MENLO PARK	A
PR0047119	FA0028392	LANGLEY HILL QUARRY	2150 2352	6/25/2010	12 LANGLEY HILL RD	WOODSIDE	A
PR0061964	FA0046171	PACIFIC BIOSCIENCES OF	2150 2352	2/23/2011	940 HAMILTON CT	MENLO PARK	A
PR0063130	FA0017605	TYCO ELECTRONICS	2150 2352	6/25/2010	300 CONSTITUTION DR	MENLO PARK	A
PR0066190	FA0048436	PACIFIC BIOSCIENCES OF	2150 2352	3/2/2011	1010 HAMILTON CT	MENLO PARK	A
PR0067313	FA0022808	E TRADE	2150 2352	5/25/2011	4500 BOHANNON DR	MENLO PARK	A

1/9th please change 2150 Program Elements to 2352-2353 as noted above.
 --- Thanks

Record Selection Criteria: Facility ID FA0011529
permit expiration date

Make changes/corrections in RED ink or pencil.

INFORMATION CHANGE (date) : _____
 OWNERSHIP CHANGE (date) : _____

OWNER FILE INFORMATION

Owner ID: OW0012842
 Permit & Owner Name: **COUNTY OF SAN MATEO**
 Owner DBA:
 Owner Address: 555 COUNTY CENTER-5TH FLR
 REDWOOD CITY, CA 94063
 Home Phone: 650-363-4488
 Work/Business Phone: Not Specified
 Mailing Address: 555 COUNTY CTR-DPW
 REDWOOD CITY, CA 94063
 Care of: CO OF SAN MATEO-GRACE RUGGIERO

New Owner ID : _____

FACILITY FILE INFORMATION

Facility ID: FA0011529
 Facility Name: SKYLONDA FIRE DEPT
 Location: 17290 SKYLINE BLVD
 WOODSIDE, CA 94062
EPA ID:
 Phone: 650-851-1860
 Mailing Address: 17290 SKYLINE BLVD
 WOODSIDE, CA 94062
 Care of: SKYLONDA FIRE DEPT

ACCOUNTS RECEIVABLE FILE INFORMATION

Account ID: AR0011529
 Invoice c/o Name: CO OF SAN MATEO-GRACE RUGGIERO
 Permit and Invoice Mail to: **555 COUNTY CTR-DPW**
REDWOOD CITY CA 94063
 Anniversary Date: 1/1/1994 Permit Expiration: 1/1/2013

New Account ID: _____
 Mail Invoices to: Owner / Facility / Account
 (Circle One)

Program/Element and Description	Record ID	Employee ID and Name	Status	UST(s) Linked
2220 - GENERATES & RECYCLES WASTE OIL/SOL	PR0000032	EE0027293 - DAN ROMPF	01 Active	
Emergency Notification JAMES ASCHE				
650-851-1186	Ext.	Email: 838 582		
2300 - UNDERGROUND TANK - GENERAL	PR0022731	EE0001020 - TERESA ARAGONA	02 Inactive	0
Emergency Notification BILL SNIVELY				
650-363-3445	Ext.	Email: 838 582		
2160 - STORES MV FUELS OR WASTE ONLY	PR0023479	EE0027293 - DAN ROMPF	01 Active	
Emergency Notification MIKE ROBERTS FIRE CAPTAIN				
650-851-1860	Ext.	Email: 838 582		
2150 - ABOVE GROUND TANK/SPCC	PR0034140	EE0027293 - DAN ROMPF	02 Inactive	
Emergency Notification MIKE ROBERTS FIRE CAPTAIN				
650-851-1860	Ext.	Email: 838 582		
3090 - STORMWATER ANNUAL INSPECTION FEE	PR0039429	EE0027293 - DAN ROMPF	01 Active	
Emergency Notification MIKE ROBERTS FIRE CAPTAIN				
650-851-1860	Ext.	Email: 838 582		

Make changes/corrections in RED ink or pencil.
 INFORMATION CHANGE (date) : _____
 OWNERSHIP CHANGE (date) : _____

OWNER FILE INFORMATION

Owner ID: OW0012842
 Permit & Owner Name: **COUNTY OF SAN MATEO**
 Owner DBA:
 Owner Address: 555 COUNTY CENTER-5TH FLR
 REDWOOD CITY, CA 94063
 Home Phone: 650-363-4488
 Work/Business Phone: Not Specified
 Mailing Address: 555 COUNTY CTR-DPW
 REDWOOD CITY, CA 94063
 Care of: CO OF SAN MATEO-GRACE RUGGIERO

New Owner ID : _____

FACILITY FILE INFORMATION

Facility ID: FA0011529
 Facility Name: SKYLONDA FIRE DEPT
 Location: 17290 SKYLINE BLVD
 WOODSIDE, CA 94062
EPA ID:
 Phone: 650-851-1860
 Mailing Address: 17290 SKYLINE BLVD
 WOODSIDE, CA 94062
 Care of: SKYLONDA FIRE DEPT

ACCOUNTS RECEIVABLE FILE INFORMATION

Account ID: AR0011529
 Invoice c/o Name: CO OF SAN MATEO-GRACE RUGGIERO
 Permit and Invoice Mail to: **555 COUNTY CTR-DPW**
REDWOOD CITY CA 94063
 Anniversary Date: 1/1/1994 Permit Expiration: 1/1/2013

New Account ID: _____
 Mail Invoices to: Owner / Facility / Account
 (Circle One)

Program/Element and Description	Record ID	Employee ID and Name	Status	UST(s) Linked
6000 - CUPA OVERSIGHT/STATE SURCHARGE	PR0043403	EE0027293 - DAN ROMPF	01 Active	
Emergency Notification	MIKE ROBERTS	FIRE CAPTAIN		
650-851-1860	Ext.	Email: 838 582		
6020 - STATE ELECTRONIC REPORTING SURCHAI	PR0059951	EE0027293 - DAN ROMPF	01 Active	
Emergency Notification	MIKE ROBERTS	FIRE CAPTAIN		
650-851-1860	Ext.	Email: 838 582		
2352 - TIER I: TANK STOR CAP =>1,320 & <5,000 G	PR0067551	EE0027293 - DAN ROMPF	01 Active	
Emergency Notification	MIKE ROBERTS	FIRE CAPTAIN		
650-851-1860	Ext.	Email: 838 582		

PK 23479

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY



Protecting Our Health and Environment

Hazardous Materials Business Plan Inspection Report
San Mateo County Environmental Health Services Division
Certified Unified Program Agency (CUPA)
2000 Alameda de Las Pulgas, Suite 100, San Mateo, CA 94403
Phone: (650) 372-6200 | Fax: (650) 627-8244
http://www.smhealth.org/enviro

Business Name: Skybonda Fire Dept. CDF		Date: 1-19-12	
Site Address: 17290 Skyline Blvd-		Phone #:	
City: Woodside		Zip Code:	
Mailing Address: same	City: u	State: u	Zip Code: u
Facility Contact Name: Venmer Deocariza		Title: Fire Captain	

Description	Section	In Compliance	Comments
Business Activities	CCR 2729.2	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	complete SPCC plan
Business Owner/Operator Ident. Facility/Owner information; Emergency contacts; Certification	CCR 2729.2	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	for Aboveground Petroleum Storage
Chemical Inventory Chemical disclosure; Complete information	HSC 25509	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	1000gal. Diesel / 500 gasoline or
Emergency Preparedness Spill prevention; Emergency response plan; Adequate response equipment	HSC 25504	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	300gal. used oil / 55 x 2 m. for oil
Employee Training Chemical safety; Emergency response; Annual documentation	HSC 25504	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Site Map Chemical location; Evacuation route; Assembly area; Complete information	CCR 2729.2	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
HMBP Review/Certification Completed minimum every three years	HSC 25505	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
HMBP Annual Certification	HSC 25505	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	submit within 30 days
Spill Notification and Reporting	HSC 25507	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A	- provided
CalARP Program Regulated substance; Registration submitted	HSC 25533	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A	

HMBP Report Narrative: HMBP Review Summary of Violations Notice to Comply Continued

Submit Annual cert. within 30 days;
prepare for CERES preparation in January 2013.
NO VIOLATIONS

Within 30 days from the inspection date, make corrections to the violations noted on this inspection report and submit proof of corrective action. Please note that by signing this inspection report below, you are acknowledging receipt of this inspection report and that you have reviewed any pictures and documents obtained during this inspection and designated any confidential business information accordingly.

Consent to Inspect Facility:	Inspected by: Dan Rompf
Printed Name: VENMER DEOCARIZA	Date: 1-19-12
Facility Contact Signature: <i>[Signature]</i>	



Hazardous Waste Generator Inspection Report

San Mateo County Environmental Health Services Division
 Certified Unified Program Agency (CUPA)
 2000 Alameda de las Pulgas, Suite 100, San Mateo, CA 94403
 Telephone: (650) 372-6200 Fax Number (650) 627-8244
www.smhealth.org/enviro

Inspected By: Dan Rompf P/E: 22 20 LQG On-site Recycler N/A TP N/A Date: 1-19-12

Facility Name: Skylonda Fire Dept. EPA ID #:

Facility Address: 17280 Skyline Blvd. City: woodside Zip:

Contact Person: Brett Talbot Work Phone #:

Consent given by:

Mailing Address: City: State: Zip:

Business Owner Name: CDF Owner Phone#:

Business Description: Fire Dept. CDF Reinspection Date:

ITEM	SECTION #	RECORDKEEPING	IN COMPLIANCE
1	22-66262.12(a)	Generator has EPA Identification Number.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
2	HSC 25143.10	Recyclable Materials Report submitted biennially to CUPA.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
3	22-66262.40(c)	Test results/waste analyses on site.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
4	22-66262.40(b)	Biennial Report on file.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
5	22-66265.16	Personnel training documented.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
6	HSC 25244.19	Waste Minimization Plan and Summary Progress Report on site.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
<u>MANIFESTS / CONSOLIDATED MANIFESTS</u>			
7	22-66262.23 HSC 25160.2	Manifests or <u>consolidated</u> manifests are available for inspection.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
8	22-66262.23(a)(1)	Applicable sections completed.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
9	22-66262.23(a)(4)	Manifest copies submitted to Cal/EPA within 30 days.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
10	22-66262.12(c)	Hazardous waste hauled by a registered transporter.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
11	22-66262.12(c)	Hazardous waste shipped to a permitted facility..... <u>HHW</u>	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
12	22-66262.42(a)	Signed "Designated Facility" manifest copies received.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
13	22-66262.40(b)	Exception Report on file.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
14	22-66268.7(a)(6)	Land Disposal Restriction notification on file.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)
15	22-66261.107	Extremely Hazardous Waste is managed according to 66261.111 and 66261.113.....	(N/A) (Yes) (No) <input checked="" type="checkbox"/> (Yes)

<u>ITEM</u>	<u>SECTION #</u>	<u>WASTE DETERMINATION</u>	<u>IN COMPLIANCE</u>
16	22-66262.11	Hazardous waste determination made for all waste.....	(N/A) (Yes) (No)
<u>EMERGENCY PREPAREDNESS/CONTINGENCY PLAN</u>			
17	22-66265.31	Facility operated to minimize possibility of fire, explosion, or any unplanned release of hazardous waste to air, soil, or surface water, which could threaten human health or the environment.....	(N/A) (Yes) (No)
18	22-66265.32	Facility has adequate emergency response equipment, internal communication, fire extinguishers and spill control material.....	(N/A) (Yes) (No)
19	22-66265.33/34	Emergency equipment is adequately maintained and accessible.....	(N/A) (Yes) (No)
20	22-66265.35	Aisle space is adequately maintained for emergency response.....	(N/A) (Yes) (No)
21	22-66265.51/53	Facility has a Hazardous Waste Contingency Plan on site.....	(N/A) (Yes) (No)
<u>HAZARDOUS WASTE STORAGE</u>			
22	HSC 25189.5(a)(d) HSC 25201(a)	Generator does not accept, treat, or dispose of hazardous waste on-site without a permit.....	(N/A) (Yes) (No)
23	22-66262.34(a)	Generator does not accumulate hazardous waste on-site for longer than 90 days without a permit.....	(N/A) (Yes) (No)
24	22.66262.34(d)	Generator does not accumulate hazardous waste on site for longer than 180, days or longer than 270 days if transport of waste to a TSD facility is over 200 miles.....	(N/A) (Yes) (No)
25	22-66262.34(e)(1)	Generator uses "Satellite Accumulation" exemption for storage.....	(N/A) (Yes) (No)
26	22-66262.34(f)(3) (A)(B)(C)	Each container is labeled with: "Hazardous Waste", waste composition, hazardous properties and generator information.....	(N/A) (Yes) (No)
27	22-66262.34(f)(1)	Accumulation start date clearly marked and visible for inspection on each container.....	(N/A) (Yes) (No)
<u>CONTAINER USE AND MANAGEMENT</u>			
28	22-66265.171	Hazardous waste containers in good condition.....	(N/A) (Yes) (No)
29	22-66265.172	Hazardous waste compatible with holding containers.....	(N/A) (Yes) (No)
30	22-66265.173	Hazardous waste containers closed when not in use.....	(N/A) (Yes) (No)
31	22-66265.174	Hazardous waste storage area inspected weekly.....	(N/A) (Yes) (No)
32	22-66265.177(a)	No mixing of incompatible wastes.....	(N/A) (Yes) (No)
33	22-66265.177(c)	Storage of incompatible hazardous waste is in a secure area which minimizes the possibility of spills, mixing, and escape of materials from the area.....	(N/A) (Yes) (No)
34	22-66261.7(e) 22.66261.7(f)	Empty containers are managed properly.....	(N/A) (Yes) (No)

ITEM SECTION #

UNIVERSAL WASTE

IN COMPLIANCE

35 22-66261.9(a)

Universal waste managed according with the standards of chapter 23.....(N/A) (Yes) (No)

TANK MANAGEMENT

36 22-66265.190-199

Waste stored in tank(s) is in compliance with Article 10.....(N/A) (Yes) (No)

WASTE GENERATED:


QUANTITY / MONTH

used oil
oil filters > 506 Do not exceed 180 days.

CORRECTIVE ACTIONS:

NO VIOLATIONS OBSERVED- CLEAN FACILITY
AND WELL ORGANIZED.

Facility Representative: Your signature acknowledges receipt of this report and does not imply agreement with the findings.



SIGNATURE

VENNER DECARIA
NAME

1-11-12
DATE

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY

PERMIT 12- 0352



Protecting Our Health and Environment

CERTIFIED UNIFIED PROGRAM AGENCY

THIS PERMIT IS ISSUED FOR THE FOLLOWING:

2160	PR0023479	STORES MV FUELS OR WASTE ONLY
2220	PR0000032	GENERATES & RECYCLES WASTE OIL/SOLVENT

FACILITY:

SKYLONDA FIRE DEPT
17290 SKYLINE BLVD
WOODSIDE, CA 94062

OWNER:

COUNTY OF SAN MATEO
555 COUNTY CIR-DPW
REDWOOD CITY CA 94063


EA0011529

DATE ISSUED: 3/1/2012

EXPIRATION DATE: 3/1/2017

Dean D. Peterson, P.E., REHS

DIRECTOR, ENVIRONMENTAL HEALTH



THIS PERMIT IS NONTRANSFERABLE AND MUST BE POSTED ON-SITE IN A CONSPICUOUS PLACE

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY



Protecting Our Health and Environment

PERMIT CONDITIONS

2000 Alameda de las Pulgas, Ste. 100, San Mateo, CA 94403

Facility Identification Number: FA0011529

*In order to maintain the **Permit to Operate**, the permit holder must comply with the following provisions of related laws concerning management of hazardous materials. Any violation of the conditions may be cause for revocation of the **Permit to operate**.*

- a. **Hazardous Materials Business Plan Program:** California Health and Safety Code, Division 20, Chapter 6.95, Article 1 and Title 19 California Code of Regulations.
- b. **California Accidental Release Prevention Program (Cal-ARP):** California Health and Safety Code, Division 20, Chapter 6.95, Article 2 and Title 19, California Code of Regulations.
- c. **Hazardous Waste Generator Program:** California Health and Safety Code, Division 20, Chapter 6.5, Articles 1-13, Section 25100 et seq., and Title 22, California Code of Regulations, Chapter 20
- d. **Aboveground Petroleum ACT SPCC Plans:** California Health and Safety Code, Division 20, Chapter 6.67 and 40 CFR 112.
- e. **Tiered Permit On-Site Hazardous Waste Treatment:** California Health and Safety Code, Division 20, Chapter 6.5 Article 9, and Title 22 California Code of Regulations, Chapter 20

The Permit to Operate is to be maintained on-site and is valid for a period of five (5) years.

ORDINANCE: 03357

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY

PERMIT 10- 1221



Protecting Our Health and Environment

P/E: 4510 SQG OFF-SITE TREATMENT (1-199 LB/MO)
P/E: 4561 LIMITED MEDICAL WASTE HAULER EXEMPTION

FACILITY
STATION 58
17290 SKYLINE BLVD
WOODSIDE

OWNER
JPA LARRY OLSON / MARK LADAS
1600 FLORIBUNDA AVE
HILLSBOROUGH

FA0029240
PR0049598

TERMS & CONDITIONS:

Must comply with California Health and Safety Code, Title 22.


ENVIRONMENTAL HEALTH SPECIALIST

DATE ISSUED: 5/19/2010

EXPIRATION DATE: 5/31/2012

THIS PERMIT IS NONTRANSFERABLE AND MUST BE POSTED ON-SITE IN A CONSPICUOUS PLACE

MEDICAL WASTE / Body Art

** New Existing

Date: 5/19/10

** Name of Business _____

MAIL Permit Hold Permit

Make New label /Folder

Generate Invoice Fee Exempt

Return to: Jorge Rose

Issue new Permit (2yr expiration)

Delete - Moved/Closed

Other _____

Program Element (s) 4510 Record ID 49597

Program Element (s) 4561 Record ID 49598

Facility ID 29240

ORDINANCE: 03357

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY



PERMIT 08- 0604

Protecting Our Health and Environment

P/E: 4510 SQG OFF-SITE TREATMENT (1-199 LB/MO)
P/E: 4561 LIMITED-MEDICAL WASTE HAULER EXEMPTION

FACILITY
STATION 58
17290 SKYLINE BLVD
WOODSIDE

OWNER
SAN MATEO COUNTY FIRE DEPTS.
1600-FLORIBUNDA AVE
HILLSBOROUGH
FA0029240



TERMS & CONDITIONS:

Must comply with California Health and Safety Code, Title 22

ENVIRONMENTAL HEALTH SPECIALIST

DATE ISSUED: 4/1/2008

EXPIRATION DATE: 4/1/2010

THIS PERMIT IS NONTRANSFERABLE AND MUST BE POSTED ON-SITE IN A CONSPICUOUS PLACE

ORDINANCE: 04180

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY

PERMIT 05-1235



Protecting Our Health and Environment

P/E: 4510 SML QUANTITY GENERATOR(1-199lbs/Mo) OFF-SITE
P/E: 4561 LIMITED MEDICAL WASTE HAULER EXEMPTION

FACILITY
STATION 58
17290 SKYLINE BLVD
WOODSIDE

OWNER
SAN MATEO COUNTY-FIRE DEPTS.
1600 FLORIBUNDA AVE
HILLSBOROUGH
FA0029240

TERMS & CONDITIONS:

Must comply with California Health and Safety Code, Title 22.

DATE ISSUED: 8/4/2005

ENVIRONMENTAL HEALTH SPECIALIST

THIS PERMIT IS NONTRANSFERABLE AND MUST BE POSTED ON-SITE IN A CONSPICUOUS PLACE



Record Selection Criteria: Facility ID FA0029240

permit expiration date

Make changes/corrections in RED ink or pencil.

INFORMATION CHANGE (date) : _____
OWNERSHIP CHANGE (date) : _____

OWNER FILE INFORMATION

Owner ID: OW0031590
Permit & Owner Name: **SAN MATEO COUNTY FIRE DEPTS.**
Owner DBA: **SAN MATEO COUNTY FIRE DEPTS.**
Owner Address: **1600 FLORIBUNDA AVE
HILLSBOROUGH, CA 94010**
Home Phone: Not Specified
Work/Business Phone: Not Specified
Mailing Address: **1600 FLORIBUNDA AVE
HILLSBOROUGH, CA 94010**
Care of: **JPA LARRY OLSON / MARK LADAS**

New Owner ID : _____

FACILITY FILE INFORMATION

Facility ID: FA0029240
Facility Name: STATION 58
Location: 17290 SKYLINE BLVD
WOODSIDE, CA 94062
EPA ID:
Phone: 650-851-1860
Mailing Address: 1600 FLORIBUNDA AVE
HILLSBOROUGH, CA 94010
Care of: JPA LARRY OLSON / MARK LADAS

ACCOUNTS RECEIVABLE FILE INFORMATION

Account ID: AR0038831
Invoice c/o Name: JPA LARRY OLSON / MARK LADAS
Permit and Invoice Mail to: **1600 FLORIBUNDA AVE
HILLSBOROUGH CA 94010**
Anniversary Date: 8/16/2005

New Account ID: _____
Mail Invoices to: Owner / Facility / Account
(Circle One)

Permit Expiration: No Permit Issued

Program/Element and Description	Record ID	Employee ID and Name	Status	UST(s) Transfer to		(Circle One)			
				Linked	New Owner?	Active/Inactive	Delete	Delete	
4510 - SML QUANTITY GENERATOR(1-199lbs/Mo) (PR0049597	EE0003355 - JOSE PATINO		Y	N	A	I	D	
4561 - LIMITED MEDICAL WASTE HAULER EXEMP	PR0049598	EE0003355 - JOSE PATINO		Y	N	A	I	D	

MEDICAL WASTE CHECK LIST

New

Existing

F. 29240

Sign Permit

Forward to: Olga

Generate Invoice (Bill)

Make New label / Folder

Copy Permit / Mail

Make COPY for Master File

Delete - Moved/Closed

Forward to: Jorge (Jose)

Program Element 4510/4561

Record ID _____

MEDICAL & DENTAL WASTE INSPECTION REPORT

FACILITY NAME <i>Station # 58</i>	DATE <i>5/20/13</i>	PERMIT NO.
LOCATION <i>1729 Skyline Blvd Woodside</i>	MAILING ADDRESS	
RESPONSIBLE PARTY <i>Sonie Monto</i>	TITLE <i>B. Chief</i>	PHONE #: <i>650-851-1860</i>
TYPE OF FACILITY: <i>Pine station</i>	SERVICE:	NO. OF BEDS (if applicable):

<input checked="" type="checkbox"/> H&S 117925 Small Quantity Generator () On Site () Off Site treatment <input type="checkbox"/> H&S 117950 Large Quantity Generator () On Site () Off-site treatment <input checked="" type="checkbox"/> H&S 118030 Limited Quantity Hauler Exemption <input type="checkbox"/> H&S 117928 Common Storage <input type="checkbox"/> San Mateo County Ordinance 03357, Section 5523.1 - Health Care Facility	WASTE GENERATION - () Blood () Body Fluids () Sharps () Laboratory Waste () Surgical Specimens or Body Parts () Contaminated Animals () Pharma/Waste Quantity of Waste lbs/month: _____ Type of Containers: _____
---	---

TREATMENT
 Onsite Treatment: () Offsite Treatment: ()
 Name of Hauler: _____
 Types of Waste Treated Onsite: _____
 Types of Waste Treated Offsite: _____
 Treatment Facility: _____

COMMON STORAGE FACILITIES
 Name & Address of Permit Holder: _____
 Phone #: _____
 No. of Facility Users: _____
 Frequency of Collection: _____
 Tracking Documents: () Yes () No
 Storage Compliance: () Yes () No

STORAGE
 Frequency of Medical Waste Collection:
 Daily _____ Weekly _____ Other _____

	V	C	A
H&S 118310 - Secured Storage Area	()	(/)	()
H&S 118285 - Proper Use of Sharp Containers	()	(/)	()
H&S 118275b/118280 - Use of Red Bags	()	(/)	()
H&S 118275b - Separation of Medical from Solid Waste	()	(/)	()

RECORDS
 H&S 118040 - Proper Tracking Documents () (/) ()
 H&S 118235 - Emergency Action Plan () (/) ()
 H&S 117935/117960 - Medical Waste Mgt. Plan () (/) ()

V = Violation C = Compliance A = Area of concern
 (Items marked "V" require immediate attention.)

CONDITIONALLY EXEMPT SMALL QUANTITY GENERATOR (CESQG)

40 CFR 261.5	Facility generates less than 100 kg/month of "Silver-Only" hazardous waste	(YES/NO)
40 CFR 261.5 (g)(2)	Generator stores no more than 1000 kg onsite at any time	(YES/NO)
40 CFR 261.5 (g)(3)	Hazardous waste shipped to a permitted facility or recycler	(YES/NO)
40 CFR 261.5 (g)(1)	Hazardous waste determination made for all waste	(YES/NO)
Title 22-66261.9 (a)	Universal waste managed according with the standards of chapter 23	(YES/NO)

REMARKS:
** facility consolidates all other Pine station of pine station # 17.*

OVERALL COMPLIANCE (/) Yes () No

Facility Representative: _____
 Name Title Date

Inspected by: *Serge L. Brown* _____
 Name Title Date *5/20/13*



COUNTY OF SAN MATEO ENVIRONMENTAL HEALTH DIVISION
455 County Center, 4th floor
Redwood City, CA 94063
Telephone (650) 363-4305 Fax (650) 363-7882
www.smhealth.org

MEDICAL WASTE INSPECTION REPORT

FACILITY NAME <u>Station #58</u>		DATE <u>3-25-08</u>																		
LOCATION <u>1729 Skyline Blvd, woodside</u>		PERMIT NO. <u>049597-049598</u>																		
MAILING ADDRESS		COMPUTER NO.																		
RESPONSIBLE PARTY <u>John Odde</u>	TITLE <u>Executive Director</u>	Phone Number: <u>375-7427</u>																		
Type of Facility: <u>Pine station</u>	Service: <u>—</u>	No. of Beds (if applicable): <u>—</u>																		
<input checked="" type="checkbox"/> H&S 117925 Small Quantity Generator with Onsite Treatment Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> H&S 117950 Large Quantity Generator () on site () off-site treatment <input checked="" type="checkbox"/> H&S 118030 Limited Quantity Hauler Exemption		<input type="checkbox"/> H&S 117928 Common Storage <input type="checkbox"/> SMCo Ord. 03357, Sec. 5523.1 Health Care Facility																		
I. WASTE GENERATION - Categories of Waste Generated: <input checked="" type="checkbox"/> Blood <input checked="" type="checkbox"/> Body Fluids <input checked="" type="checkbox"/> Sharps () Laboratory Waste () Surgical Specimens or Body Parts () Contaminated Animals Quantity of Waste lbs./month <u>200 pounds</u> Type of Containers <u>Red bags / sharp containers</u>		REMARKS: - Re issue a new permit - - submit information & registration package to our office in the next 30 days.																		
II. TREATMENT Onsite Treatment () Yes <input checked="" type="checkbox"/> No Offsite Treatment: <input checked="" type="checkbox"/> Yes () No Treatment Manager <u>[Signature]</u> Name of Hauler <u>DL Chem Disposal Inc</u> Name & Address-Treatment Facility <u>Southvale</u> Types of Waste Treated Onsite <u>[Signature]</u> Types of Waste Treated Offsite <u>DL</u>																				
V = Violation C = Compliance A = Area of concern (Items marked "V" require immediate attention.)																				
III. STORAGE Frequency of Medical Waste Collection: Daily ___ Weekly ___ Other ___ <table border="0"> <tr> <td></td> <td style="text-align: center;">V</td> <td style="text-align: center;">C</td> </tr> <tr> <td>H&S 118280 - Containment/ Storage Area /</td> <td style="text-align: center;">()</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>H&S 118285 - Proper Use of Sharp Containers</td> <td style="text-align: center;">()</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>H&S 118275b/ 118280 - Use of Red Bags</td> <td style="text-align: center;">()</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>H&S 118275b - Separation of Medical from Solid Wst</td> <td style="text-align: center;">()</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>H&S 118310 Storage Area Signs</td> <td style="text-align: center;">()</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> </table>				V	C	H&S 118280 - Containment/ Storage Area /	()	<input checked="" type="checkbox"/>	H&S 118285 - Proper Use of Sharp Containers	()	<input checked="" type="checkbox"/>	H&S 118275b/ 118280 - Use of Red Bags	()	<input checked="" type="checkbox"/>	H&S 118275b - Separation of Medical from Solid Wst	()	<input checked="" type="checkbox"/>	H&S 118310 Storage Area Signs	()	<input checked="" type="checkbox"/>
	V		C																	
H&S 118280 - Containment/ Storage Area /	()	<input checked="" type="checkbox"/>																		
H&S 118285 - Proper Use of Sharp Containers	()	<input checked="" type="checkbox"/>																		
H&S 118275b/ 118280 - Use of Red Bags	()	<input checked="" type="checkbox"/>																		
H&S 118275b - Separation of Medical from Solid Wst	()	<input checked="" type="checkbox"/>																		
H&S 118310 Storage Area Signs	()	<input checked="" type="checkbox"/>																		
IV. RECORDS H&S 118040 - Proper Tracking Documents () <input checked="" type="checkbox"/> () H&S 118235 - Emergency Action Plan () <input checked="" type="checkbox"/> () H&S 117935/117960 - Medical Waste Mgt. Plan () <input checked="" type="checkbox"/> ()																				
V. SOLID WASTES Name & Address-Hauler _____ Tele. _____ Frequency of Solid Waste Collection: Daily ___ Weekly ___ Other ___																				
VI. COMMON STORAGE FACILITIES Name & Address of Permit Holder _____ Tele. _____ No. of Facility Users _____ Frequency of Collection _____ Name of Hauler _____ Treatment Facility _____ Tracking Documents: () Yes () No Storage Compliance: () Yes () No																				
VII. OVERALL COMPLIANCE <input checked="" type="checkbox"/> Yes () No Facility Representative: _____ Date: _____ Inspected by: <u>Jorge L. Groman R.E.H.S.</u> <u>H.M.S. IV</u> Date: <u>3-25-08</u> Name Title																				



COUNTY OF SAN MATEO ENVIRONMENTAL HEALTH DIVISION
455 County Center, 4th floor
Redwood City, CA 94063
Telephone (650) 363-4305 Fax (650) 363-7882
www.smhealth.org

MEDICAL WASTE INSPECTION REPORT

FACILITY NAME <u>Station # 5B</u>	DATE <u>2-6-07</u>																				
LOCATION <u>17290 Skyline Blvd Woodside</u>	PERMIT NO. <u>49597 & 49598</u>																				
MAILING ADDRESS _____	COMPUTER NO. _____																				
RESPONSIBLE PARTY <u>Larry Olson & Mark Wahle SPA Adm. & DU Chief</u> Phone Number: <u>375-74274520-6 280</u>																					
Type of Facility: <u>Fire station</u>	Service: _____ No. of Beds (if applicable): _____																				
<input checked="" type="checkbox"/> H&S 117925 Small Quantity Generator with Onsite Treatment Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> H&S 117950 Large Quantity Generator () on site () off-site treatment <input checked="" type="checkbox"/> H&S 118030 Limited Quantity Hauler Exemption	<input type="checkbox"/> H&S 117928 Common Storage <input type="checkbox"/> SMCo Ord. 03357, Sec. 5523.1 Health Care Facility																				
I. WASTE GENERATION - Categories of Waste Generated: <input type="checkbox"/> Blood <input type="checkbox"/> Body Fluids <input type="checkbox"/> Sharps <input type="checkbox"/> Laboratory Waste <input type="checkbox"/> Surgical Specimens or Body Parts <input type="checkbox"/> Contaminated Animals Quantity of Waste lbs./month _____ Type of Containers _____	REMARKS: <u>please submit the following in 30 days. —</u> ① MWHF ② Limited Quantity Hauling exemption <u>enforcement. —</u> 																				
II. TREATMENT Onsite Treatment () Yes () No Offsite Treatment: () Yes () No Treatment Manager _____ Name of Hauler _____ Name & Address-Treatment Facility _____ Types of Waste Treated Onsite _____ Types of Waste Treated Offsite _____																					
V = Violation C = Compliance A = Area of concern (Items marked "V" require immediate attention.)																					
III. STORAGE Frequency of Medical Waste Collection: Daily _____ Weekly _____ Other _____ <table style="width:100%; border: none;"> <tr> <td></td> <td style="text-align: center;">V</td> <td style="text-align: center;">C</td> <td style="text-align: center;">A</td> </tr> <tr> <td>H&S 118310 - Secured Storage Area</td> <td style="text-align: center;">()</td> <td style="text-align: center;">()</td> <td style="text-align: center;">()</td> </tr> <tr> <td>H&S 118285 - Proper Use of Sharp Containers</td> <td style="text-align: center;">()</td> <td style="text-align: center;">()</td> <td style="text-align: center;">()</td> </tr> <tr> <td>H&S 118275b/ 118280 - Use of Red Bags</td> <td style="text-align: center;">()</td> <td style="text-align: center;">()</td> <td style="text-align: center;">()</td> </tr> <tr> <td>H&S 118275b -Separation of Medical from Solid Wst</td> <td style="text-align: center;">()</td> <td style="text-align: center;">()</td> <td style="text-align: center;">()</td> </tr> </table>			V	C	A	H&S 118310 - Secured Storage Area	()	()	()	H&S 118285 - Proper Use of Sharp Containers	()	()	()	H&S 118275b/ 118280 - Use of Red Bags	()	()	()	H&S 118275b -Separation of Medical from Solid Wst	()	()	()
		V	C	A																	
H&S 118310 - Secured Storage Area		()	()	()																	
H&S 118285 - Proper Use of Sharp Containers	()	()	()																		
H&S 118275b/ 118280 - Use of Red Bags	()	()	()																		
H&S 118275b -Separation of Medical from Solid Wst	()	()	()																		
IV. RECORDS H&S 118040 - Proper Tracking Documents () () () H&S 118235 - Emergency Action Plan () () () H&S 117935/117960 - Medical Waste Mgt. Plan () () ()																					
V. SOLID WASTES Name & Address-Hauler _____ Tele. _____ Frequency of Solid Waste Collection: Daily _____ Weekly _____ Other _____																					
VI. COMMON STORAGE FACILITIES Name & Address of Permit Holder _____ Tele. _____ No. of Facility Users _____ Frequency of Collection _____ Name of Hauler _____ Treatment Facility _____ Tracking Documents: () Yes () No Storage Compliance: () Yes () No																					
VII. OVERALL COMPLIANCE () Yes () No <u>Lawrence M. Olson</u> Date: <u>2-6-07</u> Facility Representative: _____ Inspected by: <u>Saman / Pappo</u> Name _____ Title <u>H&S III</u> Date: <u>2-6-07</u> Name _____ Title _____																					

**REGISTRATION/PERMIT APPLICATION FOR
MEDICAL WASTE GENERATION, STORAGE AND TREATMENT**

Note: This application will not be processed until all required information and fee(s) have been received by this office.

GENERATOR'S NAME: CAL FIRE / SAN MATEO COUNTY FIRE

BUSINESS ADDRESS:

Street: 17290 SKYLINE BLVD

City: WOODSIDE Zip Code: 94062

Telephone 650 851 1840

MAILING ADDRESS:

Street: SAME

City: _____

State: _____ Zip Code: _____

AUTHORIZED REPRESENTATIVE: [Signature]

TITLE: PARAMEDIC COORDINATOR

EMERGENCY TELEPHONE NUMBER 831.335.6719

APPLICATION FOR:

- Small quantity generator with off-site treatment (0-199lbs/Mo.)
- Small quantity generator with onsite treatment (0-199lbs/Mo.)
- Small quantity generator without onsite treatment--Health Care Facility (Skilled Nursing Facility/Convalescent Hospital) (0-199lbs/Mo.)
- Limited Quantity Hauling Exemption
- Common Storage (0-199lbs/Mo.)
- Common Storage (200lbs/Mo. or more)
- Large quantity generator with on-site treatment (200lbs/Mo. or more)
- Large quantity generator without onsite treatment (200lbs/Mo. or more)

ALL APPLICANTS PLEASE COMPLETE THE APPROPRIATE SUPPLEMENTARY FORMS.

I declare under penalty of law that to the best of my knowledge and belief, the statements made herein are correct and true. I hereby consent to all necessary inspections made pursuant to the California Medical Waste Management Act and incidental to the issuance of this Registration/Permit and the operation of this business.

SIGNATURE: [Signature] DATE: 4/22/08

**REGISTRATION/PERMIT APPLICATION FOR
MEDICAL WASTE GENERATION AND TREATMENT**

Note: This application will not be processed until all required information and fee(s) have been received by this office.

GENERATOR'S NAME: CALIFORNIA DEPT. OF FORESTRY – SAN MATEO (CZU)
AND FIRE PROTECTION – SAN MATEO COUNTY FIRE (CFS)

BUSINESS ADDRESS:

Street: Station 58 – 17290 Skyline Blvd.

City: Woodside

Zip Code: 94062

Telephone: (650) 851-1860

MAILING ADDRESS:

Street: 1600 Floribunda Avenue - ATTN: JPA Larry Olson

City: Hillsborough

State: CA

Zip Code: 94010

AUTHORIZED REPRESENTATIVES: Larry Olson and Mark Ladas

TITLE: (Olson) JPA Administrator – (Ladas) Division Chief

EMERGENCY TELEPHONE NUMBER: (650) 375-7427 and (650) 520-6280


APPLICATION FOR:

- Small quantity generator (1-199 lbs/Mo.)
- Small quantity generator with onsite treatment (1-199 lbs/Mo.)
- Small quantity generator without onsite treatment – Health Care Facility (Skilled Nursing Facility/Convalescent Hospital) (1-199 lbs./Mo.)
- Limited Quantity Hauling Exemption
- Common Storage (1-199 lbs/Mo.)
- Common Storage (200 lbs/Mo. or more)
- Large quantity generator with on-site treatment (200 lbs/Mo. or more)
- Large quantity generator without onsite treatment (200 lbs./Mo. or more)

ALL APPLICANTS PLEASE COMPLETE THE APPROPRIATE SUPPLEMENTARY FORMS.

I declare under penalty of law that to the best of my knowledge and belief, the statements made herein are correct and true. I hereby consent to all necessary inspections made pursuant to the California Medical Waste Management Act and incidental to the issuance of this Registration/Permit and the operation of this business.

SIGNATURE: _____



DATE: April 15, 2005

**REGISTRATION/PERMIT APPLICATION FOR
MEDICAL WASTE GENERATION, STORAGE AND TREATMENT**

Note: This application will not be processed until all required information and fee(s) have been received by this office.

GENERATOR'S NAME: San Mateo County Fire Station #58

BUSINESS ADDRESS:

Street: 17290 SKYLINE BLVD.

City: WOODSIDE Zip Code: 94062

Telephone 650-851-1860

MAILING ADDRESS:

Street: 320 PAUL SCANNELL DR.

City: SAN MATEO

State: CA Zip Code: 94402

AUTHORIZED REPRESENTATIVE: JAMIE NORTON

TITLE: BATTALION CHIEF

EMERGENCY TELEPHONE NUMBER 650-366-6211

APPLICATION FOR:

- Small quantity generator with off-site treatment (0-199lbs/Mo.)
- Small quantity generator with onsite treatment (0-199lbs/Mo.)
- Small quantity generator without onsite treatment--Health Care Facility (Skilled Nursing Facility/Convalescent Hospital) (0-199lbs/Mo.)
- Limited Quantity Hauling Exemption
- Common Storage (0-199lbs/Mo.)
- Common Storage (200lbs/Mo. or more)
- Large quantity generator with on-site treatment (200lbs/Mo. or more)
- Large quantity generator without onsite treatment (200lbs/Mo. or more)

ALL APPLICANTS PLEASE COMPLETE THE APPROPRIATE SUPPLEMENTARY FORMS.

I declare under penalty of law that to the best of my knowledge and belief, the statements made herein are correct and true. I hereby consent to all necessary inspections made pursuant to the California Medical Waste Management Act and incidental to the issuance of this Registration/Permit and the operation of this business.

SIGNATURE:  DATE: 5/10/10

**MEDICAL WASTE MANAGEMENT PLAN
FOR MEDICAL WASTE GENERATORS**

SAMPLE PLAN COVER SHEET

Under the California Medical Waste Management Act, small quantity generators that provide on-site treatment of medical waste and all large quantity generators shall have a Medical Waste Management Plan (MWMP) on file with the local enforcement agency. Small quantity generators that do not provide on-site treatment are required to maintain a MWMP on file in their office for two years. The MWMP shall contain the following information, to the extent the information is applicable to the generating facility:

Business Name: SKYLANDA

Address: 17290 SKYLINE BOULEVARD WOODSIDE, CA. 94062

Telephone No. (650) 851-1860

Person responsible for implementation of MWMP:

Name: JAMIE NORTON

Title: BATTALION CHIEF Telephone No. 650-366-6211

Types of medical waste generated (check all that apply):

- () Laboratory wastes - specimen or microbiologic cultures, stocks of infectious agents, live and attenuated vaccines, and culture mediums.
- (X) Blood or body fluids - liquid blood elements or other regulated body fluids, or articles contaminated with blood or body fluids
- () Pharmaceuticals - a prescription or over-the-counter human or veterinarian drug, including, but not limited to, drug as defined in Section 109925 or the Federal Food, Drug and Cosmetic Act as amended (21 U.S.C.A. Sec. 321(g)(1))
- (X) Sharps - Hypodermic needles, blades, needles with attached tubing, root canal files, blood vials contaminated with biohazardous waste, acupuncture needles, and any contaminated broken glass items.
- () Contaminated animals - animal carcasses, body parts, bedding materials
- () Surgical specimens - human or animal parts or tissues removed surgically or by autopsy
- () Isolation waste - waste contaminated with excretion, exudate, or secretions from humans or animals who are isolated due to highly communicable diseases (Centers for Disease Control, Biosafety Level 4)*.

*Biosafety Level 4 viruses and diseases are: Congo-Crimean hemorrhagic fever, Tick-borne encephalitis virus complex (Absettarov, Hanzalova, Hypr, Kumlinge, Kyasanur Forest disease, Omsk hemorrhagic fever, and Russian Spring-Summer encephalitis), Marburg disease, Ebola, Junin virus, Lassa fever virus, Machupo virus.

PRO067551

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY

ABOVEGROUND STORAGE TANK INSPECTION REPORT
Certified Unified Program Agency (CUPA)
San Mateo County Environmental Health Division
2000 Alameda de las Pulgas, Suite 100
San Mateo, CA 94403
Phone: (650) 372-6200



Protecting Our Health and Environment

Facility Name:		Skylanda FIRE			
Facility Address:		17290 Skyline City WOODSIDE			
Facility Phone Number:		851-1860			
Owner Name:		San Mateo County - CAL FIRE			
Operator Name:		Skylanda Fire			
Consent to Inspect:		Moate Phelps Title:			
Inspector Name:		Dan Rompf Date: 9-19-14			
Qualified Facility:		<input checked="" type="checkbox"/> Tier I <input type="checkbox"/> Tier II			
Petroleum Volume:		<input checked="" type="checkbox"/> < 5,000 <input type="checkbox"/> < 10,000 <input type="checkbox"/> ≥ 10,000 <input type="checkbox"/> ≥ 100,001 <input type="checkbox"/> ≥ 1,000,001			
		In compliance			
V	SECTION	DOCUMENTS AND RECORDS	YES	NO	N/A
10	25270.6 (a)	Did facility file a tank facility statement or update business plan annually.			
11	112.3	Did facility prepare an SPCC plan.			
12	112.3	Is SPCC plan onsite, available for review.			
13	112.3	Did facility implement SPCC plan elements.			
14	112.3 (g)	Did facility self-certify for qualified facility.			
15	112.3 (d)	Did a Professional Engineer certify SPCC plan.			
16	112.5 (a)(d)	Did facility review or amend SPCC plan. i) Did facility perform 5-year review and evaluation of SPCC plan. ii) Did facility implement SPCC plan review changes and/or amendment changes within 6 months.			
17	25270.8	Is facility in compliance with spill reporting.			
20	112.7(a)(3)	Did facility draw a diagram of locations and contents of regulated containers, transfer stations, and connecting pipes. i) Did facility describe and outline type of oil and storage capacity for each container.			
21					
22		ii) Did facility describe prevention measures or procedures for routine oil handling.			
23		iii) Did facility describe countermeasures for discovery, response and cleanup			
24		iv) Does facility have required contact list and phone numbers			
25	112.6(a)(1-viii) 112.7(d)(2)	Does management authorize resources to implement the SPCC plan			
26	112.7 (e)	Does facility conduct inspections and test in accordance with written procedures i) Does facility maintain records of inspections, tests, and/or procedures ii) Did supervisor/inspector sign inspection reports or tests			
27	112.7(f)	Does facility have a training program. i) Does facility train oil-handling personnel in operation and equipment maintenance to prevent a discharge. ii) Does facility provide/conduct annual spill prevention briefings.			
28	112.7(k)	Did facility prepare an oil contingency plan or provide written control/removal procedures.			

ABOVEGROUND STORAGE TANK INSPECTION REPORT

Certified Unified Program Agency (CUPA)
San Mateo County Environmental Health Division
 2000 Alameda de las Pulgas, Suite 100
 San Mateo, CA 94403
 Phone: (650) 372-6200

		FACILITY INSPECTION	YES	NO	N/A
30	112.7(g)	Does facility have adequate security.			/
31	112.7(a)(3-iv)	Does facility have cleanup material readily available.			
32	112.7(h)	Do loading/unloading racks drain to containment.			
33	112.7(c)	Are containment or diversionary structures adequate to prevent a discharge.			
34	112.8 (c)	Are tank(s) in order, not leaking.			
35	112.8(c)(8)	Does facility have overfill protection procedures or devices in place and maintained.			
40	112.8(c)(11)	Does facility have portable/mobile containers in position to prevent a discharge.			
41	112.8(b)	Is facility drainage functioning or properly operated or engineered.			
42	112.8 (c)	Is secondary containment adequate to contain capacity of largest container plus precipitation.			
43	112.8(c)(10)	Did facility remove accumulated oil from secondary containment.			
44	112.8	Are secondary containment valve(s) closed.			
45	112.8(c)	Does facility provide corrosion protection.			
46	112.8(c)(1)	Are facility containers compatible with materials stored.			

COMMENTS: Summary of Violation Notice to Comply

Educated facility on SPC requirements and provided SPC plan Tier I template for facility to complete < 30 days.

SIGNATURE:

DATE: 2-14-14



PR0039429

SAN MATEO COUNTYWIDE Water Pollution Prevention Program

Clean Water. Healthy Community.

City: WOODSIDE Unincorporated

Date: 2-16-11 PR00

Reason for Inspection: First Inspection Routine Inspection Response to Complaint Follow-up **Follow-up Inspection Due:**

NAME OF FACILITY: Skylark Fire Dept. SITE ADDRESS: 17290 Skylark Blvd.

CONTACT NAME: Mark Phelps PHONE: 415-951-1860 BUSINESS TYPE/ACTIVITY: Fire Station

Pollutant of Concern? Yes No PCB Mercury Copper Other SIC

Is the facility covered under any other programs or permits? (Check all that apply.)
 Air quality Hazmat business plan None Sanitary sewer
 Fire department(hazmat storage) Hazmat waste generator Underground storage tanks Above ground storage tanks
 Retail food facility Other

Is the facility covered under a storm water permit? Does not need coverage No, but may need to be (Refer to Water Board staff)
 Individual General: Does the facility have a SWPPP? Yes No

PTNL Discharge Potential: = 1 = Low Potential, 2 = Medium Potential, 3 = High Potential NSW Actual Discharge: = Non-Stormwater Discharge Observed
BMP Effectiveness: = 0 = BMPs Are Effective, 1 = BMPs Are Fairly/Almost Effective, 2 = BMPs Are Not Effective, 3 = No BMPs Are Implemented

ACTIVITY AREAS	Violation Yes/No	Discharge Potential (PTNL)	BMP Effectiveness	NSW Actual Discharge	Violation Criteria: A violation exists if NSW is checked or total score for PTNL + BMP = 4 or more. Note Enforcement Level below and assign follow up date.
A. Outdoor Process/Manufacturing	Yes	2	2	NSW	Immediately Terminate the Following Activity(ies): <input type="checkbox"/> Floor mat washing – take mats to a car wash or wash inside (drain to oil water separator / sewer) <input type="checkbox"/> Wet sanding to the storm drain system <input type="checkbox"/> Concrete wash out / tool cleaning <input type="checkbox"/> Potable water runoff / washing operations (including sidewalk) <input type="checkbox"/> Stop all current and future operations outside / near storm drain system (see below) <input type="checkbox"/> _____ Immediately Address the Following Activity(ies): <input type="checkbox"/> Improve / develop BMPs for effluent collection / isolation <input type="checkbox"/> Improve material storage so that spills / releases may be addressed prior to causing a discharge <input type="checkbox"/> Clean up trash / trash bin debris / dumpsters / grease / grime <input type="checkbox"/> Keep dumpsters / trash enclosures closed <input type="checkbox"/> Contact trash company for larger / additional / nonleaking bins <input type="checkbox"/> Ensure waste materials are contained and can't migrate to the storm drain system <input type="checkbox"/> _____
B. Outdoor Material Storage	/				
C. Outdoor Waste Storage/Disposal	/				
D. Outdoor Vehicle, Heavy Equipment and Maintenance	/				
E. Outdoor Parking or Access Roads	/				
F. Outdoor Wash	Yes	2	2	OWS	
G. Rooftop Equipment	/				
H. Outdoor Drainage from Indoor	/				
I. Other (describe): <input type="checkbox"/> Bag Ban <input type="checkbox"/> Polystyrene Ban <input type="checkbox"/>					

Check box if educational outreach material is distributed and provide title(s) of outreach material(s):
COMMENTS/REMARKS/REQUIREMENTS Structural control present Maintenance required in storm drain system Yes No

Clean out overflow, OWS intercept system.
Oil water separator overflow

* Businesses with Stormwater Violations are to be moved to High Priority for Re-Inspection for a minimum of 1 year. *

PRIORITY FOR RE-INSPECTION: High - Annually Medium - Every 2 years Low - Every 5 years Referred to:

ENFORCEMENT LEVELS: None Verbal Warning * Warning Notice or Admin. Action * Admin. Action with Penalty &/or Cost Recovery * Legal Action
* must accompany a violation

Violations that were not resolved in a timely manner shall escalate one enforcement level per re-inspection until resolved.
Were violations corrected within 10 days or otherwise deemed resolved in a longer, but still timely manner? Yes No N/A (Explain Why)

Facility Representative: X Mark Phelps Inspector: Dan Rompf

1 PR0023479

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY



Protecting Our Health and Environment

Hazardous Materials Business Plan Inspection Report
San Mateo County Environmental Health Services Division
Certified Unified Program Agency (CUPA)
2000 Alameda de Las Pulgas, Suite 100, San Mateo, CA 94403
Phone: (650) 372-6200 | Fax: (650) 627-8244
http://www.smchealth.org

Business Name: <u>Skylanda Fire Dept</u>		Date: <u>2-14-14</u>
Site Address: <u>17290 Skyline Blvd</u>		Phone #: <u>415 851-1860</u>
City: <u>Woodside</u>		Zip Code: <u>94062</u>
Mailing Address: <u>Same</u>	City: <u>u</u>	State: <u>CA</u> Zip Code: <u>94062</u>
Facility Contact Name: <u>Monte Phelps</u>		Title: _____

Description	Section	In Compliance	Comments
Business Activities	CCR 2729.2	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Business Owner/Operator Ident. Facility/Owner information; Emergency contacts; Certification	CCR 2729.2	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A	update emergency contacts
Chemical Inventory Chemical disclosure; Complete information	HSC 25509	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	show O ₂ , oil, diesel, gas
Emergency Preparedness Spill prevention; Emergency response plan; Adequate response equipment	HSC 25504	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	prepare generator as facility rep.
Employee Training Chemical safety; Emergency response; Annual documentation	HSC 25504	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
Site Map Chemical location; Evacuation route; Assembly area; Complete information	CCR 2729.2	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A	
HMBP Review/Certification Completed minimum every three years	HSC 25505	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A	(1998 submitted)
HMBP Annual Certification	HSC 25505	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A	
Spill Notification and Reporting	HSC 25507	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A	
CalARP Program Regulated substance; Registration submitted	HSC 25533	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A	

HMBP Report Narrative: Summary of Violations Notice to Comply Continued

Submit updated HMBP in electronic format.
2013 electronic submission required. (ehesubmit.smchealth.org)
Contact Dan or Libana for assistance completing this.

Within 30 days from the inspection date, make corrections to the violations noted on this inspection report and submit proof of corrective action. Please note that by signing this inspection report below, you are acknowledging receipt of this inspection report and that you have reviewed any pictures and documents obtained during this inspection and designated any confidential business information accordingly.

Consent to Inspect Facility:	Inspected by: <u>D. Rompf</u>
Printed Name: <u>Monte Phelps</u>	Date: <u>2-14-14</u>
Facility Contact Signature: <u>[Signature]</u>	

PRO000032

[ezuskylanda@fire.ca.gov] SPCE plan

ENVIRONMENTAL HEALTH
SAN MATEO COUNTY

Hazardous Waste Generator Inspection Report

San Mateo County Environmental Health Services Division
Certified Unified Program Agency (CUPA)
2000 Alameda de las Pulgas, Suite 100, San Mateo, CA 94403
Telephone: (650) 372-6200 Fax Number (650) 627-8244
www.smchealth.org/environ



Protecting Our Health and Environment

Inspected By: D. Rompf P/E: 22 20 LQG N/A On-site Recycler N/A TP N/A Date: 12-14-14
Facility Name: Skylanda CDF woodside EPA ID #: CA100081153
Facility Address: 17290 skyline Blvd City: woodside Zip: 94062
Contact Person: Mark Phelps Work Phone #: 415-857-1868
Consent given by: MR
Mailing Address: _____ City: _____ State: _____ Zip: _____
Business Owner Name: SM County Owner Phone#: _____
Business Description: Fire station Reinspection Date: _____

ITEM	SECTION #	RECORDKEEPING	IN COMPLIANCE
1	22-66262.12(a)	Generator has EPA Identification Number.....	(N/A) <input checked="" type="checkbox"/> (Yes) <input checked="" type="checkbox"/> (No)
2	HSC 25143.10	Recyclable Materials Report submitted biennially to CUPA.....	<input checked="" type="checkbox"/> (N/A) (Yes) (No)
3	22-66262.40(c)	Test results/waste analyses on site.....	<input checked="" type="checkbox"/> (N/A) (Yes) (No)
4	22-66262.40(b)	Biennial Report on file.....	<input checked="" type="checkbox"/> (N/A) (Yes) (No)
5	22-66265.16	Personnel training documented.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
6	HSC 25244.19	Waste Minimization Plan and Summary Progress Report on site.....	<input checked="" type="checkbox"/> (N/A) (Yes) (No)
<u>MANIFESTS / CONSOLIDATED MANIFESTS</u>			
7	22-66262.23 HSC 25160.2	Manifests or <u>consolidated</u> manifests are available for inspection.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
8	22-66262.23(a)(1)	Applicable sections completed.....	<input checked="" type="checkbox"/> (N/A) (Yes) (No)
9	22-66262.23(a)(4)	Manifest copies submitted to Cal/EPA within 30 days.....	<input checked="" type="checkbox"/> (N/A) (Yes) (No)
10	22-66262.12(c)	Hazardous waste hauled by a registered transporter... <u>Evergreen</u>	<input checked="" type="checkbox"/> (N/A) <input checked="" type="checkbox"/> (Yes) (No)
11	22-66262.12(c)	Hazardous waste shipped to a permitted facility.....	(N/A) <input checked="" type="checkbox"/> (Yes) (No)
12	22-66262.42(a)	Signed "Designated Facility" manifest copies received.....	<input checked="" type="checkbox"/> (N/A) (Yes) (No)
13	22-66262.40(b)	Exception Report on file.....	<input checked="" type="checkbox"/> (N/A) (Yes) (No)
14	22-66268.7(a)(6)	Land Disposal Restriction notification on file.....	<input checked="" type="checkbox"/> (N/A) (Yes) (No)
15	22-66261.107	Extremely Hazardous Waste is managed according to 66261.111 and 66261.113.....	<input checked="" type="checkbox"/> (N/A) (Yes) (No)

<u>ITEM</u>	<u>SECTION #</u>	<u>WASTE DETERMINATION</u>	<u>IN COMPLIANCE</u>
16	22-66262.11	Hazardous waste determination made for all waste.....	(N/A) (Yes) (No) /
<u>EMERGENCY PREPAREDNESS/CONTINGENCY PLAN</u>			
17	22-66265.31	Facility operated to minimize possibility of fire, explosion, or any unplanned release of hazardous waste to air, soil, or surface water, which could threaten human health or the environment.....	(N/A) (Yes) (No) /
18	22-66265.32	Facility has adequate emergency response equipment, internal communication, fire extinguishers and spill control material.....	(N/A) (Yes) (No) /
19	22-66265.33/.34	Emergency equipment is adequately maintained and accessible.....	(N/A) (Yes) (No) /
20	22-66265.35	Aisle space is adequately maintained for emergency response.....	(N/A) (Yes) (No) /
21	22-66265.51/.53	Facility has a Hazardous Waste Contingency Plan on site.....	(N/A) (Yes) (No) /
<u>HAZARDOUS WASTE STORAGE</u>			
22	HSC 25189.5(a)(d) HSC 25201(a)	Generator does not accept, treat, or dispose of hazardous waste on-site without a permit.....	(N/A) (Yes) (No) /
23	22-66262.34(a)	Generator does not accumulate hazardous waste on-site for longer than 90 days without a permit.....	(N/A) (Yes) (No) /
24	22.66262.34(d)	Generator does not accumulate hazardous waste on site for longer than 180, days or longer than 270 days if transport of waste to a TSD facility is over 200 miles.....	(N/A) (Yes) (No) /
25	22-66262.34(e)(1)	Generator uses "Satellite Accumulation" exemption for storage.....	(N/A) (Yes) (No) /
26	22-66262.34(f)(3) (A)(B)(C)	Each container is labeled with: "Hazardous Waste", waste composition, hazardous properties and generator information.....	(N/A) (Yes) (No) /
27	22-66262.34(f)(1)	Accumulation start date clearly marked and visible for inspection on each container.....	(N/A) (Yes) (No) /
<u>CONTAINER USE AND MANAGEMENT</u>			
28	22-66265.171	Hazardous waste containers in good condition.....	(N/A) (Yes) (No) /
29	22-66265.172	Hazardous waste compatible with holding containers.....	(N/A) (Yes) (No) /
30	22-66265.173	Hazardous waste containers closed when not in use.....	(N/A) (Yes) (No) /
31	22-66265.174	Hazardous waste storage area inspected weekly.....	(N/A) (Yes) (No) /
32	22-66265.177(a)	No mixing of incompatible wastes.....	(N/A) (Yes) (No) /
33	22-66265.177(c)	Storage of incompatible hazardous waste is in a secure area which minimizes the possibility of spills, mixing, and escape of materials from the area.....	(N/A) (Yes) (No) /
34	22-66261.7(e) 22.66261.7(f)	Empty containers are managed properly.....	(N/A) (Yes) (No) /

ITEM SECTION #

UNIVERSAL WASTE

IN COMPLIANCE

35 22-66261.9(a) Universal waste managed according with the standards of chapter 23:.....(N/A) (Yes) (No)

TANK MANAGEMENT

36 22-66265.190-199 Waste stored in tank(s) is in compliance with Article 10.....(N/A) (Yes) (No)

WASTE GENERATED:

QUANTITY / MONTH

used oils > sp6
oil filters

CORRECTIVE ACTIONS:

① Observed overflowing OWS (oil water separator) Interceptor system must be cleaned out; Remove sludge and forward manifest to SMCW. Complete within 30 days.

Facility Representative: Your signature acknowledges receipt of this report and does not imply agreement with the findings.

Monte Phelps
SIGNATURE

Monte Phelps
NAME

2-14-14
DATE



SAN MATEO COUNTYWIDE
Water Pollution Prevention Program
 Clean Water. Healthy Community.

City: WOODSIDE

Unincorporated

Date: 3/3/14

PROO 3946

Reason for Inspection: First Inspection Routine Inspection Response to Complaint Follow-up Follow-up Inspection Due:

NAME OF FACILITY Skyland Fire Station SITE ADDRESS 17290 Skyline

CONTACT NAME Monke Phelps PHONE (415) 251-1860 BUSINESS TYPE/ACTIVITY Fire Station

Pollutant of Concern? Yes No PCB Mercury Copper Other SIC

Is the facility covered under any other programs or permits? (Check all that apply.)
 Air quality Hazmat business plan None Sanitary sewer
 Fire department(hazmat storage) Hazmat waste generator Underground storage tanks Above ground storage tanks
 Retail food facility Other

Is the facility covered under a storm water permit?
 Does not need coverage No, but may need to be (Refer to Water Board staff)
 Individual General: Does the facility have a SWPPP? Yes No

PTNL Discharge Potential: = 1 = Low Potential, 2 = Medium Potential, 3 = High Potential NSW Actual Discharge: = Non-Stormwater Discharge Observed
 BMP Effectiveness: = 0 = BMPs Are Effective, 1 = BMPs Are Fairly/Almost Effective, 2 = BMPs Are Not Effective. 3 = No BMPs Are Implemented

ACTIVITY AREAS	Violation Yes/No	Discharge Potential (PTNL)	BMP Effectiveness	NSW Actual Discharge	Violation Criteria: A violation exists if NSW is checked or total score for PTNL + BMP = 4 or more. Note Enforcement Level below and assign follow up date.
A. Outdoor Process/Manufacturing		1	1		Immediately Terminate the Following Activity(ies): <input type="checkbox"/> Floor mat washing – take mats to a car wash or wash inside (drain to oil water separator / sewer) <input type="checkbox"/> Wet sanding to the storm drain system <input type="checkbox"/> Concrete wash out / tool cleaning <input type="checkbox"/> Potable water runoff / washing operations (including sidewalk) <input type="checkbox"/> Stop all current and future operations outside / near storm drain system (see below) <input type="checkbox"/> _____ Immediately Address the Following Activity(ies): <input type="checkbox"/> Improve / develop BMPs for effluent collection / isolation <input type="checkbox"/> Improve material storage so that spills / releases may be addressed prior to causing a discharge <input type="checkbox"/> Clean up trash / trash bin debris / dumpsters / grease / grime <input type="checkbox"/> Keep dumpsters / trash enclosures closed <input type="checkbox"/> Contact trash company for larger / additional / nonleaking bins <input type="checkbox"/> Ensure waste materials are contained and can't migrate to the storm drain system <input type="checkbox"/> _____
B. Outdoor Material Storage		2	1	Double wall NST	
C. Outdoor Waste Storage/Disposal		1	1		
D. Outdoor Vehicle, Heavy Equipment and Maintenance		1	1		
E. Outdoor Parking or Access Roads		1	1		
F. Outdoor Wash		2	1		
G. Rooftop Equipment	/				
H. Outdoor Drainage from Indoor	/				
I. Other (describe): <input type="checkbox"/> Bag Ban <input type="checkbox"/> Polystyrene Ban	/				

Check box if educational outreach material is distributed and provide title(s) of outreach material(s):

COMMENTS/REMARKS/REQUIREMENTS Structural control present Maintenance required in storm drain system Yes No

- ORIGINAL INSPECTION ON 2/14/14 By Don Rumpf Allison Mitch follow up on 2/27/14 - was told that cws is drained to a dry well and that it was piped on 2/26/14.
- NO ONE ON-SITE, but cws in work area is not overflapping and appears to have been serviced. Will ask for documentation.
- Recommend purchasing silicon cover to keep water out of the cws when not being used (e.g., Rain water).

* Businesses with Stormwater Violations are to be moved to High Priority for Re-Inspection for a minimum of 1 year. *

PRIORITY FOR RE-INSPECTION: High - Annually Medium - Every 2 years Low - Every 5 years Referred to:

ENFORCEMENT LEVELS: None * Verbal Warning * Warning Notice or Admin. Action * Admin. Action with Penalty &/or Cost Recovery * Legal Action
 * must accompany a violation

Violations that were not resolved in a timely manner shall escalate one enforcement level per re-inspection until resolved.

Were violations corrected within 30 days or otherwise deemed resolved in a longer, but still timely manner? Yes No N/A (Explain Why)

Facility Representative: Monke Phelps Inspector: Paul Phelps

w/ Allison Mitch

From: Dan Rompf
To: Gary Webb
CC: Darrell Cullen
Date: 10/24/2014 11:18 AM
Subject: RE: Skylonda Fire OWS
Attachments: 075094010LFa.PDF

Hi Gary,

I did some digging and also spoke to Greg Smith our supervisor for water wells, septic, and GPP. We found this map that shows there was or there was supposed to be an outlet for the OWS that drains out down near Alices.

First off, he also stated that connecting the piping outfall to your existing septic systems and leach field is not permitted, as it is not designed for the chemistry of this waste as well as the quantity.

So, I am thinking the options would be to install a secondary leach field for the OWS separator waste (I don't know if this is feasible), or to simply block it off with a mat from storm water during non-washing times and to only use the sump for vehicle and equipment washing, and pumping out when full. the main concerns are what you mentioned, overflowing existing leach field, or having contaminated water enter into the pond.

I think the best option would be to only use for washing and to eliminate the storm water from getting in there by using some sort of rubber mat to cover the drain. This way the water/sludge would not accumulate as quickly and would probably only need to be pumped out a couple of times a year.

The secondary leach field would be a good option as well but this would probably only be able to handle the wash water, and not the storm water as well. I hope this helps a little, but the map/plan does show that this originally was supposed to have a drain.

Dan Rompf, M.S.
Hazardous Materials Specialist
(650)372-6201 Office
(650)627-8244 Fax
drompf@smcgov.org
Office Hours: 0700-1800 Tues-Fri
2000 Alameda de Las Pulgas
San Mateo, CA

If you plan to submit any documents to SMCEH please submit them electronically.

CJW Architecture

150 Portola Road, Suite A • Portola Valley • California • 94028 • Phone No.: (415) 851-9335 • Fax No.: (415) 851-9337

TO: Jerry Okada, Project Manager
CO: Special Jobs Division
Department of Public Works
County of San Mateo
10 Twin Dolphin Drive, suite C-200
Redwood City, CA 94065-1065
FAX: 415 - 637 - 1589
DATE: 12/11/96
PAGES: 3 (Including this Cover Sheet.)

Original To Follow?

FAX TRANSMITTAL

of pages: Yes No

To: Duane O'Donnel	From: Wesley Chow
Co. County of San Mateo	Co. CJW Architecture
Dept. Environmental Health	Phone # (415) 851-9335
Fax # 303-7882	Fax # (415) 651-9337

PROJECT: 9452.1 • Wash Rack Drainage Plan for Proposed Apparatus Building Alterations
Sky Londa Fire Station • Sky Londa, CA

REMARKS: Jerry,

I received a call from Duane O'Donnell from the County's Environmental Health Dept. He reviewed our design for draining the existing wash rack and did not find any problems with it. His only comment was that the septic tank should be checked periodically for sludge. I told him that this new oil interceptor / septic tank could probably be monitored at the same time the other septic tanks on the site were checked. Please confirm with the Fire Department if they can do this.

If you have questions, please call.

Sincerely,



Wesley Chow, AIA

cc: Jim Ashe, S.M. Co. Fire
D. O'Donnell, REHS, Storm Water Prevention Specialist
file/fax 910



ENGINEERING SERVICES, INC.

December 8, 1997

Mr. Dermot Casey
Department of Public Works
County of San Mateo
Suite C-200
10 Twin Dolphin Drive
Redwood City, CA 94065

**SUBJECT: UST Removal and Soil Excavation
CDF Skylonda
Skyline Road
Woodside, California**

Dear Mr. Casey,

Atlas Engineering Services, Incorporated (AES) respectfully submits this report on UST removal and soil excavation at the CDF Skylonda Fire Station on Skyline Road in Woodside, California (Figure 1). Attached are copies of the field notes, chain of custody forms, and laboratory reports for your records.

1.0 Background

Two Underground Storage Tanks (USTs) were present at the site, one for diesel and one for gasoline (Figure 2). The San Mateo County Department of Public Works (SMCDPW) is planning to construct a new structure in close proximity to the USTs, necessitating their removal.

In addition, there was an area of soil behind the pump shed where a historic waste oil spill had occurred. Excavation of contaminated soil from this area was planned to roughly coincide with UST removal, so that properly trained workers could be utilized.

2.0 UST Removal

Both USTs were removed from the ground on June 18, 1997 in the presence of Ms. Teresa Belasco of the San Mateo County Department of Health Services (SMCDHS). Two excavations were created. Groundwater was not encountered in either UST excavation.

The diesel UST, constructed of single walled steel with a tar coating, was 4 feet in diameter and 5.75 feet long, capable of holding approximately 540 gallons. The gasoline UST, constructed of single walled steel with a tar wrapping, was 4 feet in diameter and 6 feet long, capable of holding approximately 560 gallons. Both tanks appeared to be in good condition, with no holes or leaks apparent.

In accordance with SMCDHS guidelines, one sample was collected of the native soil within two feet of the pit bottom beneath each UST. Sample #10576, collected from beneath the fill end of the diesel UST at a depth of 7.5 feet, was comprised of brown silty clay, and was very moist with no petroleum odor. Sample #10578, collected from beneath the fill end of the gas UST at a depth of 8 feet, was a red brown mottled grey silty clay.

The soil samples were collected by pushing a brass liner into the exposed soil in the backhoe bucket until full. Then the ends of the liner were covered with teflon tape followed by plastic caps. The liners were labelled and placed in an ice chest containing blue ice for preservation during shipment to the state certified laboratory under chain of custody procedures (see attached).

The samples were analyzed by North State Environmental, a state certified laboratory. Laboratory reports are attached and are summarized in Table 1.

The soil sample from beneath the diesel UST (#10576) was reported to contain 0.01 mg/kg of toluene, and no detectable Total Petroleum Hydrocarbons as diesel (TPH-D), benzene, ethylbenzene, or xylenes. The soil sample from beneath the gas UST (#10578) was reported to contain 0.65 mg/kg of Total Petroleum Hydrocarbons as gasoline (TPH-G), 0.19 mg/kg benzene, 0.02 mg/kg xylenes, 6.5 mg/kg methyl tertiary butyl ether (MTBE), and 15 mg/kg of lead, but no detectable toluene or ethylbenzene.

The concentrations detected in both of these samples are below the SMCDHS guidelines requiring additional excavation. Reportedly, upon receipt of the analytical data SMCDHS did not require additional excavation, and gave permission to backfill both excavations.

Two stockpile soil samples were also collected, one from each stockpile, and analyzed (see attached lab reports). Laboratory results for the diesel stockpile sample (#10577) showed only 0.019 mg/kg toluene, 0.008 mg/kg ethylbenzene, and 0.018 mg/kg xylenes, with no TPH-D or benzene detected (Table 1). Reportedly, SMCDHS gave approval to re-use the diesel stockpile as site backfill.

The gasoline stockpile sample (#10579) was reported to contain 96 mg/kg of TPH-G, 0.011 mg/kg benzene, 0.012 mg/kg toluene, 0.5 mg/kg xylenes, and 0.17 mg/kg MTBE, with no ethylbenzene detected (Table 1). This stockpile was spread and aerated prior to re-sampling on July 24, 1997. Lab results for the gasoline stockpile re-sampling showed 0.6 mg/kg of TPH-G with no detectable benzene, toluene, ethylbenzene, and xylenes (BTEX) and no detectable MTBE (Table 1). Reportedly, upon receipt of this lab data SMCDHS gave approval for re-use of the gasoline stockpile soil as site backfill.

3.0 Soil Excavation

On **June 26, 1997**, after demolition of the pump shed adjacent to the former USTs created access, excavation was undertaken in an area behind the pump shed where a historic waste oil spill had occurred (see attached field notes). Exploratory trenching was conducted with visual and olfactory observations to define the limits of the spill. Some soil staining and hydrocarbon odors were noted. At the end of excavation an area was created approximately 12 feet wide by a maximum of 25 feet long and with depth varying between 6.5 feet and 2.5 feet (see attached field notes). Groundwater was not encountered in the excavation.

At the end of excavation three soil samples were collected from the excavation by driving a soil liner directly into the exposed soil surface. Samples were handled, preserved, and transported as described above for the UST removal soil samples. Sample #10580, collected from the northwest sidewall at a depth of about 1 foot, consisted of brown silty clay with roots. Sample #10581, collected from the northeast corner bottom at about 2 feet, was comprised of tan orange silty clay. Sample #10582, collected from the southwest portion of the bottom at a depth of about 5 feet, consisted of brown silty clay and exhibited a petroleum odor. Contaminants appeared to be following a tree root to greater depth at this location.

The samples were analyzed by North State Environmental. Laboratory results are attached and are summarized in Table 1. The samples were analyzed for waste oil constituents. No volatile organic compounds or cadmium were detected in any of the samples. The LUFT metals detected in the soil samples were present at apparently non-hazardous concentrations.

Sample #10580 was reported to contain 110 mg/kg of TPH-D, 0.009 mg/kg benzene, 0.015 mg/kg toluene, 0.013 mg/kg ethylbenzene, 0.048 mg/kg xylenes, 360 mg/kg O&G, 47 mg/kg chromium, 8 mg/kg lead, 128 mg/kg nickel, and 92 mg/kg zinc. No TPH-G or MTBE were detected in this sample.

Sample #10581 was reported to contain 4 mg/kg of TPH-D, 30 mg/kg O&G, 50 mg/kg chromium, 55 mg/kg lead, 120 mg/kg nickel, and 100 mg/kg zinc. No TPH-G, BTEX, or MTBE were detected.

Sample #10582 contained 1,200 mg/kg of TPH-G, 6,400 mg/kg TPH-D, 4.6 mg/kg benzene, 26 mg/kg toluene, 8.5 mg/kg ethylbenzene, 55 mg/kg xylenes, 8.7 mg/kg MTBE, 2,200 mg/kg O&G, 48 mg/kg chromium, 10 mg/kg lead, 160 mg/kg nickel, and 250 mg/kg zinc.

Four soil samples were also collected from the approximately 14 cubic yards of soil generated by the waste oil spill excavation by pushing a liner directly into the soil surface after scraping away about six inches of soil. These samples were

submitted to North State Environmental for compositing and analyses. Lab results of the composite showed the presence of petroleum hydrocarbons, one VOC at low concentration, and apparently non-hazardous metals.

Upon receipt of the analytical results SMCDHS reportedly required additional excavation of the area around sample #10582. SMCDHS also required that the waste oil spill excavation stockpile be transported offsite for disposal.

On **November 19, 1997** AES returned to the site and witnessed additional excavation of the waste oil spill area by SEMCO (see attached field notes). Excavation was conducted in the south west corner of the existing cut where sample #10582 had been previously collected and found to contain petroleum hydrocarbons. The excavation was deepened to about 6 feet at the rear of the cut, over an area approximately 7 feet wide and 8 feet long. AES conducted visual and olfactory observations of the bottom and sidewalls of this additional excavation. At the beginning of the excavation a petroleum odor was noted emanating from a large root which was subsequently cut away. At the end of excavation no petroleum odors were noted emanating from the exposed soils. Groundwater was not encountered in the excavation.

One soil sample was collected from the southern half of the additional excavation bottom at a depth of about 6 feet (#8055) which was comprised of red brown silty clay which appeared native. Another soil sample (#8056) collected from the north half of the western sidewall at a depth of about 5 feet was comprised of brown silty clay. These samples were collected, handled, preserved, and transported in the same manner described above for the initial waste oil spill excavation.

The samples were transported under chain of custody to Entech Analytical Labs, Inc., a state certified laboratory. Because no VOCs or apparently hazardous concentrations of metals were detected in the previous samples collected from the waste oil spill excavation, these samples were analyzed only for O&G, TPH-D, TPH-G, BTEX, and MTBE. Laboratory results show only MTBE present in either sample; at 1 mg/kg in sample #8055 and at 0.89 mg/kg in sample #8056 (Table 1).

4.0 Waste Disposal

Also on November 19, 1997, AES witnessed the loading of 20 cubic yards of the waste oil spill stockpile onto a truck for transport to Bay Area Soils, Inc. (BAS) in Richmond, California for thermal treatment and recycling. AES was not present to witness loading of the additional soil generated by the excavation, reportedly transported to BAS later in the day. Similarly, AES was not present to witness any backfilling.

5.0 Summary and Conclusions

5.1 UST Removal

AES was present during removal of two USTs at the CDF Fire Station in Skylonda, California (Figures 1 and 2). Both USTs appeared to be in good condition, and no groundwater was encountered (see attached field notes). One soil sample was collected from beneath each UST and submitted to a state certified laboratory for analysis (see attached chain of custody). The laboratory reported only low concentrations of hydrocarbons (Table 1), below the SMCDHS guidelines requiring additional excavation or a groundwater investigation. AES concludes that no significant leak occurred from either UST, and that the USTs should be closed in accordance with SMCDHS guidelines.

5.2 Waste Oil Spill Excavation


Soil in an area where a historic waste oil spill had occurred was excavated and explored by trenching, with visual and olfactory observations to define the limits of the spill. Some soil staining and hydrocarbon odors were noted. At the end of excavation an area was created approximately 12 feet wide by a maximum of 25 feet long, with depth varying between 6.5 feet and 2.5 feet. Laboratory analysis of soil samples collected from the excavation showed petroleum hydrocarbons at concentrations requiring additional excavation in one sample (#10582) collected from the south west bottom of the excavation (Table 1). The contaminants appeared to be following a tree root.

Subsequently, additional excavation of the waste oil spill area was conducted in the south west corner of the existing cut. The excavation was deepened to about 6 feet at the rear of the cut, over an area approximately 7 feet wide and 8 feet long. AES conducted visual and olfactory observations of the bottom and sidewalls of this additional excavation, with no petroleum hydrocarbons noted. Soil samples collected from the additional excavation were analyzed and found to contain only MTBE present at concentrations less than or equal to 1 mg/kg (Table 1).

Based on the laboratory reports it appears that the maximum concentrations of hydrocarbons remaining in soils are TPH-D at 110 mg/kg, BTEX less than 1 mg/kg, MTBE at 1 mg/kg, and O&G at 360 mg/kg (Table 1). These concentrations are below the SMCDHS criteria requiring additional excavation. Since no groundwater was encountered in the excavation, and the source of the hydrocarbons was a historic spill that was probably of limited volume, there does not appear to be a significant risk to groundwater. Therefore, AES concludes that this site should be listed as "No further action" by SMCDHS.


If you have any questions or require additional information
please call me at (415) 363-2445.

Sincerely,



Frederick A. Yukic, MS, PE
Principal Engineer

Attachments



sky1.rpt

Table 1
Soil Analytical Results (mg/kg)
CDF Skylonda, Skyline Road, Woodside, California

Location	ID	TPH-G	TPH-D	B	T	E	X	MTBE	O&G	VOCs	Cd	Cr	Pb	Ni	Zn
<u>UST Excavations 6-19-97</u>															
Diesel bot	(#10576)	--	ND	ND	0.01	ND	ND	--	--	--	--	--	--	--	--
Gas bot	(#10578)	0.65	--	0.19	ND	ND	0.02	6.5	--	--	--	--	15	--	--
<u>Waste Oil Excavation 6-26-97</u>															
NW sidewall	(#10580)	ND	110	0.009	0.015	0.013	0.048	ND	360	ND	ND	47	8	128	
NE corner	(#10581)	ND	4	ND	ND	ND	ND	ND	30	ND	ND	50	55	120	100
SW bottom	(#10582)	1,200	6,400	4.6	26	8.5	55	8.7	2,200	ND	ND	48	10	160	250
<u>Waste Oil Additional Excavation 11-19-97</u>															
SW bottom	(# 8055)	ND	ND	ND	ND	ND	ND	1.0	ND	--	--	--	--	--	--
W sidewall	(# 8056)	ND	ND	ND	ND	ND	ND	0.89	ND	--	--	--	--	--	--
<u>Stockpiles</u>															
Diesel	(#10577)	--	ND	ND	0.019	0.008	0.018	--	--	--	--	--	--	--	--
Gasoline	(#10579)	96	--	0.011	0.012	ND	0.5	0.17	--	--	--	--	ND	--	--
Retest gas	(#10595)	0.6	--	ND	ND	ND	ND	ND	--	--	--	--	--	--	--
Waste Oil	(comp)	250	3,300	0.74	0.92	0.34	5	1	330	0.05 ¹	ND	38	37	46	90
TTLC											100	2,500	1,000	2,000	5,000
STLC											1	5	5	20	250

Note: TPH-G = Total Petroleum Hydrocarbons-Gasoline
 TPH-D = Total Petroleum Hydrocarbons-Diesel
 B = Benzene
 T = Toluene
 E = Ethylbenzene
 X = Xylene
 O&G = Oil & Grease

Cd = Cadmium
 Cr = Chromium
 Pb = Total Lead
 Ni = Nickel
 Zn = Zinc
 ND = Not Detected
 -- = Not Analyzed

1 = 1,1,2,2-Tetrachloroethane




Figure 1. Location Map
CDF Skylonda Fire Station
Skyline Road
Woodside, California




Figure 2. Previous Site Layout
CDF Skylonda Fire Station
Skyline Road
Woodside, California

Date: 11-19-97 By: F. Yukui To: _____ Sheet: _____
 Job Name: CPF - Sky Land Job No: _____


Main Activity: _____
 Equipment Rental _____

[Attach receipts for all outside expenses]
 Vehicle Pers. _____ Odometer In _____
 Rent. _____ Odometer Out _____
 Mileage _____


Time	Description	Company	Hours	Rate
9:15	Fy arrive site GEMCO in site			
	Truck arrive w/ truck	Trailer = Green Truck = Heavy Metal Express		
	dump area AB load w/ backhoe ~ 20 yd ³ [sand from just W.O.]			

9:45 truck leave.
 move small pile @ edge to remainder pile
 dig to 6' - recover sy C - sample bottom - 8055
 screen N 1 bucket ~ 3' - large root - some str
 7' wide by 9' length
 sample from W. wall @ ~ 5' in N 1/2 #

looks native - no odor
no str.



root in W. wall - no odor
- no str.



bottom = red ~~str~~ sy C
 sidewall = br sy C - trace to red or. sy C.

10:30 Permit arrive
start backfill

10:45 Fy leave.

Date: 6-18-97 By: Tom To: _____ Sheet: 1/2

Job Name: GDF Skyline Job No: _____
 Main Activity: VST Removal
 Equipment Rental _____ Company _____ Hours _____ Rate _____

[Attach receipts for all outside expenses]

Vehicle _____ Pers. _____ Odometer In _____
 Rent. _____ Mileage _____ Odometer Out _____

Time	Description	Vehicle	Pers.	Rent.	Mileage
10:15	Tom arrive site teresa arrive.				
10:30	gas tank - O ₂ = 0% LEL not reaching				
	diesel tank - O ₂ = 0%				
	pull diesel VST - single wall steel, tar coating 4' Ø 5.75' long } looks good - no holes				
	pull gas VST - single wall steel w/ tar wrap looks good - no holes 4' Ø x 6' long				
	diesel pot - bot Ø ~ 6" red brn sync, mount, no ocrv				

Skyline

Date: 6-18-97 By: KW To: _____ Sheet 2/2

Job Name: CMF - Sky/med Job No: _____


Main Activity: _____
 Equipment Rental: _____

Company	Hours	Rate

[Attach receipts for all outside expenses] Odometer In _____
 Odometer Out _____

Vehicle Pers. _____
 Rent. _____ Mileage _____

Time | Description



Date: 6-26-97 BY: F. YULIC To: _____ Sheet: 1/1
 Job Name: CDF - Sky Lined Job No: _____
 Main Activity: _____
 Equipment Rental _____ Company _____ Hours _____ Rate _____


[Attach receipts for all outside expenses]

Vehicle _____ Odometer In _____
 Parts _____ Odometer Out _____
 Rent _____ Mileage _____

Time

Description

10:25 Arrive site
 diesel pit filled - shed/concrete gone
 gas stockpile - scrape away - petr. odor
 blackish scrape behind former shed
 evidence of oil - visual
 trench to 2.5 m N. side - no odors.
 shallower behind shed & surface.



excavate area (dashed) to ~ 2.5'

11:45 break for lunch

12:55 back from lunch.

Date: 6.26.97 By: [Signature] To: [Signature] Sheet 2/

Job Name: EDF - Skyland Job No: _____


Main Activity: _____

Equipment Rental _____ Company _____ Hours _____ Rate _____

[Attach receipts for all outside expenses] Odometer In _____ Odometer Out _____

Vehicle Pers. _____ Mileage _____
Rent. _____

Time | Description



$$x_{\text{hole}} = \frac{1}{2} [25 \times 10 \times 3] = \frac{1}{2} [250 \times 3] = \frac{750}{2} = 375 \text{ ft}^3$$

$$x_{\text{hole}} \approx 14 \text{ yd}^3$$

15:00 leave site - to Wh

Date: 7.24.97 BY: RW To: _____ Sheet 1/1

Job Name: CDF - Glen Linda Job No: _____

Main Activity: Resample GAY Ardeyn Company _____ Hours _____ Rate _____

Equipment Rental	Company	Hours	Rate

[Attach receipts for all outside expenses] Odometer In _____ Odometer Out _____

Vehicle _____ Pars. _____ Rent. _____ Mileage _____

Time	Description
11:45	Arrive site
	<p>sample of Ardeyn (gas) from E side</p> <p>scribble on map 1 foot</p> <p>chisel line into soil</p> <p>tape in + cap</p> <p>ice chest</p>
	<p>gas of Ardeyn</p> <p>$V = (12)(10) \frac{1}{2} = \frac{360}{2} = 180 \text{ ft}^3$</p>
	<p style="text-align: right;">Glen Ln</p> <p style="text-align: center;">each of 4 piles ~ 7 cu</p>



C E R T I F I C A T E O F A N A L Y S I S

Lab Number: 97-516
Client: Applied Science & Engineering
Project: CDF-Sky

Date Reported: 06/24/97

Diesel Range Hydrocarbons by Method 8015 M
Gasoline, BTEX and MTBE by Methods 8015M and 8020

Analyte	Method	Result	Unit	Date Sampled	Date Analyzed
Sample: 97-516-01 Client ID: 10576					SOIL
Benzene	8020	ND		06/19/97	06/19/97
Ethylbenzene	8020	ND			
Toluene	8020	0.010	mg/Kg	Diesel VST Pit Bottom	
Xylenes	8020	ND			
Diesel	8015M	ND			06/19/97
Sample: 97-516-02 Client ID: 10577					SOIL
Benzene	8020	ND		06/19/97	06/19/97
Ethylbenzene	8020	0.008	mg/Kg		
Toluene	8020	0.019	mg/Kg	Diesel VST Stockpile	
Xylenes	8020	0.018	mg/Kg		
Diesel	8015M	ND			06/19/97
Sample: 97-516-03 Client ID: 10578					SOIL
Gasoline	8015M	0.65	mg/Kg	06/19/97	06/19/97
Benzene	8020	0.19	mg/Kg		
Ethylbenzene	8020	ND			
MTBE	8020	6.5	mg/Kg	Gar VST Pit Bottom	
Toluene	8020	ND			
Xylenes	8020	0.020	mg/Kg		
Lead	7420	15	mg/Kg		06/19/97



North State Environmental
Chemical Waste Disposal · Trucking · Consulting

C E R T I F I C A T E O F A N A L Y S I S

Lab Number: 97-516
Client: Applied Science & Engineering
Project: CDF-Sky

Date Reported: 06/24/97

Diesel Range Hydrocarbons by Method 8015 M
Gasoline, BTEX and MTBE by Methods 8015M and 8020

Analyte	Method	Result	Unit	Date Sampled	Date Analyzed
Sample: 97-516-04		Client ID: 10579			SOIL
Gasoline	8015M	96	mg/Kg	06/19/97	06/19/97
Benzene	8020	0.011	mg/Kg		
Ethylbenzene	8020	ND			
MTBE	8020	0.17	mg/Kg		
Toluene	8020	0.012	mg/Kg		
Xylenes	8020	0.5	mg/Kg		
Lead	7420	ND			06/19/97

Give VST Stockpile



North State Environmental
Chemical Waste Disposal · Trucking · Consulting

CERTIFICATE OF ANALYSIS

Quality Control/Quality Assurance

Lab Number: 97-516
Client: Applied Science & Engineering
Project: CDF-Sky

Date Reported: 06/24/97

Diesel Range Hydrocarbons by Method 8015 M
Gasoline, BTEX and MTBE by Methods 8015M and 8020

Analyte	Method	Reporting Limit	Unit	Blank	MS/MSD Recovery	RPD
Diesel	8015M	1.0	mg/Kg	ND	68	1
Gasoline	8015M	0.5	mg/Kg	ND	92	2
Benzene	8020	.005	mg/Kg	ND	92	4
Ethylbenzene	8020	.005	mg/Kg	ND	80	2
Toluene	8020	.005	mg/Kg	ND	90	2
Xylenes	8020	.010	mg/Kg	ND	80	1
MTBE	8020	.005	mg/Kg	ND	80	18

ELAP Certificate NO:1753

Reviewed and Approved

John A. Murphy, Laboratory Director

Page 3 of 3



C E R T I F I C A T E O F A N A L Y S I S

Lab Number: 97-649
 Client: San Mateo Co. DPW
 Project: CDF-Sky
 Date Reported: 07/28/97

Gas Stockpile Resample

Gasoline, BTEX and MTBE by Methods 8015M and 8020

Analyte	Method	Result	Unit	Date Sampled	Date Analyzed
Sample: 97-649-01		Client ID: 10695		SOIL	
Gasoline	8015M	0.60	mg/Kg	07/24/97	07/25/97
Benzene	8020	ND			
Ethylbenzene	8020	ND			
MTBE	8020	ND			
Toluene	8020	ND			
Xylenes	8020	ND			



CERTIFICATE OF ANALYSIS

Quality Control/Quality Assurance

Lab Number: 97-649
 Client: San Mateo Co. DPW
 Project: CDF-Sky

Date Reported: 07/28/97

Gasoline, BTEX and MTBE by Methods 8015M and 8020

Analyte	Method	Reporting Limit	Unit	Blank	MS/MSD Recovery	RPD
Gasoline	8015M	0.5	mg/Kg	ND	100	8
Benzene	8020	.005	mg/Kg	ND	120	32
Ethylbenzene	8020	.005	mg/Kg	ND	98	31
Toluene	8020	.005	mg/Kg	ND	111	29
Xylenes	8020	.010	mg/Kg	ND	98	22
MTBE	8020	.005	mg/Kg	ND	105	34

ELAP Certificate NO: 1753

Reviewed and Approved


 John A. Murphy, Laboratory Director



WARGIE OIL SPILL EXHAUSTION

C E R T I F I C A T E O F A N A L Y S I S

Lab Number: 97-553
 Client: Applied Science & Engineering
 Project: CDF-Sky

Date Reported: 07/01/97

Gasoline, BTEX and MTBE by Methods 8015M and 8020
 Diesel Range Hydrocarbons by Method 8015 M
 Total Extractable Petroleum Hydrocarbons by SM 5520 E & F
 Total Cd, Cr, Ni, Pb and Zn by AA Spectroscopy

Analyte	Method	Result	Unit	Date Sampled	Date Analyzed
Sample: 97-553-01 Client ID: 10580 NW Sidenwall corner SOIL W. face 1-1					
Cadmium	7130	ND		06/26/97	07/02/97
Chromium	7190	47	mg/Kg		
Lead	7420	8	mg/Kg		
Nickel	7520	128	mg/Kg		
Zinc	7950	92	mg/Kg		
Sample: 97-553-02 Client ID: 10581 NE corner bottom of SOIL 2					
Cadmium	7130	ND		06/26/97	07/02/97
Chromium	7190	50	mg/Kg		
Lead	7420	55	mg/Kg		
Nickel	7520	120	mg/Kg		
Zinc	7950	100	mg/Kg		
Gasoline	8015M	ND			06/27/97
Benzene	8020	ND			

*Confirmed by GC/MS method 8260.



C E R T I F I C A T E O F A N A L Y S I S

Lab Number: 97-553
Client: Applied Science & Engineering
Project: CDF-Sky
Date Reported: 07/01/97

Gasoline, BTEX and MTBE by Methods 8015M and 8020
Diesel Range Hydrocarbons by Method 8015 M
Total Extractable Petroleum Hydrocarbons by SM 5520 E & F
Total Cd, Cr, Ni, Pb and Zn by AA Spectroscopy

Analyte	Method	Result	Unit	Date Sampled	Date Analyzed
Sample: 97-553-02 Client ID: 10581 SOIL					
Ethylbenzene	8020	ND		06/26/97	
MTBE	8020	*ND			
Toluene	8020	ND			
Xylenes	8020	ND			
TEPH	5520F	30	mg/Kg		07/01/97
Diesel	8015M	4	mg/Kg		06/27/97
Sample: 97-553-03 Client ID: 10582 <i>gn bottom of</i> SOIL - <i>root hole</i>					
Cadmium	7130	ND		06/26/97	07/02/97
Chromium	7190	48	mg/Kg		
Lead	7420	10	mg/Kg		
Nickel	7520	160	mg/Kg		
Zinc	7950	250	mg/Kg		
Gasoline	8015M	1200	mg/Kg		06/27/97
Benzene	8020	4.6	mg/Kg		
Ethylbenzene	8020	8.5	mg/Kg		
MTBE	8020	*8.7	mg/Kg		
Toluene	8020	26	mg/Kg		
Xylenes	8020	55	mg/Kg		
TEPH	5520F	2200	mg/Kg		07/01/97
Diesel	8015M	6400	mg/Kg		06/27/97

*Confirmed by GC/MS method 8260.



C E R T I F I C A T E O F A N A L Y S I S

Lab Number: 97-553
 Client: Applied Science & Engineering
 Project: CDF-Sky

Date Reported: 07/01/97

Gasoline, BTEX and MTBE by Methods 8015M and 8020
 Diesel Range Hydrocarbons by Method 8015 M
 Total Extractable Petroleum Hydrocarbons by SM 5520 E & F
 Total Cd, Cr, Ni, Pb and Zn by AA Spectroscopy

Analyte	Method	Result	Unit	Date Sampled	Date Analyzed
Sample: 97-553-04 Client ID: 10583,10584,10585,10586					SOIL COMP.
Cadmium	7130	ND		06/26/97	07/02/97
Chromium	7190	38	mg/Kg		
Lead	7420	37	mg/Kg		
Nickel	7520	46	mg/Kg		
Zinc	7950	90	mg/Kg		
Gasoline	8015M	250	mg/Kg		06/27/97
Benzene	8020	0.74	mg/Kg		
Ethylbenzene	8020	0.34	mg/Kg		
MTBE	8020	*1.0	mg/Kg		
Toluene	8020	0.92	mg/Kg		
Xylenes	8020	5.0	mg/Kg		
TEPH	5520F	330	mg/Kg		07/01/97
Diesel	8015M	3300	mg/Kg		06/27/97

*Confirmed by GC/MS method 8260.



CERTIFICATE OF ANALYSIS

JOB NO: 97-553
CLIENT: Applied Science
PROJECT ID: CDF-SKY

Date Sampled: 6-26-97
Date Analyzed: 6-30-97
Date Reported: 7-2-97

8010 Volatile Halogenated Organics by GC/MS Method 8260

Laboratory Number	NW <i>in situ</i>	NE <i>in situ</i>	SW <i>in situ</i>	97-553-04
	97-553-01	97-553-02	97-553-03	10583.4,5,6
Client ID	10580	10581	10582	10583.4,5,6
Matrix	Soil	Soil	Soil	Soil Comp
Analyte	Results ug/Kg	Results ug/Kg	Results ug/Kg	Results ug/Kg
Chloromethane	ND<5	ND<5	ND<5	ND<5
Vinyl Chloride	ND<5	ND<5	ND<5	ND<5
Bromomethane	ND<5	ND<5	ND<5	ND<5
Chloroethane	ND<5	ND<5	ND<5	ND<5
Trichlorofluoroethane	ND<5	ND<5	ND<5	ND<5
1,1-Dichloroethene	ND<5	ND<5	ND<5	ND<5
Methylene Chloride	ND<5	ND<5	ND<5	ND<5
trans-1,2-Dichloroethene	ND<5	ND<5	ND<5	ND<5
1,1-Dichloroethane	ND<5	ND<5	ND<5	ND<5
cis-1,2-Dichloroethene	ND<5	ND<5	ND<5	ND<5
Chloroform	ND<5	ND<5	ND<5	ND<5
1,1,1-Trichloroethane	ND<5	ND<5	ND<5	ND<5
Carbon Tetrachloride	ND<5	ND<5	ND<5	ND<5
1,2-Dichloroethane	ND<5	ND<5	ND<5	ND<5
Trichloroethene	ND<5	ND<5	ND<5	ND<5
Bromodichloroethane	ND<5	ND<5	ND<5	ND<5
trans-1,3-Dichloropropene	ND<5	ND<5	ND<5	ND<5
cis-1,3-Dichloropropene	ND<5	ND<5	ND<5	ND<5
1,1,2-Trichloroethane	ND<5	ND<5	ND<5	ND<5
Tetrachloroethene	ND<5	ND<5	ND<5	ND<5
Dibromobenzene	ND<5	ND<5	ND<5	ND<5
Chlorobenzene	ND<5	ND<5	ND<5	ND<5
Bromoform	ND<5	ND<5	ND<5	ND<5
1,1,2,2-Tetrachloroethane	ND<5	ND<5	ND<5	50
1,3-Dichlorobenzene	ND<5	ND<5	ND<5	ND<5
1,4-Dichlorobenzene	ND<5	ND<5	ND<5	ND<5
1,2-Dichlorobenzene	ND<5	ND<5	ND<5	ND<5

Surrogate Recoveries %

1,2-Dichloroethane d4	130	140	134	119
Toluene d8	87	96	191	85
4-Bromofluorobenzene	88	104	87	121



CERTIFICATE OF ANALYSIS

JOB NO: 97-553
CLIENT: Applied Science
PROJECT ID: CDF-SKY

Date Sampled: 6-26-97
Date Analyzed: 6-30-97
Date Reported: 7-2-97

8010 Volatile Halogenated Organics by GC/MS Method 8260 Quality Control/Quality Assurance Summary

Laboratory Number	97-553	MS/MSD	RPD
Client ID	Blank	recoveries	
Matrix	Soil	Soil	
Analyte	Results		
Chloromethane	ND<5		
Vinyl Chloride	ND<5		
Bromomethane	ND<5		
Chloroethane	ND<5		
Trichlorofluoroethane	ND<5		
1,1-Dichloroethene	ND<5	75	23
Methylene Chloride	ND<5		
trans-1,2-Dichloroethene	ND<5		
1,1-Dichloroethane	ND<5		
cis-1,2-Dichloroethene	ND<5		
Chloroform	ND<5		
1,1,1-Trichloroethane	ND<5		
Carbon Tetrachloride	ND<5		
1,2-Dichloroethane	ND<5		
Trichloroethene	ND<5	79	23
Bromodichloroethane	ND<5		
trans-1,3-Dichloropropene	ND<5		
cis-1,3-Dichloropropene	ND<5		
1,1,2-Trichloroethane	ND<5		
Tetrachloroethene	ND<5		
Dibromobenzene	ND<5		
Chlorobenzene	ND<5	96	36
Bromoform	ND<5		
Tetrachloroethane	ND<5		
1,3-Dichlorobenzene	ND<5		
1,4-Dichlorobenzene	ND<5		
1,2-Dichlorobenzene	ND<5		
Surrogate Recoveries %			
1,2-Dichloroethane d4	103	107/101	6
Toluene d8	95	94/96	2
4-Bromofluorobenzene	93	98/90	9

Reviewed and Approved
John A. Murphy
John A. Murphy, Laboratory Director



CERTIFICATE OF ANALYSIS

Quality Control/Quality Assurance

Lab Number: 97-553
 Client: Applied Science & Engineering
 Project: CDF-Sky

Date Reported: 07/01/97

Gasoline, BTEX and MTBE by Methods 8015M and 8020
 Diesel Range Hydrocarbons by Method 8015 M
 Total Extractable Petroleum Hydrocarbons by SM 5520 E & F
 Total Cd, Cr, Ni, Pb and Zn by AA Spectroscopy.

Analyte	Method	Reporting Limit	Unit	Blank	MS/MSD Recovery	RPD
Gasoline	8015M	0.5	mg/Kg	ND	82	8
Benzene	8020	.005	mg/Kg	ND	84	6
Ethylbenzene	8020	.005	mg/Kg	ND	88	12
Toluene	8020	.005	mg/Kg	ND	94	8
Xylenes	8020	.010	mg/Kg	ND	87	8
MTBE	8020	.005	mg/Kg	ND	60	12
TFPH	5520F	50	mg/Kg	ND	85	25
Cadmium	7130	2.0	mg/Kg	ND	125	1
Chromium	7190	5.0	mg/Kg	ND	115	6
Lead	7420	2.0	mg/Kg	ND	90	1
Nickel	7520	5.0	mg/Kg	ND	109	0
Zinc	7950	1.0	mg/Kg	ND	82	3
Diesel	8015M	1.0	mg/Kg	ND	90	1

ELAP Certificate NO: 1753

Reviewed and Approved

John A. Murphy, Laboratory Director



North State Environmental Analytical Laboratory

Phone: (415) 588-9652 Fax: (415) 588-1950

Chain of Custody / Request for Analysis
Lab Job No.: _____ Page 1 of 1

97-553

Client: AS&E		Report to: Fred Yukic		Phone: 415-363-2445		Turnaround Time: 48 hr.	
Mailing Address: PO Box 1166 SAN CARLOS, CA 94070		Billing to: Attn: Dermot Casey SMC DPW 10 TWIN DOLPHIN DR, C-200 REDWOOD CITY, CA		Fax: 415-363-0244		Date: 6-26-97	
Project / Site Address: CDF-5KW		Analysis		PO# / Billing Reference:		Sampler: FRED YUKIC	
Sample ID	Sample Type	Container No. / Type	Pres.	Requested	Sampling Date / Time	Comments / Hazards	
1- 10580	501L	12x6"b	-	X	6-26-97	TPH-9/BTEX TPH-D	
2- 10581			-	X		010	
3- 10582			-	X		010	
4- 10583			-	X		010	
10584			-	X		010	
10585			-	X		010	
10586			-	X		010	
5- 10587			-	X		010	
						Composite, then analyze.	
						← HOLD →	
Relinquished by: Fred Yukic		Date: 6/26/97 Time: 3:50 PM		Received by: [Signature]		Lab Comments: LABS & tubes AMS cold AMS	
Relinquished by:		Date:		Received by:		Lab Comments:	
Relinquished by:		Date:		Received by:		Lab Comments:	

525 Del Rey Avenue, Suite E • Sunnyvale, CA 94086 • (408) 735-1550 • Fax (408) 735-1554

WASTE OIL SPILL
RE-EXCAVATION

Attn: Fred Yukic
Atlas Engineering
P.O. Box 1166
San Carlos, CA 94070

Date:	11/26/97
Date Received:	11/19/97
Date Analyzed:	11/20-11/25/97
Project:	CDF-sky
Sampled By:	Client

Certified Analytical Report

Soil Sample Analysis:

Bottom 26' w. wall 24'

Test	8055	8056	Units	PQL	EPA Method #
Sample Matrix	Soil	Soil			
Sample Date	11/19/97	11/19/97			
Sample Time					
Lab #	D17873	D17874			
TRPH	ND	ND	mg/kg	50.0 mg/kg	SM5520CF
DF-Diesel	1	1			
TPH-Diesel	ND	ND	mg/kg	1.0 mg/kg	8015M
DF-Gas/BTEX	1	1			
TPH-Gas	ND	ND	mg/kg	1.0 mg/kg	8015M
MTBE	1.0 ²	0.89 ²	mg/kg	0.05 mg/kg	8020
Benzene	ND	ND	mg/kg	0.005 mg/kg	8020
Toluene	ND	ND	mg/kg	0.005 mg/kg	8020
Ethyl Benzene	ND	ND	mg/kg	0.005 mg/kg	8020
Xylenes	ND	ND	mg/kg	0.005 mg/kg	8020

- DLR=DF x PQL
- DF=2
- Analysis performed by Entech Analytical Labs, Inc. (CAELAP #2224)


Michael N. Golden, Lab Director

DF=Dilution Factor
DLR=Detection Reporting Limit

PQL=Practical Quantitation Limit
ND=None Detected at or above DLR

Entech Analytical Labs, Inc.

525 Del Rey Avenue, Suite E
Sunnyvale, CA 94086

QUALITY CONTROL RESULTS SUMMARY

METHOD: TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

QC Batch : STRPIR971102

Date Analyzed: 11/19/97

Matrix: Soil

Spiked Sample: Blank Spike

Units: mg/Kg

PARAMETER	MB	SA	SR	SP	SP	SPD	SPD	RPD	QC LIMITS	
	mg/Kg	mg/Kg	mg/Kg	mg/Kg	PR	mg/Kg	PR		RPD	PR
TRPH	<50	204	ND	204	100%	209	103%	2.5	25	50-150

Definition of Terms:

MB: Method Blank

SA: Spike Added

SR: Sample Result

SP: Matrix Spike Result

SP (PR): Matrix Spike % Recovery

SPD: Matrix Spike Duplicate Result

SPD (PR): Matrix Spike Duplicate % Recovery

RPD: Matrix Spike Recovery % Variance

QUALITY CONTROL RESULTS SUMMARY

METHOD: Gas Chromatography

QC Batch #: GBG4971120
Matrix: Soil
Units: ug/kg

Date Analyzed: 11/20/97
Quality Control Sample: D17908

PARAMETER	Method #	MB ug/kg	SA ug/kg	SR ug/kg	SP ug/kg	SP % R	SPD ug/kg	SPD %R	RPD	QC LIMITS (ADVISORY)	
										RPD	%R
Benzene	8020	<5.0	80	ND	79	98	75	94	4.2	25	50-150
Toluene	8020	<5.0	80	ND	79	99	77	96	3.1	25	50-150
Ethyl Benzene	8020	<5.0	80	ND	78	97	75	94	2.7	25	50-150
Xylenes	8020	<5.0	240	ND	236	98	230	96	2.6	25	50-150
Gasoline	8015	<1000.00	1000	ND	980	98	930	93	5.2	25	50-150

Note: LCS and LCSD results reported for the following Parameters:

None

Acceptable LCS and LCSD results are reported when matrix interferences cause MS and MSD results to fall outside established QC limits.

Definition of Terms:

- na: Not Analyzed in QC batch
- MB: Method Blank
- SA: Spike Added
- SR: Sample Result
- RPD(%): Duplicate Analysis - Relative Percent Difference
- SP: Spike Result
- SP (%R): Spike % Recovery
- SPD: Spike Duplicate Result
- SPD (%R): Spike % Recovery
- NC: Not Calculated

Entech Analytical Labs, Inc.

525 Del Rey Avenue, Suite E
Sunnyvale, CA 94086

QUALITY CONTROL RESULTS SUMMARY

QC Batch #: DS971107
Matrix: Soil
Units: mg/Kg

Date analyzed: 11/25/97
Date extracted: 11/24/97
Quality Control Sample: D17907

PARAMETER	Method #	MB	SA	SR	SP	SP	SPD	SPD	RPD	QC LIMITS	
		mg/Kg	mg/Kg	mg/Kg	mg/Kg	%R	mg/Kg	%R		RPD	%R
Diesel	8015M	<1.0	25	ND	30	120	28	113	6.2	25	50-150

Note: LCS and LCSD results reported for the following Parameter:

None

Acceptable LCS and LCSD results are reported when matrix interferences cause MS and MSD results to fall outside established QC limits.

Definition of Terms:

MB: Method Blank

na: Not Analyzed in QC batch

SA: Spike Added

SR: Sample Result

RPD(%): Duplicate Analysis - Relative Percent Difference



SP: Spike Result

SP (%R): Spike % Recovery

SPD: Spike Duplicate Result

SPD (%R): Spike Duplicate % Recovery

NC: Not Calculated



A ENERGY DISSIPATOR DETAIL
N.T.S.

ALTERATIONS TO
 APPARATUS BLOG.
 SKYLONDA F.S.
 SKYLONDA, CA
 CJW ARCHITECTURE
 SHT. 2 of 2
 12/3/96



L. "Shep" Shepherd
Battalion Chief

(415) 851-1860

Facsimile Transmittal Sheet

Date sent: Oct. 2, 1995

To be delivered to: Teresa Belasco

Facsimile number: (415) 343-7982

Sent by: Shep Shepherd

Number of pages to follow Cover Sheet: 4

Message or Special Instructions: Teresa

We have relabeled the torch fuel drum to indicate that it is torch fuel. The other drum is empty and the letter explaining what had been in the drum is included in this fax. Also included are 3 training records for employees. We are working on the rest of the deficiencies.

Shep

Our facsimile number is (415) 851-2862

Please call (415) 851-1860 immediately if there is any problem with this transmission.
Thank you.

10-20-94

Mike,

Paul Dana came up and did some sampling of the barrels at the gas house today (10-20-94). He did this at the request of Bill Lent.

THE RESULTS::::::::::

Diesel and Gasoline mix. He was unable to determine the ratio but it is a flammable mixture of gasoline and diesel with no chlorine contamination.

Recommendation: Talk to Bill Lent about disposing it through the household waste disposal program. Explain origin as old fuel from equipment and waste fuel brought to station by public.

The Unknown Quantity: This is water and oil. There is no chlorine contamination and no coolant.

Recommendation: Transfer to waste oil barrels and have picked up by recycler of waste oil. The water contamination is acceptable for the recycler. It must be transferred to the waste oil barrel. If not then the recycler must ask other questions and we will pay a lot more. He left a disposable/cheap reusable siphon/barrel pump with us to help with the transfer.

If you have any other questions feel free to ask either me or Ed Sanchez.

Peace and Pedals
herb



WILLIAM LENT
HAZARDOUS MATERIALS PROGRAM MANAGER
OFFICE OF ENVIRONMENTAL HEALTH
SAN MATEO COUNTY DEPARTMENT OF HEALTH SERVICES

COUNTY OFFICE BUILDING
580 HAMILTON STREET
REDWOOD CITY, CA 94063

TELEPHONE: (415) 363-1366
FAX: (415) 363-7802



PAUL M. DANA, R.E.H.S.
SUPERVISING ENVIRONMENTAL HEALTH SPECIALIST
OFFICE OF ENVIRONMENTAL HEALTH
SAN MATEO COUNTY DEPARTMENT OF HEALTH SERVICES

COUNTY OFFICE BUILDING
580 HAMILTON STREET
REDWOOD CITY, CA 94063

TELEPHONE: (415) 363-4325
FAX: (415) 363-7802

EMPLOYEE TRAINING AND INFORMATION VERIFICATION FORM

This is to certify that I have been provided information and training in accordance with the hazard communication standard on the following subjects (check all that apply):

The Hazard Communication Standard

- * Purpose and requirements
- * The Department's approach to carrying out the hazard communication standard
- * Details of the written hazard communication program
- * Availability of the written program

Hazardous Chemicals

- * An introduction to physical and health hazards: OSHA hazardous chemicals
- * Identity and location of all hazardous chemicals in my work area
- * Physical and health hazard(s) associated with the hazardous chemicals in my work area

Material Safety Data Sheets

- * Availability of MSDSs
- * Location of the MSDSs in each department
- * How to use a MSDS

Labels and Other Forms of Warning

- * Labeling systems in use at the Plant
- * How to read and use information on hazard warning labels
- * Portable containers

Employee Protection

- * Measures that the Department has taken to protect me from the hazard(s)
- * Measures that I will be required to take help to ensure protection from the hazard(s)
- * How I can detect a release of a hazardous chemical
- * Measures to take in the event of a release to protect the safety and health of other employees in the work area

Employee Name

Michael Roberts
please print

Date

10-2-95

Employee Signature

Michael Roberts

EMPLOYEE TRAINING AND INFORMATION VERIFICATION FORM

This is to certify that I have been provided information and training in accordance with the hazard communication standard on the following subjects (check all that apply):

The Hazard Communication Standard

- Purpose and requirements
- The Department's approach to carrying out the hazard communication standard
- Details of the written hazard communication program
- Availability of the written program

Hazardous Chemicals

- An introduction to physical and health hazards: OSHA hazardous chemicals
- Identity and location of all hazardous chemicals in my work area
- Physical and health hazard(s) associated with the hazardous chemicals in my work area

Material Safety Data Sheets

- Availability of MSDSs
- Location of the MSDSs in each department
- How to use a MSDS

Labels and Other Forms of Warning

- Labeling systems in use at the Plant
- How to read and use information on hazard warning labels
- Portable containers

Employee Protection

- Measures that the Department has taken to protect me from the hazard(s)
- Measures that I will be required to take help to ensure protection from the hazard(s)
- How I can detect a release of a hazardous chemical
- Measures to take in the event of a release to protect the safety and health of other employees in the work area

Employee Name Leonard Shepherd Date September 25, 1995
please print

Employee Signature Leonard Shepherd

EMPLOYEE TRAINING AND INFORMATION VERIFICATION FORM

This is to certify that I have been provided information and training in accordance with the hazard communication standard on the following subjects (check all that apply):

The Hazard Communication Standard

- * Purpose and requirements
- * The Department's approach to carrying out the hazard communication standard
- * Details of the written hazard communication program
- * Availability of the written program

Hazardous Chemicals

- * An introduction to physical and health hazards: OSHA hazardous chemicals
- * Identity and location of all hazardous chemicals in my work area
- * Physical and health hazard(s) associated with the hazardous chemicals in my work area

Material Safety Data Sheets

- * Availability of MSDSs
- * Location of the MSDSs in each department
- * How to use a MSDS

Labels and Other Forms of Warning

- * Labeling systems in use at the Plant
- * How to read and use information on hazard warning labels
- * Portable containers

Employee Protection

- * Measures that the Department has taken to protect me from the hazard(s)
- * Measures that I will be required to take help to ensure protection from the hazard(s)
- * How I can detect a release of a hazardous chemical
- * Measures to take in the event of a release to protect the safety and health of other employees in the work area


Employee Name

Charles I. Conelli
please print

Date

September 25, 1995

Employee Signature



herbert a. masters III
fire apparatus engineer
cdf/san mateo co. fire
17290 skyline blvd.
woodside, ca., 94062

ph.# 415 851 1860
fax# 415 851 2826

date: 6-20-93

To: BC 'Shep' Shepherd
FC Mike Roberts
FC Rick Cummings
Rick Miller, San Mateo Co. Env. Health

From: FAE Herb Masters

Subject: Work Plan for Skylonda Hazardous Waste and Materials

On May 14, 1993 I met with Rick Miller and Rick Cummings for an inspection of the ground contamination from years of waste oil dumping near the gas house.

It has been difficult to get everything scheduled to come up with all of the items we need to address.

First here is the plan or goals that Rick Miller asked that we work towards.

1. A work plan within 30 days.
2. A hazardous waste generator certificate of compliance within 45 days.
3. A business plan within 60 days.

Here's where I've gotten to so far.

On Mon. Jun. 14 we finally got our fuel tanks tested. It has taken awhile to get this done because of my schedule being directly out of sync with Mark McBirney from SMCO General Services. Tony Arnold and Rick Cummings deserve credit for making this happen while I was out on training assignments. There apparently has been a problem getting a contract going between the county and a testing contractor.

The tanks passed the tests which makes the project much simpler. There are some problems that should probably be addressed with them however. The technician that tested them has tested them in the past and told me that he had noted problems before that have yet to be corrected. One that he mentioned is a check valve that allows the fuel to drain back into the tank which poses no environmental or safety problem. The other is a spill containment that is supposed to be around the tank fill below grade. It is obvious that there has been a significant amount of fuel already spilled while filling the tanks. This seems to be something that we should try to address.

I have started an inventory of our hazardous materials that are kept at the station. I located an old business plan which I am able to use as model. This also has a lot of needed information and was done by Jim Asche.

2. To meet the requirements for the Certificate of Compliance will require more time.

I have turned in a request for labels to the warehouse that would be useful to all of the stations in the R.U. that come in a larger quantity than what we can use in the station.

It will still have to be determined where we can make a secured area for the storage of our hazardous waste and materials that will also have a "spill containment area" and a system of barriers to protect it from vehicles. I would suggest that we locate this at the north side of the fuel house. It seems to me that we could and should make this one area for all of our hazardous materials. It could contain the overpacks for the waste oil, the oil filter container, the drums of contaminated diesel fuel for drip torches, and a flammable storage locker for the miscellaneous paints etc. that we keep. This area should have a spill containment area and some sort of shed roof as well as some barricade to protect it from vehicles.

I have been unsuccessful in getting the waste oil manifests from the last three years and suggest that for now we start from this point. I have obtained an EPA identification number for us. It is #CAL 00 00 91153.

Now that we know that the tanks have passed the testing it can be assumed that they will not be removed until 1998 or such a time that they start to leak. It would be nice to get a head start on this but it probably won't happen!

I can not make the 45 day goal for a Hazardous Waste Generator Certificate of Compliance. There are some things that now need to be done before this goal can be met.


1. The area in back of the fuel house needs to be cleaned up. Rick Miller recommended that 4 to 6 inches of the top soil that is contaminated be removed initially and then start a more formal cleanup sampling and testing as the digging progresses. We didn't discuss who would be responsible for this. This is not a project that I feel should be attempted by the station personnel and should be contracted out as it has the possibility to get rather involved.

2. The location for the future storage area must be selected and approved by someone. Then if the cleanup is done and hasn't impacted the storage area it will have to be built. I feel that we should have some plans on paper and have these approved by the Environmental Health Services Division.

I will be out of the station until July 17 or 24 for training and stress relief/management/vacation. When I return

I'll pick up where I left off. I don't know who can or will order the work to start on the cleanup, but that is the next thing to be done.

Respectfully,





Winston H. Hickox
Secretary for
Environmental
Protection

California Regional Water Quality Control Board

San Francisco Bay Region

Internet Address: <http://www.swrcb.ca.gov>
1515 Clay Street, Suite 1400, Oakland, California 94612
Phone (510) 622-2300 ☎ FAX (510) 622-2460



Gray Davis
Governor

Date: September 5, 2000
Site ID Number: 77U
File No. 1123.85 (JSM)

DERMONT CASEY
CDF SKYLONDA FIRE STATION
17290 SKYLINE BLVD
WOODSIDE, CA 94062

SUBJECT: NOTICE OF VIOLATION – ABOVEGROUND PETROLEUM STORAGE ACT AND REQUEST FOR A TECHNICAL REPORT, CDF SKYLONDA FIRE STATION, 17290 SKYLINE BLVD, WOODSIDE, CALIFORNIA

Dear DERMONT CASEY:

Our records indicate that you currently have aboveground petroleum storage at your facility. We have no record that you have submitted the required storage statements and fees to the State Water Board for your aboveground storage tank (AST) facility as we requested in our previous letter, dated December 1, 1999.

This letter is to notify you that your facility is in violation of the Aboveground Petroleum Storage Act, California Health and Safety Code, Division 20, Chapter 6.67 (hereinafter, APSA). This letter also requests you to submit a technical report, by **October 29, 2000** that contains the following information:

1. A listing of all of your AST facilities within the San Francisco Bay Region in addition to the site identified above including the location, tank capacity, tank contents, and tank ages.
2. Confirmation of submittal of Storage Statements and fees for all of your AST facilities within the San Francisco Bay Region to the State Water Resources Board.
3. Schedule for completion of an SPCC Plan for all AST facilities within the San Francisco Bay Region.

The specific violations that you are not in compliance with are as follows:

Violation #1 – Failure to Submit Storage Statement and Fee

Section 25270.6 of APSA requires that the owner or operator of an aboveground petroleum storage tank facility submit biannual statements and fees to the State Water Resources Control Board (State Water Board), starting July 1, 1990.

California Environmental Protection Agency

Violation #2 – Failure to Prepare a Spill Prevention Control and Countermeasure (SPCC) Plan


APSA Section 25270.5 requires that the owner or operator of an AST facility prepare a Spill Prevention Control and Countermeasure Plan (SPCC) in accordance with guidelines contained in Part 112 of Title 40 of the Code of Federal Regulations.

To assist you with this effort, we have again enclosed a brochure explaining the program and fee schedule. Additional information can be found on the internet at <http://www.swrcb.ca.gov/~rwqcb2/> (Click on "Aboveground Tanks").

You should be aware that this is a formal request for a technical report pursuant to California Water Code Section 13267. Failure to respond or late response to this request may subject you to civil liability imposed by the Board up to a maximum amount of \$1,000 per day.

If you have any questions, please contact Julie Menack of my staff at (510) 622-2401 [e-mail JSM@rb2.swrcb.ca.gov].

Sincerely,



Lawrence P. Kolb
Acting Executive Officer

Enclosure

cc: David Ceccarelli, SWRCB
Sheryl Freeman, SWRCB
✓ Dirk Jensen, San Mateo County Environmental Health Department, 455 County Center,
Redwood City, CA 94063

APPENDIX C
ENVIRONMENTAL LIEN SEARCH REPORT

Sky Londa Fire Station No. 58

17290 Skyline Blvd.
Redwood City, CA 94062

Inquiry Number: 4193066.7S
February 10, 2015

The EDR Environmental LienSearch™



6 Armstrong Road,
Fourth Floor
Shelton, CT 06484
800.352.0050
www.edrnet.com

EDR Environmental LienSearch™ Report

The EDR Environmental LienSearch Report provides results from a search of available current land title records for environmental cleanup liens and other activity and use limitations, such as engineering controls and institutional controls.

A network of professional, trained researchers, following established procedures, uses client supplied address information to:

- search for parcel information and/or legal description;
- search for ownership information;
- research official land title documents recorded at jurisdictional agencies such as recorders' offices, registries of deeds, county clerks' offices, etc.;
- access a copy of the deed;
- search for environmental encumbering instrument(s) associated with the deed;
- provide a copy of any environmental encumbrance(s) based upon a review of key words in the instrument(s) (title, parties involved, and description); and
- provide a copy of the deed or cite documents reviewed.

Thank you for your business.

Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This report was prepared for the use of Environmental Data Resources, Inc., and Discovery Research Solutions, LLC, exclusively. This report is neither a guarantee of title, a commitment to insure, or a policy of title insurance. **NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT.** Environmental Data Resources, Inc. (EDR) Discovery Research Solutions, LLC specifically disclaim the making of any such warranties, including without limitation, merchantability or fitness for a particular use or purpose. The information contained in this report is retrieved as it is recorded from the various agencies that make it available. The total liability is limited to the fee paid for this report.

Copyright 2014 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR Environmental LienSearch™ Report

TARGET PROPERTY INFORMATION

ADDRESS

SKY LONDA FIRE STATION NO. 58
17290 SKYLINE BLVD.
REDWOOD CITY, CA 94062

RESEARCH SOURCE

Source 1: San Mateo Assessor
San Mateo County, California

Source 2: San Mateo Recorder
San Mateo County, California

PROPERTY INFORMATION

Deed 1:

According to the San Mateo County Assessor, the current owner of the subject property is the County of San Mateo. Records were searched at the San Mateo County Recorder's Office back to 1980. No conveyance was found of record transferring fee title ownership into the County of San Mateo for the subject property.

Legal Description: All that certain piece or parcel of land being Lots 1, 2, 3, 4, 5 and 6 of Sky Londa No. 5, as shown on Record of Survey Map filed in Book 20 at Page 21, situate and lying in the County of San Mateo, State of California.

Legal Current Owner: County of San Mateo

Property Identifiers: 075-094-010

Deed 2:

According to the San Mateo County Assessor, the current owner of the subject property is the County of San Mateo. Records were searched at the San Mateo County Recorder's Office back to 1980. No conveyance was found of record transferring fee title ownership into the County of San Mateo for the subject property.

Legal Description: All that certain piece or parcel of land being a portion of Lot 50 of Portola Hills, being a portion of Record Survey Map filed in Book 7, at Page 20, situate and lying in the County of San Mateo, State of California.

Legal Current Owner: County of San Mateo

Property Identifiers: 075-101-010

EDR Environmental LienSearch™ Report

ENVIRONMENTAL LIEN

Environmental Lien: Found Not Found

If found:

1st Party:

2nd Party:

Dated:

Recorded:

Book:

Page:

Docket:

Volume:

Instrument:

Comments:

Miscellaneous:

OTHER ACTIVITY AND USE LIMITATIONS (AULs)

Other AUL's: Found Not Found

If found:

1st Party:

2nd Party:

Dated:

Recorded:

Book:

Page:

Docket:

Volume:

Instrument:

Comments:

Miscellaneous:

APPENDIX D
CITY DIRECTORY

Sky Londa Fire Station No. 58

17290 Skyline Blvd.
Redwood City, CA 94062

Inquiry Number: 4193066.5
January 28, 2015

The EDR-City Directory Image Report

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2015 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Report is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Report includes a search of available city directory data at 5 year intervals.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. A check mark indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Target Street</u>	<u>Cross Street</u>	<u>Source</u>
2013	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cole Information Services
2008	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cole Information Services
2003	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cole Information Services
1999	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cole Information Services
1995	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cole Information Services
1992	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cole Information Services
1985	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Haines Criss-Cross Directory
1980	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Haines Criss-Cross Directory
1977	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Haines Criss-Cross Directory
1970	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Haines Criss-Cross Directory

RECORD SOURCES

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

FINDINGS

TARGET PROPERTY STREET

17290 Skyline Blvd.
Redwood City, CA 94062

<u>Year</u>	<u>CD Image</u>	<u>Source</u>
-------------	-----------------	---------------

SKYLINE BLVD

2013	pg A2	Cole Information Services
2008	pg A4	Cole Information Services
2003	pg A6	Cole Information Services
1999	pg A8	Cole Information Services
1995	pg A10	Cole Information Services
1992	pg A12	Cole Information Services
1985	pg A14	Haines Criss-Cross Directory
1985	pg A15	Haines Criss-Cross Directory
1980	pg A18	Haines Criss-Cross Directory
1980	pg A19	Haines Criss-Cross Directory
1977	pg A21	Haines Criss-Cross Directory
1977	pg A22	Haines Criss-Cross Directory
1970	pg A24	Haines Criss-Cross Directory

FINDINGS

CROSS STREETS

<u>Year</u>	<u>CD Image</u>	<u>Source</u>
-------------	-----------------	---------------

BLAKEWOOD WAY

2013	pg. A1	Cole Information Services
2008	pg. A3	Cole Information Services
2003	pg. A5	Cole Information Services
1999	pg. A7	Cole Information Services
1995	pg. A9	Cole Information Services
1992	pg. A11	Cole Information Services
1985	pg. A13	Haines Criss-Cross Directory
1980	pg. A16	Haines Criss-Cross Directory
1980	pg. A17	Haines Criss-Cross Directory
1977	pg. A20	Haines Criss-Cross Directory
1970	pg. A23	Haines Criss-Cross Directory

City Directory Images

BLAKEWOOD WAY 2013

1	ARMEN LEONIAN
8	WILLIAM STRONCK
22	WALTER TURNER
191	MARK ROBERTS
221	OCCUPANT UNKNOWN
223	FRANCO SECHI
232	DAVID DAVENPORT
243	HILARY HART
247	HEYSEONG KIM
252	ELLEN GABRIEL
255	MICHAEL SLEATOR
307	SALOMON PINEDA
308	RONALD CREW
315	JOSE ECKERLE
316	JOHN UECKERT
321	DOUGLAS ALEXANDER
323	PAUL GLENDENNING

SKYLINE BLVD 2013

16501 JEFFREY TUTTLE
16655 J RUCKS
16990 LOUIS LANDRE
16995 JAN MATTOX
16998 OCCUPANT UNKNOWN
17000 BRIAN WEEKS
17001 ROBERT JACK
17115 ANDREW JURIAN
17210 MAX SUBERVI
17222 PHILIPPE DELANSAY
17283 DANIEL CUTHBERT
17285 MOUNTAIN TERRACE
17286 AL LOCK & KEY SERVICES
17287 SKYWOOD TRADING POST
17288 A ANYTIME LOCKSMITH
ALICES RESTAURANT
17290 STATE OF CALIFORNIA
17300 HENDRIKUS LEMMENS
17370 RAHIM AMIDHOZOUR
17507 WILLIAM BROSE
17554 RONI PATRONE
17558 OCCUPANT UNKNOWN
17650 NICHOLAS BAUCH
17659 LEE FLIPPIN
17865 JODY WOOD
OSCAR VALENZUELA
ZERA RENSKI
17907 DANIEL MARTIN
18000 JEFFREY STRAUBEL
18020 WILFRED BENTHAM
18033 OFER DOITEL
18400 OCCUPANT UNKNOWN

BLAKEWOOD WAY 2008

1	ARMEN LEONNIAN
22	WALTER TURNER
116	PHILIPPE DELANSAY
143	ARMEN LEONIAN
191	BARRY ROSEN
221	OCCUPANT UNKNOWN
223	FRANCO SECHI
227	SUSAN BRAUND
232	THOMAS BAUER
243	HILARY HART
247	HEYSEONG KIM
255	MICHAEL SLEATOR
307	OCCUPANT UNKNOWN
308	THOMAS POTTERFIELD
315	CROSS MOUNTAIN PUBLISHING JOSE ECKERLE
316	JOHN UECKERT
321	DOUGLAS ALEXANDER THE FATHERS HOUSE
323	ROBERT EDLER

SKYLINE BLVD 2008

16501 OCCUPANT UNKNOWN
16655 J RUCKS
16990 JOHN LANDRE
16995 JAN MATTOX
17000 4H CLUBS & AFFIL 4H ORGAN
BRIAN WEEKS
17001 ROBERT JACK
17085 RON HALE
17115 ANDREW JURIAN
17210 HALLVARD HAUGHES
17222 PHILIPPE DELANSAY
17283 DANIEL CUTHBERT
17285 MOUNTAIN TERRACE
REMAX SKYWOOD R
17287 BETHLEHEM CHRISTIAN CARVERS
COASTAL SIERRA INC
GUILD PEDERSON
RAMI SABANEKH
SANDERSON STUDIOS INC
SKYWOOD TRADING POST
VEREPREX
17288 ALICES RESTAURANT
17290 FORESTRY FIRE PROTECTION CA DEPT
17300 HENDRIKUS LEMMENS
17370 RAHIM AMIDHOZOUR
17507 OCCUPANT UNKNOWN
17554 BERNARD DALTON
17558 OCCUPANT UNKNOWN
17560 FARALLON MEDICAL INC
M ARECHIGA
17650 PEARCE WAGNER
17659 LEE FLIPPIN
17827 TECHTEAM LLC
17865 ZERA RENSKI
17900 MATTHEW RIDGEWAY
17907 ROBERT GARLAN
18000 JAMES KOHLBERG
18020 WILFRED BENTHAM
18400 AVC IONE LLC
OCCUPANT UNKNOWN

BLAKEWOOD WAY 2003

1	OCCUPANT UNKNOWN
8	MARY HILBORN
116	PHILIPPE DELANSAY
191	BARRY ROSEN
221	SANDRA TURNER
223	FRANCO SECHI
227	EDWARD ROSENSTIEL
232	OCCUPANT UNKNOWN
234	THOMAS BAUER
243	HILARY HART
244	CHRISTOPHER GARDNER
247	HEYSEONG KIM
252	WAYNE BEHRENS
255	OCCUPANT UNKNOWN
308	ELIZABETH POLLARD
315	CROSS MOUNTAIN PUBLISHING JOHN RADFORD
316	COLLEEN SULLIVAN JOHN UECKERT
321	DOUGLAS ALEXANDER KATHLEEN ALEXANDER
323	ELLEN MARTIN

SKYLINE BLVD 2003

16501	OCCUPANT UNKNOWN
16655	OCCUPANT UNKNOWN
16990	JOHN LANDRE
16995	JAN MATTOX
16998	JACK PAULIN
	PAULIN JACK TREE SERVICE
17000	HENRIETTA WEEKS
17001	GEOFFREY RUBIN
17085	RON HALE
17115	ANDREW JURIAN
17125	MAZIN KHALAF
17210	HALLVARD HAUGNES
17222	PHILIPPE DELANSAY
17285	KARIN BIRD
	SKYLINE TERRACE
	SKYWOOD REALTY INC
17286	ALICES STATION
17287	DAVID CRANE
	DUANE HEIN
	KEVIN PEDERSON
	SKYWOOD TRADING POST
	SUSANA GIDI
	TERRI SCOTT
	WILLIAM PRINCE
17288	ANTIQUES & THINGS
	D & D SUGAR SHACK
	SKYLONDA LUMBER
	SWISS INVESTING LTD
17290	CLFRN STAT OF FOR & FIRE PRTCT
17300	HENDRIKUS LEMMENS
17370	KRISTIN BUTLER
17513	DONNA CASS
17554	RICHARD PATRONE
17558	OCCUPANT UNKNOWN
17650	PEARCE WAGNER
17659	LEE FLIPPIN
17820	RONALD COHN
17865	DAVID JELLIS
17900	MATTHEW RIDGEWAY
17907	LISA BUTLER
18020	WILFRED BENTHAM
18033	OFER DOITEL
18200	OCCUPANT UNKNOWN
18400	BHARAT DAVE

BLAKEWOOD WAY 1999

1	TARQUIN LEONIAN
22	WALTER TURNER
143	ARMEN LEONIAN
191	LINDA KEEFER
221	JAMES TURNER
223	FRANCO SECHI
227	SUSAN BRAUND
232	OCCUPANT UNKNOWN
243	HILARY HART
247	HEYSEONG KIM
252	OCCUPANT UNKNOWN
255	MICHAEL SLEATOR
308	THOMAS POTTERFIELD
315	JOSE ECKERLE
316	JOHN UECKERT
	NOEL MARSHALL
321	DOUGLAS ALEXANDER
323	OCCUPANT UNKNOWN
	ROBERT EDLER

SKYLINE BLVD 1999

16501	OCCUPANT UNKNOWN
16655	J RUCKS
	OCCUPANT UNKNOWN
16990	JOHN LANDRE
16995	JAN MATTOX
17000	BRIAN WEEKS
17001	ROBERT JACK
17085	OCCUPANT UNKNOWN
17115	ANDREW JURIAN
17210	MAX SUBERVI
17283	DANIEL CUTHBERT
17285	SKYWOOD REALTY
17286	WOODSIDE UNION 76
17287	M COLLIER
17288	ALICES RESTAURANT
17290	FORESTRY & FIRE PROTECTION DEPARTMENT OF
17300	HENDRIKUS LEMMENS
17370	RAHIM AMIDHOZOUR
17507	OCCUPANT UNKNOWN
17554	OCCUPANT UNKNOWN
17558	OCCUPANT UNKNOWN
17560	M ARECHIGA
17650	OCCUPANT UNKNOWN
17659	LEE FLIPPIN
17820	RONALD COHN
17865	JODY WOOD
	ZERA RENSKI
17907	ROBERT GARLAN
18000	JAMES KOHLBERG
18020	WILFRED BENTHAM
18200	OCCUPANT UNKNOWN
18400	KEITH MARCO
	OCCUPANT UNKNOWN

BLAKEWOOD WAY 1995

221	TURNER, JAMES L
223	SCHRECK, GENE A
227	ROSENSTIEL, EDWARD
232	BAUER DRY WALL BRENNINGER, PAUL
234	BAUER, THOMAS G
243	OCCUPANT UNKNOWNN
244	KIPER, CHARLES A
247	DUKE, L W
252	BEHRENS, WAYNE C
307	SLEATOR, MICHAEL
315	ECKERLE, JOSEPH S
316	GOODING, CHRIS GUSTAFSON, ANN SHARRON, WILL
321	GIBBS, S
323	SOMERSON, PAUL

SKYLINE BLVD 1995

16655 MILLER, ADAM
16990 LANDRE, JOHN
16995 MATTOX, JAN
16998 JACK PAULIN TREE SVC
PAULIN, JACK
17000 WEEKS, WARREN
17001 RUBIN, G
17085 OCCUPANT UNKNOWNN
17115 MORRIS, DOUGLAS I
17125 KHALAF, SHAWQI
17210 HAUGNES, HALLVAR
17222 BEITEL, BRADLEY J
17282 ALICES TOWING
RENT A WRECK
SMART USED RENT A CAR
17284 WOODSIDE UNOCAL
17285 SKYWOOD BUSINESS SVC
SKYWOOD CHATEAU
SKYWOOD REALTY
SKYWOOD TRADING POST
TAYLOR, DONALD E
17286 U HAUL CO
17287 CUNNINGHAM, DAN
17288 ALICES RESTAURANT
17300 CALIFORNIA INTERNATIONAL INC
17311 SKYLINE CAR REPAIR
17513 DAVISON, JOHN
17560 MOORE, GEOFFRE
17659 FLIPPIN, LEE
17820 COHN, RONALD H
17865 OCCUPANT UNKNOWNN
17907 GRIFFITH, SYLVIA
18000 GODFREY, G
18020 BENTHAM, WILFRED H
18033 NORMILE, JAMES
18400 CHAPMAN, S
ESSER, URSULA
KAMPMEIER, J
MARCO, KEITH L

BLAKEWOOD WAY 1992

221	TURNER, JAMES L
223	MOES, CHRIS
227	ROSENSTIEL, EDWARD
232	BAUER DRY WALL
234	BAUER, THOMAS G
243	HONINGFORD, CHRIS
244	OIL HEAT ENGRG
247	DUKE, L W
307	SLEATOR, MICHAEL
315	ECKERLE, JOSEPH S
316	GOODING, CHRIS
	GUSTAFSON, ANN
	MARSHALL, NOEL H
	SHARRON, WILL

SKYLINE BLVD 1992

16655 WELLS, RAY
16990 LANDRE, JOHN K
WALKER, DRIZZ
16995 MATTOX, JAN
16998 PAULIN, JACK
17000 WEEKS, WARREN
17001 STJOHN, WILLIAM J
17085 HALE, RON
17115 MORRIS, DOUGLAS I
17210 HAUGNES, H
17222 BEITEL, BRADLEY J
17285 SKYWOOD BUSINESS SV
17286 AAALICES TOWING
17288 ALICES RESTAURANT
17300 BOON, S V
CA INTERNATL EXPTS
KEDDINGTON, KEN
17311 SKYLINE CAR REPAIR
17370 SALUTI INC
17513 CASS, ANDREW
17659 FLIPPIN, LEE
17820 COHN, RONALD H
17907 DAHL, ERIC L
MILLER, ADAM
18000 GULLO, GIGI
18400 MARCO, KEITH L

BLAKEWOOD WAY 1985

BLAKEWOOD WAY 94062

WOODSIDE

1	LEONIAN ARMEN L	851-7766	1
3	XXXX	00	
115	ECKERLE JOSEPH	851-8993	9
116	XXXX	00	
191	ROSEN BARRY	851-8391	
	RUBENSTONE SALLY	851-8391	1
205	XXXX	00	
221	MEEKER TED	851-3164	0
	TURNER JAMES L	851-3076	0
223	THOMPSON DAVID M	851-8118	8
227	ROSENSTIEL EDWARD	851-2445	7
234	XXXX	00	
243	XXXX	00	
244	XXXX	00	
247	DUKE LAWRENCE W	851-2705	
252	OBRIEN COLLEEN	851-0276	+5
307	XXXX	00	
308	XXXX	00	
315	FERGUSON RICHARD A	851-1424	9
	GILL ROBERT F JR	851-8094	
316	GOODING CHRIS	851-3126	
	GUSTAFSON ANN	851-3126	
	MARSHALL NOEL H	851-3126	3
★	0 BUS	23 RES	1 NEW

SKYLINE BLVD 1985

..SKYLINE BLVD		94062 CONT..	
17825	XXXX	00	
17865	DUBOIS LOIS C	851-4558	4
17907	ROLSTON BRUCE	851-3154	+5
18000	GYERMEK LASZLO JR	851-0697	+5
19500	BLUM RICHARD H	851-7401	
	ISENBERG GERDA	851-1668	
	LANGLEY HILL QUARRY	851-0179	1
	ORR STEVE	851-7814	+5
	RUPPEL E	851-7318	+5
	YERBA BUENA NURSERY	851-1668	
19501	XXXX	00	
19600	JAQUA A RICHARD	851-1243	1
	JAQUE OF CALIF	851-4114	3
19765	XXXX	00	

BLAKEWOOD WAY 1980

BLAKEWOOD WAY 94062 WOODSIDE

1	LEONIAN ARMEN L	851-7766
3	XXXX	00
115	ECKERLE JOSEPH	851-8993 9
	KANT ELAINE	851-8995 9
116B	BEITEL B J	851-8892+0
191	HOLMES MYCROFT	851-8421 4
221	MEEKER TED	851-3164+0
	TURNER JAMES L	851-3076+0
223	THOMPSON DAVID M	851-8118 8
227	ROSENSTIEL EDWARD	851-2445 7
234	FORD JERRY	851-2210 2
243	XXXX	00

BLAKEWOOD WAY 1980

BLAKEWOOD WAY		94062 CONT
244	XXXX	00
247	DUKE LAWRENCE W	851-2705 3
252	XXXX	00
308	SCHADEL BRUCE W	851-8023 6
315	FERGUSON RICHARD A	851-1424 9
	GILL ROBERT F JR	851-8094 5
316	GOODING A G	851-3126+0
	MARSHALL NOEL H	851-3126+0
★	0 BUS 20 RES	5 NEW

SKYLINE BLVD 1980

Target Street	Cross Street	Source
SKYLINE BLVD		94062 CONT
19500.....	APARTMENTS	
	BLUM RICHARD H	851-7401 2
	DEMPSEY MICHAEL	851-3205+0
	HAYDON C	851-3237 9
	HAYDON GLEN B-DR	851-2791 3
	ISENBERG GERDA	851-1668
	JAQUA A RICHARD	851-1243 9
★	YERBA BUENA NURSERY	851-1668
19500		
19501	NYE FRANK	851-8158
19765	JACKSON BRUCE	851-7755+0

BLAKEWOOD WAY 1977

BLAKEWOOD WAY 94062		WOODSIDE
1	LEONIAN ARMEN L	851-7766
3	XXXX	00
116	ROSE L	851-8076+7
191	HOLMES MYCROFT	851-8421 4
221	JONES RICHARD E	851-1030 5
	MULL DAVID G	851-2305 5
223	BREEN LORRIE	851-1013 5
	WHITSELL JUDY	851-8118 5
227	ROSENSTIEL EDWARD	851-2445+7
234	VALLO JOANN	851-0344+7
243	PARDINI RON	851-7856 6
244	KIPER C A	851-0508+7
	LEAR L	851-0508+7
247	DUKE LAWRENCE W	851-2705 3
252	BERRY KENNETH E	851-7509 5
307	XXXX	00
308	SCHADEL BRUCE W	851-8023 6
315	GILL ROBERT F JR	851-8094 5
316	AIKIN E ROBERT	851-1416
*	0 BUS 19 RES	5 NEW

✓

-

SKYLINE BLVD 1977

16260	SEAMAN WILLIAM E	851-7642
17000	TETZLAFF JAMES F	851-8089 6
17085	EVANS THOMAS C JR	851-2251+7
17115	RUTTER DONALD D	851-1950 6
17125	XXXX	00
17222	LOHR JAS A	851-8261 2
17285*	BLOMQUIST FRED	851-1236+7
	*FISCHER LAND SRVYNG	851-1236 4
	*FISCHER STEVE	851-1236 5
	KINGSLEY GEORGE DDS	851-2920+7
	*SKYWOOD REALTY	851-8100 6
17288*	ALICES RESTAURANT	851-0221 2
	*SKYLONDA CORNERS	851-0221
	*TAYLOR ALICE J	851-0221
17300	KESLER R E	851-2876+7
17370	REGAN GLEN B	851-2898+7
17507	MEHAN LEWIS C	851-1296
17513	REID ALEXANDER	851-0890 5
17554	SCHINN ALFRED E	851-8353
17560	KLEINHENZ C	851-1563+7
	MOORHEAD JOHN K	851-2323 2
17650	CHU DAVID	851-1352 5
17659*	MODERN EXCAVATING	851-0110
17820	JENSEN MARTHA	851-1342 2
17865	CECELIANI MARIE	851-0974 5
	A SMITH LOWELL GRANT	851-1057
	B WALTON P	851-0974 5

SKYLINE BLVD 1977

..SKYLINE BLVD		94062 CONT..
17907	JACKSON DAVID M	851-1314 4
18000	...APARTMENTS	
	FOTRE TERRY	851-2517+7
	GELER PETER J	851-2388+7
	GREAVES CHARLES MD	851-1922 4
	RUDD RIMA	851-2388 6
	WEISS EDWARD A DR	851-2390+7
18000	
19500	...APARTMENTS	
	BLUM RICHARD H	851-7401 2
	BRADLEY MARY	851-1476 5
	HAYDON GLEN B DR	851-2791 3
	ISENBERG GERDA	851-1668
	SARNA ANDREI	851-0666 4
	*YERBA BUENA NURSERY	851-1668
19500	
19501	NYE FRANK	851-8158
19765	XXXX	00
20000	BERGMAN BERT J	851-1061
	SILLS JOHN S	851-1223

BLAKEWOOD WAY 1970

BLAKEWOOD WAY 94062 WOODSIDE

1	LEONIAN ARMEN L	851-7766
3	HALE MARGARET	851-7563
5	STRINGHAM ROGER	851-8118
8	HILBORN WM	851-0753
25	JOHNSEN MELVYN A DR	851-8856
116	LOHR JAS A	851-8261
161	DAVIS CLIFFORD	851-7184
247	KALISHMAN PAMELA	851-8472
307	ADAMS WM J JR	851-7418
NO #	AIKIN E ROBERT	851-1416
NO #	BERG WM	851-8682
NO #	BERRY KENNETH E	851-7509
NO #	CROCKETT KENT	851-7013
NO #	CURTIN LI	851-7821
*	0 BUS	14 RES

✓

-

SKYLINE BLVD 1970

14814	MARKEGARD LARRY	747
14826	HIRSCH H	851
	PLANK ALBERT D	851-1455
	PLANK DENNIS JR	851-1452
	PLANK DIANA	851-1452
16200	DYER CALVIN	851-1694
16208	NUGENT W J	851-7397
16222	DAVIDSON HARVEY	851-7140
16260	SEAMAN WM E	851-7642
17288*	SKYLONDA CORNERS	851-0221
	*TAYLOR ALICE J	851-0221
	*TAYLOR LEROY	851-0221
17507	MEHAN LEWIS C	851-1296
17513	GRESSLE A KEITH	851-0151
	HENSON GLADYS R	851-7252
17554	SCHINN ALFRED E	851-8353
17560	BANKS ELISE JACOBS	851-7672
17650	WETTEROTH RONALD G	851-8365
17659*	MODERN EXCAVATING	851-0110
	SATTREE DEBBY	851-8142
	SATTREE WM G	851-0110
17820	JENSEN CHRIS	851-1342
17865A	SMITH LOWELL GRANT	851-1057
17907	MORGAN PAMUELA	851-9977
18000*	ORTEGA PK TCHRS LAB	851-0934
18033	THRONDSO ALBERT DR	851-1662
19500	ISENBERG GERDA	851-1668
	SANDER HILDEGARD	851-0376
	WYMAN WILLARD G	851-0492
	*YERBA BUENA NURSERY	851-1668
19501	NYE FRANK	851-8158
19765	WESSON ROBT L	851-8219
20000	BERGMAN BERT J	851-1061
	SILLS JOHN S	851-1223
20001	BAINBRIDGE WM	851-1905
	JENSEN E DUANE	851-7218
	MEHTALA JACK	851-1905
	QUAM LYNN	851-1905

APPENDIX E
EDR DATABASE REPORT

Sky Londa Fire Station No. 58


17290 Skyline Blvd.

Redwood City, CA 94062

Inquiry Number: 4193066.2s

January 28, 2015

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	26
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-11
Physical Setting Source Map Findings	A-13
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2015 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

17290 SKYLINE BLVD.
SAN MATEO County, CA 94062

COORDINATES

Latitude (North): 37.3874000 - 37° 23' 14.64"
Longitude (West): 122.2664000 - 122° 15' 59.04"
Universal Transverse Mercator: Zone 10
UTM X (Meters): 564942.2
UTM Y (Meters): 4137897.5
Elevation: 1484 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 37122-D3 WOODSIDE, CA
Most Recent Revision: 1999

East Map: 37122-D2 PALO ALTO, CA
Most Recent Revision: 1999

South Map: 37122-C3 LA HONDA, CA
Most Recent Revision: 1999

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20120520
Source: USDA

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 8 of the attached EDR Radius Map report:

<u>Site</u>	<u>Database(s)</u>	<u>EPA ID</u>
COUNTY OF SAN MATEO 17290 SKYLINE BLVD WOODSIDE, CA 94062	HIST UST SWEEPS UST San Mateo Co. BI EMI	N/A
COUNTY OF SAN MATEO SKYLONDA FS 17290 SKYLINE BLVD SAN MATEO, CA 94062	HAZNET	N/A
CREEK BED, BEHIND 17290 SKYLINE B CREEK BED, BEHIND 17290 SKYLINE BLVD WOODSIDE, CA 94062	CDL	N/A

EXECUTIVE SUMMARY

SKYLONDA FIRE DEPT 17290 SKYLINE WOODSIDE, CA 94062	AST	N/A
---	-----	-----

COUNTY OF SAN MATEO 17290 SKYLINE BLVD WOODSIDE, CA 94062	FINDS	N/A
---	-------	-----

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY..... Federal Facility Site Information listing

Federal CERCLIS NFRAP site List

CERC-NFRAP..... CERCLIS No Further Remedial Action Planned

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators
RCRA-SQG..... RCRA - Small Quantity Generators
RCRA-CESQG..... RCRA - Conditionally Exempt Small Quantity Generator

EXECUTIVE SUMMARY

Federal institutional controls / engineering controls registries

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls
LUCIS..... Land Use Control Information System

Federal ERNS list

ERNS..... Emergency Response Notification System

State- and tribal - equivalent NPL

RESPONSE..... State Response Sites

State- and tribal - equivalent CERCLIS

ENVIROSTOR..... EnviroStor Database

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Solid Waste Information System

State and tribal leaking storage tank lists

SLIC..... Statewide SLIC Cases
INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

INDIAN UST..... Underground Storage Tanks on Indian Land
FEMA UST..... Underground Storage Tank Listing

State and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing
VCP..... Voluntary Cleanup Program Properties

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
ODI..... Open Dump Inventory
SWRCY..... Recycler Database
HAULERS..... Registered Waste Tire Haulers Listing
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands
WMUDS/SWAT..... Waste Management Unit Database

Local Lists of Hazardous waste / Contaminated Sites

US CDL..... Clandestine Drug Labs

EXECUTIVE SUMMARY

HIST Cal-Sites..... Historical Calsites Database
SCH..... School Property Evaluation Program
Toxic Pits..... Toxic Pits Cleanup Act Sites
US HIST CDL..... National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

CA FID UST..... Facility Inventory Database

Local Land Records

LIENS 2..... CERCLA Lien Information
LIENS..... Environmental Liens Listing
DEED..... Deed Restriction Listing

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System
CHMIRS..... California Hazardous Material Incident Report System
LDS..... Land Disposal Sites Listing
MCS..... Military Cleanup Sites Listing
SPILLS 90..... SPILLS 90 data from FirstSearch

Other Ascertainable Records

RCRA NonGen / NLR..... RCRA - Non Generators / No Longer Regulated
DOT OPS..... Incident and Accident Data
DOD..... Department of Defense Sites
FUDS..... Formerly Used Defense Sites
CONSENT..... Superfund (CERCLA) Consent Decrees
ROD..... Records Of Decision
UMTRA..... Uranium Mill Tailings Sites
US MINES..... Mines Master Index File
TRIS..... Toxic Chemical Release Inventory System
TSCA..... Toxic Substances Control Act
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
SSTS..... Section 7 Tracking Systems
ICIS..... Integrated Compliance Information System
PADS..... PCB Activity Database System
MLTS..... Material Licensing Tracking System
RADINFO..... Radiation Information Database
RAATS..... RCRA Administrative Action Tracking System
RMP..... Risk Management Plans
CA BOND EXP. PLAN..... Bond Expenditure Plan
NPDES..... NPDES Permits Listing
UIC..... UIC Listing
Cortese..... "Cortese" Hazardous Waste & Substances Sites List
CUPA Listings..... CUPA Resources List
Notify 65..... Proposition 65 Records
DRYCLEANERS..... Cleaner Facilities
WIP..... Well Investigation Program Case List
ENF..... Enforcement Action Listing
INDIAN RESERV..... Indian Reservations

EXECUTIVE SUMMARY

SCRD DRYCLEANERS.....	State Coalition for Remediation of Drycleaners Listing
2020 COR ACTION.....	2020 Corrective Action Program List
COAL ASH DOE.....	Steam-Electric Plant Operation Data
US AIRS.....	Aerometric Information Retrieval System Facility Subsystem
WDS.....	Waste Discharge System
HWP.....	EnviroStor Permitted Facilities Listing
LEAD SMELTERS.....	Lead Smelter Sites
HWT.....	Registered Hazardous Waste Transporter Database
PROC.....	Certified Processors Database
Financial Assurance.....	Financial Assurance Information Listing
EPA WATCH LIST.....	EPA WATCH LIST
US FIN ASSUR.....	Financial Assurance Information
PCB TRANSFORMER.....	PCB Transformer Registration Database
MWMP.....	Medical Waste Management Program Listing
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List
PRP.....	Potentially Responsible Parties

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP.....	EDR Proprietary Manufactured Gas Plants
EDR US Hist Cleaners.....	EDR Exclusive Historic Dry Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF.....	Recovered Government Archive Solid Waste Facilities List
RGA LUST.....	Recovered Government Archive Leaking Underground Storage Tank

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

State and tribal leaking storage tank lists

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the State Water Resources Control Board Leaking Underground Storage Tank Information System.

A review of the LUST list, as provided by EDR, and dated 12/12/2014 has revealed that there are 3

EXECUTIVE SUMMARY

LUST sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ALICES STATION Status: Completed - Case Closed	17288 SKYLINE	SE 0 - 1/8 (0.023 mi.)	B12	18
SKYLONDA CORNERS	17288 SKYLINE	SE 0 - 1/8 (0.023 mi.)	B13	21
SKYWOOD MARKET Status: Completed - Case Closed	17319 SKYLINE	ESE 0 - 1/8 (0.118 mi.)	C15	23

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazardous Substance Storage Container Database.

A review of the UST list, as provided by EDR, and dated 01/20/2015 has revealed that there is 1 UST site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SKYWOOD TRADING POST	17288 SKYLINE BLVD	SE 0 - 1/8 (0.023 mi.)	B11	17

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Registered Storage Tanks

HIST UST: Historical UST Registered Database.

A review of the HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there is 1 HIST UST site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SKYLONDA CORNERS	17288 SKYLINE BLVD	SE 0 - 1/8 (0.020 mi.)	B10	17

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there are 2 SWEEPS UST sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WOODSIDE UNION 76	17284 SKYLINE BLVD	ESE 0 - 1/8 (0.001 mi.)	B6	13
SKYWOOD GAS	17311 SKYLINE	ESE 0 - 1/8 (0.075 mi.)	C14	22

EXECUTIVE SUMMARY

Other Ascertainable Records

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSTATES]. This listing is no longer updated by the state agency.

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 2 HIST CORTESE sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
ALICES STATION	17288 SKYLINE	SE 0 - 1/8 (0.023 mi.)	B12	18
SKYWOOD MARKET	17319 SKYLINE	ESE 0 - 1/8 (0.118 mi.)	C15	23

Hazardous Materials Business Plan, Hazardous Waste Generator, Underground Storage tanks

A review of the San Mateo Co. BI list, as provided by EDR, and dated 10/06/2014 has revealed that there are 3 San Mateo Co. BI sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WOODSIDE UNION 76	17284 SKYLINE	ESE 0 - 1/8 (0.001 mi.)	B7	15
SKYWOOD TRADING POST	17287 SKYLINE	ESE 0 - 1/8 (0.003 mi.)	B9	16
ALICES STATION	17288 SKYLINE	SE 0 - 1/8 (0.023 mi.)	B12	18

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR US Hist Auto Stat: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR US Hist Auto Stat list, as provided by EDR, has revealed that there is 1 EDR US Hist Auto Stat site within approximately 0.25 miles of the target property.


<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported	17286 SKYLINE BLVD	ESE 0 - 1/8 (0.002 mi.)	B8	16

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 1 records.

<u>Site Name</u>	<u>Database(s)</u>
WESTERN STATES TANKER SPILL	LUST

DETAIL MAP - 4193066.2S



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  Sensitive Receptors
-  National Priority List Sites
-  Dept. Defense Sites

-  Indian Reservations BIA
-  Oil & Gas pipelines from USGS
-  100-year flood zone
-  500-year flood zone
-  National Wetland Inventory
-  Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Sky Londa Fire Station No. 58
 ADDRESS: 17290 Skyline Blvd.
 Redwood City CA 94062
 LAT/LONG: 37.3874 / 122.2664

CLIENT: SCA Environmental
 CONTACT: Karen Emery
 INQUIRY #: 4193066.2S
 DATE: January 28, 2015 4:41 pm

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	0.001		0	NR	NR	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL	1.000		0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
CERCLIS	0.500		0	0	0	NR	NR	0
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
<i>Federal CERCLIS NFRAP site List</i>								
CERC-NFRAP	0.500		0	0	0	NR	NR	0
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS	1.000		0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-CESQG	0.250		0	0	NR	NR	NR	0
<i>Federal institutional controls / engineering controls registries</i>								
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
LUCIS	0.500		0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS	0.001		0	NR	NR	NR	NR	0
<i>State- and tribal - equivalent NPL RESPONSE</i>								
RESPONSE	1.000		0	0	0	0	NR	0
<i>State- and tribal - equivalent CERCLIS ENVIROSTOR</i>								
ENVIROSTOR	1.000		0	0	0	0	NR	0
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF	0.500		0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
LUST	0.500		3	0	0	NR	NR	3

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
SLIC	0.500		0	0	0	NR	NR	0
INDIAN LUST	0.500		0	0	0	NR	NR	0
State and tribal registered storage tank lists								
UST	0.250		1	0	NR	NR	NR	1
AST	0.250	1	0	0	NR	NR	NR	1
INDIAN UST	0.250		0	0	NR	NR	NR	0
FEMA UST	0.250		0	0	NR	NR	NR	0
State and tribal voluntary cleanup sites								
INDIAN VCP	0.500		0	0	0	NR	NR	0
VCP	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
HAULERS	0.001		0	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
WMUDS/SWAT	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US CDL	0.001		0	NR	NR	NR	NR	0
HIST Cal-Sites	1.000		0	0	0	0	NR	0
SCH	0.250		0	0	NR	NR	NR	0
Toxic Pits	1.000		0	0	0	0	NR	0
CDL	0.001	1	0	NR	NR	NR	NR	1
US HIST CDL	0.001		0	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
CA FID UST	0.250		0	0	NR	NR	NR	0
HIST UST	0.250	1	1	0	NR	NR	NR	2
SWEEPS UST	0.250	1	2	0	NR	NR	NR	3
Local Land Records								
LIENS 2	0.001		0	NR	NR	NR	NR	0
LIENS	0.001		0	NR	NR	NR	NR	0
DEED	0.500		0	0	0	NR	NR	0
Records of Emergency Release Reports								
HMIRS	0.001		0	NR	NR	NR	NR	0
CHMIRS	0.001		0	NR	NR	NR	NR	0
LDS	0.001		0	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
MCS	0.001		0	NR	NR	NR	NR	0
SPILLS 90	0.001		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		0	0	NR	NR	NR	0
DOT OPS	0.001		0	NR	NR	NR	NR	0
DOD	1.000		0	0	0	0	NR	0
FUDS	1.000		0	0	0	0	NR	0
CONSENT	1.000		0	0	0	0	NR	0
ROD	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
TRIS	0.001		0	NR	NR	NR	NR	0
TSCA	0.001		0	NR	NR	NR	NR	0
FTTS	0.001		0	NR	NR	NR	NR	0
HIST FTTS	0.001		0	NR	NR	NR	NR	0
SSTS	0.001		0	NR	NR	NR	NR	0
ICIS	0.001		0	NR	NR	NR	NR	0
PADS	0.001		0	NR	NR	NR	NR	0
MLTS	0.001		0	NR	NR	NR	NR	0
RADINFO	0.001		0	NR	NR	NR	NR	0
FINDS	0.001	1	0	NR	NR	NR	NR	1
RAATS	0.001		0	NR	NR	NR	NR	0
RMP	0.001		0	NR	NR	NR	NR	0
CA BOND EXP. PLAN	1.000		0	0	0	0	NR	0
NPDES	0.001		0	NR	NR	NR	NR	0
UIC	0.001		0	NR	NR	NR	NR	0
Cortese	0.500		0	0	0	NR	NR	0
HIST CORTESE	0.500		2	0	0	NR	NR	2
CUPA Listings	0.250		0	0	NR	NR	NR	0
Notify 65	1.000		0	0	0	0	NR	0
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
WIP	0.250		0	0	NR	NR	NR	0
ENF	0.001		0	NR	NR	NR	NR	0
San Mateo Co. BI	0.250	1	3	0	NR	NR	NR	4
HAZNET	0.001	1	0	NR	NR	NR	NR	1
EMI	0.001	1	0	NR	NR	NR	NR	1
INDIAN RESERV	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
COAL ASH DOE	0.001		0	NR	NR	NR	NR	0
US AIRS	0.001		0	NR	NR	NR	NR	0
WDS	0.001		0	NR	NR	NR	NR	0
HWP	1.000		0	0	0	0	NR	0
LEAD SMELTERS	0.001		0	NR	NR	NR	NR	0
HWT	0.250		0	0	NR	NR	NR	0
PROC	0.500		0	0	0	NR	NR	0
Financial Assurance	0.001		0	NR	NR	NR	NR	0
EPA WATCH LIST	0.001		0	NR	NR	NR	NR	0
US FIN ASSUR	0.001		0	NR	NR	NR	NR	0
PCB TRANSFORMER	0.001		0	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
MWMP	0.250		0	0	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PRP	0.001		0	NR	NR	NR	NR	0

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	1.000		0	0	0	0	NR	0
EDR US Hist Auto Stat	0.250		1	0	NR	NR	NR	1
EDR US Hist Cleaners	0.250		0	0	NR	NR	NR	0

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF	0.001		0	NR	NR	NR	NR	0
RGA LUST	0.001		0	NR	NR	NR	NR	0

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A1
Target
Property

COUNTY OF SAN MATEO
17290 SKYLINE BLVD
WOODSIDE, CA 94062

HIST UST
SWEEPS UST
San Mateo Co. BI
EMI

U001594517
N/A

Site 1 of 5 in cluster A

Actual:
1484 ft.

HIST UST:

Region: STATE
Facility ID: 00000038783
Facility Type: Other
Other Type: FIRE STATION
Contact Name: DAVID L WESTOVER, BATTALION CH
Telephone: 4158511860
Owner Name: SAN MATEO COUNTY FIRE DEPARTME
Owner Address: 17290 SKYLINE BLVD.
Owner City,St,Zip: WOODSIDE, CA 94062
Total Tanks: 0002

Tank Num: 001
Container Num: #1
Year Installed: Not reported
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: Not reported
Leak Detection: None

Tank Num: 002
Container Num: #2
Year Installed: Not reported
Tank Capacity: 00000500
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: None

SWEEPS UST:

Status: Active
Comp Number: 650021
Number: 6
Board Of Equalization: Not reported
Referral Date: 05-14-94
Action Date: 05-14-94
Created Date: 07-12-91
Owner Tank Id: 7000-9632-01
SWRCB Tank Id: 41-000-650021-000001
Tank Status: A
Capacity: 550
Active Date: 03-25-94
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 2

Status: Active
Comp Number: 650021
Number: 6
Board Of Equalization: Not reported
Referral Date: 05-14-94

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COUNTY OF SAN MATEO (Continued)

U001594517

Action Date: 05-14-94
Created Date: 07-12-91
Owner Tank Id: 7000-9632-02
SWRCB Tank Id: 41-000-650021-000002
Tank Status: A
Capacity: 550
Active Date: 03-25-94
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: Not reported

San Mateo Co. BI:

Region: SAN MATEO
Facility ID: FA0011529
Prog Element Code: ABOVE GROUND TANK/SPCC
Record Id: PR0034140
Description: ABOVE GROUND TANK/SPCC

Region: SAN MATEO
Facility ID: FA0011529
Prog Element Code: GENERATES and RECYCLES WASTE OIL/SOLVENT
Record Id: PR0000032
Description: GENERATES & RECYCLES WASTE OIL/SOLVENT

Region: SAN MATEO
Facility ID: FA0011529
Prog Element Code: STORES MV FUELS OR WASTE ONLY
Record Id: PR0023479
Description: STORES MV FUELS OR WASTE ONLY

Region: SAN MATEO
Facility ID: FA0011529
Prog Element Code: 2352
Record Id: PR0067551
Description: TIER I: TANK STOR CAP =>1,320 & <5,000 GAL

Region: SAN MATEO
Facility ID: FA0011529
Prog Element Code: UNDERGROUND TANK - GENERAL
Record Id: PR0022731
Description: UNDERGROUND TANK - GENERAL

EMI:

Year: 2007
County Code: 41
Air Basin: SF
Facility ID: 14875
Air District Name: BA
SIC Code: 9223
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: .002
Reactive Organic Gases Tons/Yr: .0016734
Carbon Monoxide Emissions Tons/Yr: .006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COUNTY OF SAN MATEO (Continued)

U001594517

NOX - Oxides of Nitrogen Tons/Yr: .026
SOX - Oxides of Sulphur Tons/Yr: .001
Particulate Matter Tons/Yr: .001
Part. Matter 10 Micrometers & Smlr Tons/Yr: .000976

Year: 2008
County Code: 41
Air Basin: SF
Facility ID: 14875
Air District Name: BA
SIC Code: 9223
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: .002
Reactive Organic Gases Tons/Yr: .0016734
Carbon Monoxide Emissions Tons/Yr: .006
NOX - Oxides of Nitrogen Tons/Yr: .026
SOX - Oxides of Sulphur Tons/Yr: .001
Particulate Matter Tons/Yr: .001
Part. Matter 10 Micrometers & Smlr Tons/Yr: .000976

Year: 2009
County Code: 41
Air Basin: SF
Facility ID: 14875
Air District Name: BA
SIC Code: 9223
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.001
Reactive Organic Gases Tons/Yr: 8.367000000000001E-4
Carbon Monoxide Emissions Tons/Yr: 4.000000000000001E-3
NOX - Oxides of Nitrogen Tons/Yr: 0.019
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0.001
Part. Matter 10 Micrometers & Smlr Tons/Yr: 9.759999999999998E-4

Year: 2010
County Code: 41
Air Basin: SF
Facility ID: 14875
Air District Name: BA
SIC Code: 9223
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.001
Reactive Organic Gases Tons/Yr: 8.367000000000001E-4
Carbon Monoxide Emissions Tons/Yr: 4.000000000000001E-3
NOX - Oxides of Nitrogen Tons/Yr: 0.019
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0.00102459016393442
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0.001

Year: 2011

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COUNTY OF SAN MATEO (Continued)

U001594517

County Code: 41
Air Basin: SF
Facility ID: 14875
Air District Name: BA
SIC Code: 9223
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.001
Reactive Organic Gases Tons/Yr: 0.0008367
Carbon Monoxide Emissions Tons/Yr: 0.004
NOX - Oxides of Nitrogen Tons/Yr: 0.019
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 2012
County Code: 41
Air Basin: SF
Facility ID: 14875
Air District Name: BA
SIC Code: 9223
Air District Name: BAY AREA AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.001
Reactive Organic Gases Tons/Yr: 0.0008367
Carbon Monoxide Emissions Tons/Yr: 0.004
NOX - Oxides of Nitrogen Tons/Yr: 0.019
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0.0010245901639
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0.001

A2 COUNTY OF SAN MATEO SKYLONDA FS
Target 17290 SKYLINE BLVD
Property SAN MATEO, CA 94062

HAZNET S113055886
N/A

Site 2 of 5 in cluster A

Actual: 1484 ft.
HAZNET:
envid: S113055886
Year: 2003
GEPaid: CAL000091153
Contact: RICK CUMMINGS/FIRE CAPTAIN
Telephone: 6508511860
Mailing Name: Not reported
Mailing Address: 17290 SKYLINE BLVD
Mailing City,St,Zip: WOODSIDE, CA 940623741
Gen County: Not reported
TSD EPA ID: NVD980895338
TSD County: Not reported
Waste Category: Waste oil and mixed oil
Disposal Method: Not reported
Tons: 0.18
Facility County: San Mateo

envid: S113055886
Year: 1998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COUNTY OF SAN MATEO SKYLONDA FS (Continued)

S113055886

GEPaid: CAL000091153
Contact: COUNTY OF SAN MATEO
Telephone: 4153634305
Mailing Name: Not reported
Mailing Address: 17290 SKYLINE BLVD
Mailing City,St,Zip: WOODSIDE, CA 940623741
Gen County: Not reported
TSD EPA ID: CAD028409019
TSD County: Not reported
Waste Category: Other organic solids
Disposal Method: Not reported
Tons: .0750
Facility County: San Mateo

envid: S113055886
Year: 1998
GEPaid: CAL000091153
Contact: COUNTY OF SAN MATEO
Telephone: 4153634305
Mailing Name: Not reported
Mailing Address: 17290 SKYLINE BLVD
Mailing City,St,Zip: WOODSIDE, CA 940623741
Gen County: Not reported
TSD EPA ID: CAD059494310
TSD County: Not reported
Waste Category: Unspecified organic liquid mixture
Disposal Method: Disposal, Other
Tons: .8340
Facility County: San Mateo

envid: S113055886
Year: 1997
GEPaid: CAL000091153
Contact: COUNTY OF SAN MATEO
Telephone: 4153634305
Mailing Name: Not reported
Mailing Address: 17290 SKYLINE BLVD
Mailing City,St,Zip: WOODSIDE, CA 940623741
Gen County: Not reported
TSD EPA ID: CAD009466392
TSD County: Not reported
Waste Category: Other empty containers 30 gallons or more
Disposal Method: Recycler
Tons: .5500
Facility County: San Mateo

A3
Target
Property

CREEK BED, BEHIND 17290 SKYLINE BLVD
WOODSIDE, CA 94062

CDL S108407497
N/A

Site 3 of 5 in cluster A

Actual:
1484 ft.

CDL:
Facility ID: 200610005
Date: 10/03/2006
Lab Type: Abandoned Drug Lab Waste (A) - location away from an actual illegal drug lab where drug lab waste and/or equipment were abandoned.

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

A4	SKYLONDA FIRE DEPT 17290 SKYLINE WOODSIDE, CA 94062	AST	A100337592 N/A
-----------	--	------------	---------------------------------

Site 4 of 5 in cluster A

Actual: 1484 ft.	AST: Certified Unified Program Agencies: San Mateo Owner: Not reported Total Gallons: 1,320
-----------------------------------	---

A5	COUNTY OF SAN MATEO 17290 SKYLINE BLVD WOODSIDE, CA 94062	FINDS	1015940906 N/A
-----------	--	--------------	---------------------------------

Site 5 of 5 in cluster A

Actual: 1484 ft.	FINDS: Registry ID: 110054260321 Environmental Interest/Information System CRITERIA AND HAZARDOUS AIR POLLUTANT INVENTORY
-----------------------------------	---

B6	WOODSIDE UNION 76 17284 SKYLINE BLVD WOODSIDE, CA 94062	SWEEPS UST	S101325659 N/A
-----------	--	-------------------	---------------------------------

ESE
< 1/8
0.001 mi.
6 ft.

Site 1 of 8 in cluster B

Relative: Lower	SWEEPS UST: Status: Not reported Comp Number: 650009 Number: Not reported Board Of Equalization: Not reported Referral Date: Not reported Action Date: Not reported Created Date: Not reported Owner Tank Id: Not reported SWRCB Tank Id: 41-000-650009-000001 Tank Status: Not reported Capacity: 2000 Active Date: Not reported Tank Use: M.V. FUEL STG: PRODUCT Content: REG UNLEADED Number Of Tanks: 5
Actual: 1478 ft.	Status: Not reported Comp Number: 650009 Number: Not reported Board Of Equalization: Not reported Referral Date: Not reported Action Date: Not reported Created Date: Not reported Owner Tank Id: Not reported SWRCB Tank Id: 41-000-650009-000002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WOODSIDE UNION 76 (Continued)

S101325659

Tank Status: Not reported
Capacity: 1000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 650009
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 41-000-650009-000003
Tank Status: Not reported
Capacity: 500
Active Date: Not reported
Tank Use: OIL
STG: WASTE
Content: WASTE OIL
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 650009
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 41-000-650009-000004
Tank Status: Not reported
Capacity: 5000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: Not reported

Status: Not reported
Comp Number: 650009
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 41-000-650009-000005
Tank Status: Not reported
Capacity: 2000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WOODSIDE UNION 76 (Continued)

S101325659

Number Of Tanks: Not reported

Status: Active
Comp Number: 650009
Number: 2
Board Of Equalization: Not reported
Referral Date: 05-14-94
Action Date: 05-14-94
Created Date: 10-13-88
Owner Tank Id: 6
SWRCB Tank Id: 41-000-650009-000006
Tank Status: A
Capacity: 6000
Active Date: 04-26-94
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 2

Status: Active
Comp Number: 650009
Number: 2
Board Of Equalization: Not reported
Referral Date: 05-14-94
Action Date: 05-14-94
Created Date: 10-13-88
Owner Tank Id: 7
SWRCB Tank Id: 41-000-650009-000007
Tank Status: A
Capacity: 6000
Active Date: 04-26-94
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: Not reported

**B7
ESE
< 1/8
0.001 mi.
6 ft.**

**WOODSIDE UNION 76
17284 SKYLINE
WOODSIDE, CA 94062**

**San Mateo Co. BI S103947901
N/A**

Site 2 of 8 in cluster B

**Relative:
Lower**

San Mateo Co. BI:
Region: SAN MATEO
Facility ID: FA0017950
Prog Element Code: GENERATES and RECYCLES WASTE OIL/SOLVENT
Record Id: PR0024892
Description: GENERATES & RECYCLES WASTE OIL/SOLVENT

**Actual:
1478 ft.**

Region: SAN MATEO
Facility ID: FA0017950
Prog Element Code: STORES MV FUELS OR WASTE ONLY
Record Id: PR0004612
Description: STORES MV FUELS OR WASTE ONLY

Region: SAN MATEO
Facility ID: FA0017950
Prog Element Code: UNDERGROUND TANK - GENERAL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WOODSIDE UNION 76 (Continued)

S103947901

Record Id: PR0022721
Description: UNDERGROUND TANK - GENERAL

B8
ESE
< 1/8
0.002 mi.
8 ft.

17286 SKYLINE BLVD
REDWOOD CITY, CA 94062

EDR US Hist Auto Stat 1015270501
N/A

Site 3 of 8 in cluster B

Relative:
Lower

EDR Historical Auto Stations:

Name: WOODSIDE UNION 76
Year: 1999
Address: 17286 SKYLINE BLVD

Actual:
1476 ft.

Name: WOODSIDE UNION 76
Year: 2001
Address: 17286 SKYLINE BLVD

Name: WOODSIDE UNION 76
Year: 2002
Address: 17286 SKYLINE BLVD

Name: ALICES STATION
Year: 2003
Address: 17286 SKYLINE BLVD

Name: ALICES STATION
Year: 2004
Address: 17286 SKYLINE BLVD

Name: ALICES STATION
Year: 2011
Address: 17286 SKYLINE BLVD

B9
ESE
< 1/8
0.003 mi.
18 ft.

SKYWOOD TRADING POST
17287 SKYLINE
WOODSIDE, CA 94062

San Mateo Co. BI S103894479
N/A

Site 4 of 8 in cluster B

Relative:
Lower

San Mateo Co. BI:

Region: SAN MATEO
Facility ID: FA0017946
Prog Element Code: GENERATES <27 GAL/YEAR
Record Id: PR0043249
Description: GENERATES <27 GAL/YEAR

Actual:
1476 ft.

Region: SAN MATEO
Facility ID: FA0017946
Prog Element Code: STORES MV FUELS OR WASTE ONLY
Record Id: PR0025372
Description: STORES MV FUELS OR WASTE ONLY

Region: SAN MATEO
Facility ID: FA0017946
Prog Element Code: UNDERGROUND TANK - GENERAL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SKYWOOD TRADING POST (Continued)

S103894479

Record Id: PR0022718
Description: UNDERGROUND TANK - GENERAL

B10
SE
< 1/8
0.020 mi.
107 ft.

SKYLONDA CORNERS
17288 SKYLINE BLVD
WOODSIDE, CA 94062

HIST UST **U001594516**
N/A

Site 5 of 8 in cluster B

Relative:
Lower

HIST UST:
Region: STATE
Facility ID: 00000028079
Facility Type: Gas Station
Other Type: Not reported
Contact Name: Not reported
Telephone: 4158510221
Owner Name: LILA ROGERS
Owner Address: 3480 HOOVER ST.
Owner City,St,Zip: REDWOOD CITY, CA 94063
Total Tanks: 0002

Actual:
1474 ft.

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00002000
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 2
Year Installed: Not reported
Tank Capacity: 00003000
Tank Used for: PRODUCT
Type of Fuel: PREMIUM
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

B11
SE
< 1/8
0.023 mi.
121 ft.

SKYWOOD TRADING POST
17288 SKYLINE BLVD
WOODSIDE, CA 94062

UST **U004049667**
N/A

Site 6 of 8 in cluster B

Relative:
Lower

UST:
Facility ID: 41--017946
Permitting Agency: SAN MATEO COUNTY
Latitude: 37.3880224
Longitude: -122.2640447

Actual:
1472 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B12
SE
< 1/8
0.023 mi.
121 ft.

ALICES STATION
17288 SKYLINE
WOODSIDE, CA 94062
Site 7 of 8 in cluster B

HIST CORTESE
LUST
San Mateo Co. BI

S104973591
N/A

Relative:
Lower

HIST CORTESE:
Region: CORTESE
Facility County Code: 41
Reg By: LTNKA
Reg Id: 41-0777

Actual:
1472 ft.

Region: CORTESE
Facility County Code: 41
Reg By: LTNKA
Reg Id: 41-0602

LUST:

Region: STATE
Global Id: T0608100574
Latitude: 37.3868
Longitude: -122.2643
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 06/06/2011
Lead Agency: SAN MATEO COUNTY LOP
Case Worker: MM
Local Agency: SAN MATEO COUNTY LOP
RB Case Number: 41-0602
LOC Case Number: 650004
File Location: Local Agency
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Can be extracted from most recent report in Geotracker or at San Mateo County offices if submitted prior to 2005, San Mateo County does not take responsibility for the accuracy of the statements made or any professional interpretations made in the referenced report.

Click here to access the California GeoTracker records for this facility:

Contact:

Global Id: T0608100574
Contact Type: Local Agency Caseworker
Contact Name: MARC MULLANEY
Organization Name: SAN MATEO COUNTY LOP
Address: 2000 ALAMEDA DE LAS PULGAS
City: SAN MATEO
Email: mmullaney@smcgov.org
Phone Number: 6503726289

Global Id: T0608100574
Contact Type: Regional Board Caseworker
Contact Name: UUU
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALICES STATION (Continued)

S104973591

Status History:

Global Id: T0608100574
Status: Completed - Case Closed
Status Date: 06/06/2011

Global Id: T0608100574
Status: Open - Verification Monitoring
Status Date: 08/20/2002

Global Id: T0608100574
Status: Open - Case Begin Date
Status Date: 11/06/1984

Regulatory Activities:

Global Id: T0608100574
Action Type: Other
Date: 11/06/1984
Action: Leak Reported

Global Id: T0608100574
Action Type: ENFORCEMENT
Date: 10/07/2010
Action: Staff Letter - #20101007

Global Id: T0608100574
Action Type: ENFORCEMENT
Date: 08/14/2001
Action: Staff Letter - #20010814

Global Id: T0608100574
Action Type: ENFORCEMENT
Date: 01/16/1992
Action: Referral to Regional Board - #19920116

Global Id: T0608100574
Action Type: Other
Date: 01/01/1983
Action: Leak Discovery

Global Id: T0608100574
Action Type: ENFORCEMENT
Date: 08/20/2002
Action: Staff Letter - #20020820

Global Id: T0608100574
Action Type: ENFORCEMENT
Date: 09/05/1990
Action: Notice of Responsibility - #19900905

Global Id: T0608100574
Action Type: RESPONSE
Date: 01/14/2002
Action: Soil and Water Investigation Report

Global Id: T0608100574
Action Type: Other

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALICES STATION (Continued)

S104973591

Date: 01/01/1983
Action: Leak Began

Global Id: T0608100574
Action Type: ENFORCEMENT
Date: 05/24/2011
Action: Notice of Violation - #20110524

Global Id: T0608100574
Action Type: ENFORCEMENT
Date: 02/25/2010
Action: Staff Letter - #20100225

Global Id: T0608100574
Action Type: ENFORCEMENT
Date: 06/06/2011
Action: Closure/No Further Action Letter - #20110606

Global Id: T0608100574
Action Type: ENFORCEMENT
Date: 02/18/1999
Action: Staff Letter - #19990218

Global Id: T0608100574
Action Type: ENFORCEMENT
Date: 11/17/1999
Action: Warning Letter - #19991117

Global Id: T0608100574
Action Type: REMEDIATION
Date: 04/24/1992
Action: Excavation

Global Id: T0608100574
Action Type: REMEDIATION
Date: 10/15/1992
Action: Excavation

Global Id: T0608100574
Action Type: RESPONSE
Date: 03/31/2011
Action: Well Destruction Report

Global Id: T0608100574
Action Type: ENFORCEMENT
Date: 08/05/2009
Action: Staff Letter - #20090805

Global Id: T0608100574
Action Type: RESPONSE
Date: 04/30/2010
Action: Soil and Water Investigation Report

Global Id: T0608100574
Action Type: ENFORCEMENT
Date: 12/15/2010
Action: Staff Letter - #20101215

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALICES STATION (Continued)

S104973591

SAN MATEO CO. LUST:

Region: SAN MATEO
Facility ID: 650004
Facility Status: 9- Case Closed
Global ID: T0608100574
APN Number: 075101020
Case Type: SAN MATEO CO. LUST
EDR Link ID: SAN MATEO CO. LUST

San Mateo Co. BI:

Region: SAN MATEO
Facility ID: FA0002047
Prog Element Code: GENERATES <27 GAL/YEAR
Record Id: PR0043723
Description: GENERATES <27 GAL/YEAR

Region: SAN MATEO
Facility ID: FA0002047
Prog Element Code: STORES MV FUELS OR WASTE ONLY
Record Id: PR0034933
Description: STORES MV FUELS OR WASTE ONLY

Region: SAN MATEO
Facility ID: FA0002047
Prog Element Code: UNDERGROUND TANK - GENERAL
Record Id: PR0043260
Description: UNDERGROUND TANK - GENERAL

Region: SAN MATEO
Facility ID: FA0002047
Prog Element Code: UST/ADDITIONAL TANK
Record Id: PR0034932
Description: UST/ADDITIONAL TANK

Region: SAN MATEO
Facility ID: FA0002047
Prog Element Code: UST/FIRST TANK
Record Id: PR0034931
Description: UST/FIRST TANK

**B13
SE
< 1/8
0.023 mi.
121 ft.**

**SKYLONDA CORNERS
17288 SKYLINE
WOODSIDE, CA 94062
Site 8 of 8 in cluster B**

**LUST S105034276
N/A**

**Relative:
Lower**

LUST REG 2:
Region: 2
Facility Id: Not reported
Facility Status: Post remedial action monitoring
Case Number: 650004
How Discovered: OM
Leak Cause: Unknown
Leak Source: Unknown
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assessment Workplan Submitted: Not reported

**Actual:
1472 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SKYLONDA CORNERS (Continued)

S105034276

Preliminary Site Assessment Began: Not reported
Pollution Characterization Began: Not reported
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: 1/1/1965

**C14
ESE
< 1/8
0.075 mi.
394 ft.**

**SKYWOOD GAS
17311 SKYLINE
WOODSIDE, CA 94062**

**SWEEPS UST S106932274
N/A**

Site 1 of 2 in cluster C

**Relative:
Lower**

SWEEPS UST:

**Actual:
1472 ft.**

Status: Active
Comp Number: 650003
Number: 9
Board Of Equalization: Not reported
Referral Date: 05-14-94
Action Date: 05-14-94
Created Date: 10-13-88
Owner Tank Id: UNK
SWRCB Tank Id: 41-000-650003-000001
Tank Status: A
Capacity: 6500
Active Date: 04-26-94
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 4

Status: Active
Comp Number: 650003
Number: 9
Board Of Equalization: Not reported
Referral Date: 05-14-94
Action Date: 05-14-94
Created Date: 10-13-88
Owner Tank Id: UNK
SWRCB Tank Id: 41-000-650003-000002
Tank Status: A
Capacity: 6500
Active Date: 04-26-94
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Status: Active
Comp Number: 650003
Number: 9
Board Of Equalization: Not reported
Referral Date: 05-14-94
Action Date: 05-14-94
Created Date: 10-13-88
Owner Tank Id: UNK
SWRCB Tank Id: 41-000-650003-000003
Tank Status: A
Capacity: 3500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SKYWOOD GAS (Continued)

S106932274

Active Date: 04-26-94
Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: Not reported

Status: Active
Comp Number: 650003
Number: 9
Board Of Equalization: Not reported
Referral Date: 05-14-94
Action Date: 05-14-94
Created Date: 10-13-88
Owner Tank Id: UNK
SWRCB Tank Id: 41-000-650003-000004
Tank Status: A
Capacity: 3500
Active Date: 04-26-94
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

**C15
ESE
< 1/8
0.118 mi.
622 ft.**

**SKYWOOD MARKET
17319 SKYLINE
WOODSIDE, CA 94062
Site 2 of 2 in cluster C**

**HIST CORTESE S101303310
LUST N/A**

**Relative:
Lower**

HIST CORTESE:
Region: CORTESE
Facility County Code: 41
Reg By: LTNKA
Reg Id: 41-0526

**Actual:
1473 ft.**

LUST:
Region: STATE
Global Id: T0608100502
Latitude: 37.385782
Longitude: -122.2633688
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 08/05/2003
Lead Agency: SAN MATEO COUNTY LOP
Case Worker: MM
Local Agency: SAN MATEO COUNTY LOP
RB Case Number: 41-0526
LOC Case Number: 650009
File Location: Local Agency
Potential Media Affect: Other Groundwater (uses other than drinking water)
Potential Contaminants of Concern: Gasoline
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

Contact:
Global Id: T0608100502
Contact Type: Regional Board Caseworker

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SKYWOOD MARKET (Continued)

S101303310

Contact Name: UUU
Organization Name: SAN FRANCISCO BAY RWQCB (REGION 2)
Address: 1515 CLAY ST SUITE 1400
City: OAKLAND
Email: Not reported
Phone Number: Not reported

Global Id: T0608100502
Contact Type: Local Agency Caseworker
Contact Name: MARC MULLANEY
Organization Name: SAN MATEO COUNTY LOP
Address: 2000 ALAMEDA DE LAS PULGAS
City: SAN MATEO
Email: mmullaney@smcgov.org
Phone Number: 6503726289

Status History:

Global Id: T0608100502
Status: Open - Case Begin Date
Status Date: 03/10/1992

Global Id: T0608100502
Status: Open - Site Assessment
Status Date: 03/10/1992

Global Id: T0608100502
Status: Completed - Case Closed
Status Date: 08/05/2003

Regulatory Activities:

Global Id: T0608100502
Action Type: Other
Date: 03/10/1992
Action: Leak Reported

Global Id: T0608100502
Action Type: Other
Date: 03/24/1992
Action: Leak Discovery

Global Id: T0608100502
Action Type: ENFORCEMENT
Date: 03/20/1992
Action: Notice of Responsibility - #19920320

Global Id: T0608100502
Action Type: ENFORCEMENT
Date: 08/05/2003
Action: Closure/No Further Action Letter - #2

LUST REG 2:

Region: 2
Facility Id: Not reported
Facility Status: Case Closed
Case Number: 650009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SKYWOOD MARKET (Continued)

S101303310

How Discovered: OM
Leak Cause: Unknown
Leak Source: Unknown
Date Leak Confirmed: Not reported
Oversight Program: LUST
Prelim. Site Assessment Workplan Submitted: Not reported
Preliminary Site Assessment Began: Not reported
Pollution Characterization Began: 1/1/1965
Pollution Remediation Plan Submitted: Not reported
Date Remediation Action Underway: Not reported
Date Post Remedial Action Monitoring Began: Not reported

SAN MATEO CO. LUST:

Region: SAN MATEO
Facility ID: 650009
Facility Status: Not reported
Global ID: T0608100502
APN Number: 9- Case Closed
Case Type: SAN MATEO CO. LUST
EDR Link ID: SAN MATEO CO. LUST

Count: 1 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
WOODSIDE	S109285764	WESTERN STATES TANKER SPILL	0 SKYLINE	94062	LUST

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 09/29/2014	Source: EPA
Date Data Arrived at EDR: 10/08/2014	Telephone: N/A
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/08/2015
Number of Days to Update: 40	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 09/29/2014	Source: EPA
Date Data Arrived at EDR: 10/08/2014	Telephone: N/A
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/08/2015
Number of Days to Update: 40	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 09/29/2014	Source: EPA
Date Data Arrived at EDR: 10/08/2014	Telephone: N/A
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/08/2015
Number of Days to Update: 40	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: 703-412-9810
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 01/09/2015
Number of Days to Update: 94	Next Scheduled EDR Contact: 03/09/2015
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 07/21/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/07/2014	Telephone: 703-603-8704
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 01/09/2015
Number of Days to Update: 13	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: 703-412-9810
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 01/09/2015
Number of Days to Update: 94	Next Scheduled EDR Contact: 03/09/2015
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/10/2014
Date Data Arrived at EDR: 07/02/2014
Date Made Active in Reports: 09/18/2014
Number of Days to Update: 78

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/10/2014
Date Data Arrived at EDR: 07/02/2014
Date Made Active in Reports: 09/18/2014
Number of Days to Update: 78

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/10/2014
Date Data Arrived at EDR: 07/02/2014
Date Made Active in Reports: 09/18/2014
Number of Days to Update: 78

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 06/10/2014
Date Data Arrived at EDR: 07/02/2014
Date Made Active in Reports: 09/18/2014
Number of Days to Update: 78

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/10/2014
Date Data Arrived at EDR: 07/02/2014
Date Made Active in Reports: 09/18/2014
Number of Days to Update: 78

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 09/18/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/19/2014	Telephone: 703-603-0695
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 12/03/2014
Number of Days to Update: 31	Next Scheduled EDR Contact: 03/16/2015
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 09/18/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/19/2014	Telephone: 703-603-0695
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 12/03/2014
Number of Days to Update: 31	Next Scheduled EDR Contact: 03/16/2015
	Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 08/29/2014	Source: Department of the Navy
Date Data Arrived at EDR: 10/09/2014	Telephone: 843-820-7326
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 11/17/2014
Number of Days to Update: 11	Next Scheduled EDR Contact: 03/02/2015
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 09/29/2014	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 09/30/2014	Telephone: 202-267-2180
Date Made Active in Reports: 11/06/2014	Last EDR Contact: 12/29/2014
Number of Days to Update: 37	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Annually

State- and tribal - equivalent NPL

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 11/03/2014	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 11/04/2014	Telephone: 916-323-3400
Date Made Active in Reports: 12/12/2014	Last EDR Contact: 11/04/2014
Number of Days to Update: 38	Next Scheduled EDR Contact: 02/16/2015
	Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ENVIROSTOR: EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

Date of Government Version: 11/03/2014	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 11/04/2014	Telephone: 916-323-3400
Date Made Active in Reports: 12/12/2014	Last EDR Contact: 11/04/2014
Number of Days to Update: 38	Next Scheduled EDR Contact: 02/16/2015
	Data Release Frequency: Quarterly

State and tribal landfill and/or solid waste disposal site lists

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inventory of solid waste disposal facilities or landfills. These may be active or inactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 11/17/2014	Source: Department of Resources Recycling and Recovery
Date Data Arrived at EDR: 11/19/2014	Telephone: 916-341-6320
Date Made Active in Reports: 12/24/2014	Last EDR Contact: 11/19/2014
Number of Days to Update: 35	Next Scheduled EDR Contact: 03/02/2015
	Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

LUST REG 8: Leaking Underground Storage Tanks

California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005	Source: California Regional Water Quality Control Board Santa Ana Region (8)
Date Data Arrived at EDR: 02/15/2005	Telephone: 909-782-4496
Date Made Active in Reports: 03/28/2005	Last EDR Contact: 08/15/2011
Number of Days to Update: 41	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: Varies

LUST REG 2: Fuel Leak List

Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, Sonoma counties.

Date of Government Version: 09/30/2004	Source: California Regional Water Quality Control Board San Francisco Bay Region (2)
Date Data Arrived at EDR: 10/20/2004	Telephone: 510-622-2433
Date Made Active in Reports: 11/19/2004	Last EDR Contact: 09/19/2011
Number of Days to Update: 30	Next Scheduled EDR Contact: 01/02/2012
	Data Release Frequency: Quarterly

LUST REG 1: Active Toxic Site Investigation

Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001	Source: California Regional Water Quality Control Board North Coast (1)
Date Data Arrived at EDR: 02/28/2001	Telephone: 707-570-3769
Date Made Active in Reports: 03/29/2001	Last EDR Contact: 08/01/2011
Number of Days to Update: 29	Next Scheduled EDR Contact: 11/14/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST: Geotracker's Leaking Underground Fuel Tank Report

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state. For more information on a particular leaking underground storage tank sites, please contact the appropriate regulatory agency.

Date of Government Version: 12/12/2014	Source: State Water Resources Control Board
Date Data Arrived at EDR: 12/15/2014	Telephone: see region list
Date Made Active in Reports: 01/05/2015	Last EDR Contact: 01/21/2015
Number of Days to Update: 21	Next Scheduled EDR Contact: 03/30/2015
	Data Release Frequency: Quarterly

LUST REG 4: Underground Storage Tank Leak List

Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/07/2004	Source: California Regional Water Quality Control Board Los Angeles Region (4)
Date Data Arrived at EDR: 09/07/2004	Telephone: 213-576-6710
Date Made Active in Reports: 10/12/2004	Last EDR Contact: 09/06/2011
Number of Days to Update: 35	Next Scheduled EDR Contact: 12/19/2011
	Data Release Frequency: No Update Planned

LUST REG 5: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008	Source: California Regional Water Quality Control Board Central Valley Region (5)
Date Data Arrived at EDR: 07/22/2008	Telephone: 916-464-4834
Date Made Active in Reports: 07/31/2008	Last EDR Contact: 07/01/2011
Number of Days to Update: 9	Next Scheduled EDR Contact: 10/17/2011
	Data Release Frequency: No Update Planned

LUST REG 6L: Leaking Underground Storage Tank Case Listing

For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003	Source: California Regional Water Quality Control Board Lahontan Region (6)
Date Data Arrived at EDR: 09/10/2003	Telephone: 530-542-5572
Date Made Active in Reports: 10/07/2003	Last EDR Contact: 09/12/2011
Number of Days to Update: 27	Next Scheduled EDR Contact: 12/26/2011
	Data Release Frequency: No Update Planned

LUST REG 6V: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005	Source: California Regional Water Quality Control Board Victorville Branch Office (6)
Date Data Arrived at EDR: 06/07/2005	Telephone: 760-241-7365
Date Made Active in Reports: 06/29/2005	Last EDR Contact: 09/12/2011
Number of Days to Update: 22	Next Scheduled EDR Contact: 12/26/2011
	Data Release Frequency: No Update Planned

LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 03/01/2001	Source: California Regional Water Quality Control Board San Diego Region (9)
Date Data Arrived at EDR: 04/23/2001	Telephone: 858-637-5595
Date Made Active in Reports: 05/21/2001	Last EDR Contact: 09/26/2011
Number of Days to Update: 28	Next Scheduled EDR Contact: 01/09/2012
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST REG 3: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

Date of Government Version: 05/19/2003	Source: California Regional Water Quality Control Board Central Coast Region (3)
Date Data Arrived at EDR: 05/19/2003	Telephone: 805-542-4786
Date Made Active in Reports: 06/02/2003	Last EDR Contact: 07/18/2011
Number of Days to Update: 14	Next Scheduled EDR Contact: 10/31/2011
	Data Release Frequency: No Update Planned

LUST REG 7: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004	Source: California Regional Water Quality Control Board Colorado River Basin Region (7)
Date Data Arrived at EDR: 02/26/2004	Telephone: 760-776-8943
Date Made Active in Reports: 03/24/2004	Last EDR Contact: 08/01/2011
Number of Days to Update: 27	Next Scheduled EDR Contact: 11/14/2011
	Data Release Frequency: No Update Planned

SLIC: Statewide SLIC Cases

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 12/12/2014	Source: State Water Resources Control Board
Date Data Arrived at EDR: 12/15/2014	Telephone: 866-480-1028
Date Made Active in Reports: 01/05/2015	Last EDR Contact: 01/21/2015
Number of Days to Update: 21	Next Scheduled EDR Contact: 03/30/2015
	Data Release Frequency: Varies

SLIC REG 1: Active Toxic Site Investigations

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003	Source: California Regional Water Quality Control Board, North Coast Region (1)
Date Data Arrived at EDR: 04/07/2003	Telephone: 707-576-2220
Date Made Active in Reports: 04/25/2003	Last EDR Contact: 08/01/2011
Number of Days to Update: 18	Next Scheduled EDR Contact: 11/14/2011
	Data Release Frequency: No Update Planned

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004	Source: Regional Water Quality Control Board San Francisco Bay Region (2)
Date Data Arrived at EDR: 10/20/2004	Telephone: 510-286-0457
Date Made Active in Reports: 11/19/2004	Last EDR Contact: 09/19/2011
Number of Days to Update: 30	Next Scheduled EDR Contact: 01/02/2012
	Data Release Frequency: Quarterly

SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006	Source: California Regional Water Quality Control Board Central Coast Region (3)
Date Data Arrived at EDR: 05/18/2006	Telephone: 805-549-3147
Date Made Active in Reports: 06/15/2006	Last EDR Contact: 07/18/2011
Number of Days to Update: 28	Next Scheduled EDR Contact: 10/31/2011
	Data Release Frequency: Semi-Annually

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/17/2004
Date Data Arrived at EDR: 11/18/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 47

Source: Region Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6600
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: Varies

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005
Date Data Arrived at EDR: 04/05/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-3291
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: Semi-Annually

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/24/2005
Date Data Arrived at EDR: 05/25/2005
Date Made Active in Reports: 06/16/2005
Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch
Telephone: 619-241-6583
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: Semi-Annually

SLIC REG 6L: SLIC Sites

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board, Lahontan Region
Telephone: 530-542-5574
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

SLIC REG 7: SLIC List

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004
Date Data Arrived at EDR: 11/29/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 36

Source: California Regional Quality Control Board, Colorado River Basin Region
Telephone: 760-346-7491
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008
Date Data Arrived at EDR: 04/03/2008
Date Made Active in Reports: 04/14/2008
Number of Days to Update: 11

Source: California Region Water Quality Control Board Santa Ana Region (8)
Telephone: 951-782-3298
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: Semi-Annually

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/10/2007
Date Data Arrived at EDR: 09/11/2007
Date Made Active in Reports: 09/28/2007
Number of Days to Update: 17

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-467-2980
Last EDR Contact: 08/08/2011
Next Scheduled EDR Contact: 11/21/2011
Data Release Frequency: Annually

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 11/04/2014
Date Data Arrived at EDR: 11/07/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 10

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 05/22/2014
Date Data Arrived at EDR: 08/22/2014
Date Made Active in Reports: 09/18/2014
Number of Days to Update: 27

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 10/06/2014
Date Data Arrived at EDR: 10/29/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 19

Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 07/30/2014
Date Data Arrived at EDR: 08/12/2014
Date Made Active in Reports: 08/22/2014
Number of Days to Update: 10

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Semi-Annually

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 02/01/2013
Date Data Arrived at EDR: 05/01/2013
Date Made Active in Reports: 11/01/2013
Number of Days to Update: 184

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 10/31/2014
Next Scheduled EDR Contact: 02/09/2015
Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 03/01/2013
Date Data Arrived at EDR: 03/01/2013
Date Made Active in Reports: 04/12/2013
Number of Days to Update: 42

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 01/08/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 05/20/2014	Source: EPA Region 10
Date Data Arrived at EDR: 06/10/2014	Telephone: 206-553-2857
Date Made Active in Reports: 08/22/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 73	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Quarterly

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 11/03/2014	Source: EPA, Region 5
Date Data Arrived at EDR: 11/05/2014	Telephone: 312-886-7439
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 12	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

State and tribal registered storage tank lists

UST: Active UST Facilities

Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 01/20/2015	Source: SWRCB
Date Data Arrived at EDR: 01/21/2015	Telephone: 916-341-5851
Date Made Active in Reports: 01/27/2015	Last EDR Contact: 01/21/2015
Number of Days to Update: 6	Next Scheduled EDR Contact: 03/30/2015
	Data Release Frequency: Semi-Annually

AST: Aboveground Petroleum Storage Tank Facilities

A listing of aboveground storage tank petroleum storage tank locations.

Date of Government Version: 08/01/2009	Source: California Environmental Protection Agency
Date Data Arrived at EDR: 09/10/2009	Telephone: 916-327-5092
Date Made Active in Reports: 10/01/2009	Last EDR Contact: 12/23/2014
Number of Days to Update: 21	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 02/01/2013	Source: EPA, Region 1
Date Data Arrived at EDR: 05/01/2013	Telephone: 617-918-1313
Date Made Active in Reports: 01/27/2014	Last EDR Contact: 10/31/2014
Number of Days to Update: 271	Next Scheduled EDR Contact: 02/09/2015
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 07/30/2014	Source: EPA Region 4
Date Data Arrived at EDR: 08/12/2014	Telephone: 404-562-9424
Date Made Active in Reports: 08/22/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 10	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 11/03/2014	Source: EPA Region 5
Date Data Arrived at EDR: 11/05/2014	Telephone: 312-886-6136
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 12	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 10/06/2014	Source: EPA Region 6
Date Data Arrived at EDR: 10/29/2014	Telephone: 214-665-7591
Date Made Active in Reports: 11/06/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 8	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Semi-Annually

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 08/20/2014	Source: EPA Region 7
Date Data Arrived at EDR: 08/22/2014	Telephone: 913-551-7003
Date Made Active in Reports: 09/18/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 27	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 11/04/2014	Source: EPA Region 8
Date Data Arrived at EDR: 11/07/2014	Telephone: 303-312-6137
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 10	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Quarterly

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 05/20/2014	Source: EPA Region 10
Date Data Arrived at EDR: 06/10/2014	Telephone: 206-553-2857
Date Made Active in Reports: 08/15/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 66	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 08/14/2014	Source: EPA Region 9
Date Data Arrived at EDR: 08/15/2014	Telephone: 415-972-3368
Date Made Active in Reports: 08/22/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 7	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010	Source: FEMA
Date Data Arrived at EDR: 02/16/2010	Telephone: 202-646-5797
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 01/12/2015
Number of Days to Update: 55	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Varies

State and tribal voluntary cleanup sites

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 09/29/2014	Source: EPA, Region 1
Date Data Arrived at EDR: 10/01/2014	Telephone: 617-918-1102
Date Made Active in Reports: 11/06/2014	Last EDR Contact: 12/31/2014
Number of Days to Update: 36	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

VCP: Voluntary Cleanup Program Properties

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

Date of Government Version: 11/03/2014	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 11/04/2014	Telephone: 916-323-3400
Date Made Active in Reports: 12/12/2014	Last EDR Contact: 11/04/2014
Number of Days to Update: 38	Next Scheduled EDR Contact: 02/16/2015
	Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 09/22/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/23/2014	Telephone: 202-566-2777
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 12/22/2014
Number of Days to Update: 27	Next Scheduled EDR Contact: 04/06/2015
	Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: No Update Planned

SWRCY: Recycler Database

A listing of recycling facilities in California.

Date of Government Version: 12/15/2014
Date Data Arrived at EDR: 12/15/2014
Date Made Active in Reports: 01/26/2015
Number of Days to Update: 42

Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 12/15/2014
Next Scheduled EDR Contact: 03/30/2015
Data Release Frequency: Quarterly

HAULERS: Registered Waste Tire Haulers Listing

A listing of registered waste tire haulers.

Date of Government Version: 12/01/2014
Date Data Arrived at EDR: 12/01/2014
Date Made Active in Reports: 01/23/2015
Number of Days to Update: 53

Source: Integrated Waste Management Board
Telephone: 916-341-6422
Last EDR Contact: 11/12/2014
Next Scheduled EDR Contact: 03/02/2015
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 10/29/2014
Next Scheduled EDR Contact: 02/16/2015
Data Release Frequency: Varies

WMUDS/SWAT: Waste Management Unit Database

Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

Date of Government Version: 04/01/2000
Date Data Arrived at EDR: 04/10/2000
Date Made Active in Reports: 05/10/2000
Number of Days to Update: 30

Source: State Water Resources Control Board
Telephone: 916-227-4448
Last EDR Contact: 11/05/2014
Next Scheduled EDR Contact: 02/23/2015
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 07/25/2014	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 09/09/2014	Telephone: 202-307-1000
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 11/25/2014
Number of Days to Update: 41	Next Scheduled EDR Contact: 03/16/2015
	Data Release Frequency: Quarterly

HIST CAL-SITES: Calsites Database

The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

Date of Government Version: 08/08/2005	Source: Department of Toxic Substance Control
Date Data Arrived at EDR: 08/03/2006	Telephone: 916-323-3400
Date Made Active in Reports: 08/24/2006	Last EDR Contact: 02/23/2009
Number of Days to Update: 21	Next Scheduled EDR Contact: 05/25/2009
	Data Release Frequency: No Update Planned

SCH: School Property Evaluation Program

This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 11/03/2014	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 11/04/2014	Telephone: 916-323-3400
Date Made Active in Reports: 12/12/2014	Last EDR Contact: 11/04/2014
Number of Days to Update: 38	Next Scheduled EDR Contact: 02/16/2015
	Data Release Frequency: Quarterly

TOXIC PITS: Toxic Pits Cleanup Act Sites

Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

Date of Government Version: 07/01/1995	Source: State Water Resources Control Board
Date Data Arrived at EDR: 08/30/1995	Telephone: 916-227-4364
Date Made Active in Reports: 09/26/1995	Last EDR Contact: 01/26/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 04/27/2009
	Data Release Frequency: No Update Planned

CDL: Clandestine Drug Labs

A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 06/30/2014	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 09/02/2014	Telephone: 916-255-6504
Date Made Active in Reports: 09/24/2014	Last EDR Contact: 01/12/2015
Number of Days to Update: 22	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 07/25/2014	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 09/09/2014	Telephone: 202-307-1000
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 11/25/2014
Number of Days to Update: 41	Next Scheduled EDR Contact: 03/16/2015
	Data Release Frequency: No Update Planned

Local Lists of Registered Storage Tanks

CA FID UST: Facility Inventory Database

The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/1994	Source: California Environmental Protection Agency
Date Data Arrived at EDR: 09/05/1995	Telephone: 916-341-5851
Date Made Active in Reports: 09/29/1995	Last EDR Contact: 12/28/1998
Number of Days to Update: 24	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

UST MENDOCINO: Mendocino County UST Database

A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 09/23/2009	Source: Department of Public Health
Date Data Arrived at EDR: 09/23/2009	Telephone: 707-463-4466
Date Made Active in Reports: 10/01/2009	Last EDR Contact: 12/24/2014
Number of Days to Update: 8	Next Scheduled EDR Contact: 03/16/2015
	Data Release Frequency: Annually

HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

Date of Government Version: 10/15/1990	Source: State Water Resources Control Board
Date Data Arrived at EDR: 01/25/1991	Telephone: 916-341-5851
Date Made Active in Reports: 02/12/1991	Last EDR Contact: 07/26/2001
Number of Days to Update: 18	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

Date of Government Version: 06/01/1994	Source: State Water Resources Control Board
Date Data Arrived at EDR: 07/07/2005	Telephone: N/A
Date Made Active in Reports: 08/11/2005	Last EDR Contact: 06/03/2005
Number of Days to Update: 35	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/18/2014
Date Data Arrived at EDR: 03/18/2014
Date Made Active in Reports: 04/24/2014
Number of Days to Update: 37

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 10/27/2014
Next Scheduled EDR Contact: 02/09/2015
Data Release Frequency: Varies

LIENS: Environmental Liens Listing

A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 12/15/2014
Date Data Arrived at EDR: 12/18/2014
Date Made Active in Reports: 01/23/2015
Number of Days to Update: 36

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 12/05/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Varies

DEED: Deed Restriction Listing

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 12/08/2014
Date Data Arrived at EDR: 12/09/2014
Date Made Active in Reports: 01/23/2015
Number of Days to Update: 45

Source: DTSC and SWRCB
Telephone: 916-323-3400
Last EDR Contact: 12/09/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 09/30/2014
Date Data Arrived at EDR: 10/01/2014
Date Made Active in Reports: 11/06/2014
Number of Days to Update: 36

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 12/30/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Annually

CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 10/27/2014
Date Data Arrived at EDR: 10/29/2014
Date Made Active in Reports: 12/10/2014
Number of Days to Update: 42

Source: Office of Emergency Services
Telephone: 916-845-8400
Last EDR Contact: 10/29/2014
Next Scheduled EDR Contact: 02/09/2015
Data Release Frequency: Varies

LDS: Land Disposal Sites Listing

The Land Disposal program regulates of waste discharge to land for treatment, storage and disposal in waste management units.

Date of Government Version: 12/12/2014
Date Data Arrived at EDR: 12/15/2014
Date Made Active in Reports: 01/05/2015
Number of Days to Update: 21

Source: State Water Quality Control Board
Telephone: 866-480-1028
Last EDR Contact: 01/21/2015
Next Scheduled EDR Contact: 03/30/2015
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MCS: Military Cleanup Sites Listing

The State Water Resources Control Board and nine Regional Water Quality Control Boards partner with the Department of Defense (DoD) through the Defense and State Memorandum of Agreement (DSMOA) to oversee the investigation and remediation of water quality issues at military facilities.

Date of Government Version: 12/12/2014	Source: State Water Resources Control Board
Date Data Arrived at EDR: 12/15/2014	Telephone: 866-480-1028
Date Made Active in Reports: 01/05/2015	Last EDR Contact: 01/21/2015
Number of Days to Update: 21	Next Scheduled EDR Contact: 03/30/2015
	Data Release Frequency: Quarterly

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/06/2012	Source: FirstSearch
Date Data Arrived at EDR: 01/03/2013	Telephone: N/A
Date Made Active in Reports: 02/22/2013	Last EDR Contact: 01/03/2013
Number of Days to Update: 50	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 06/10/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/02/2014	Telephone: (415) 495-8895
Date Made Active in Reports: 09/18/2014	Last EDR Contact: 12/29/2014
Number of Days to Update: 78	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012	Source: Department of Transportation, Office of Pipeline Safety
Date Data Arrived at EDR: 08/07/2012	Telephone: 202-366-4595
Date Made Active in Reports: 09/18/2012	Last EDR Contact: 11/04/2014
Number of Days to Update: 42	Next Scheduled EDR Contact: 02/16/2015
	Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 11/10/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 01/15/2015
Number of Days to Update: 62	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/06/2014
Date Data Arrived at EDR: 09/10/2014
Date Made Active in Reports: 09/18/2014
Number of Days to Update: 8

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 12/12/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 01/24/2014
Date Made Active in Reports: 02/24/2014
Number of Days to Update: 31

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 12/24/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 11/25/2013
Date Data Arrived at EDR: 12/12/2013
Date Made Active in Reports: 02/24/2014
Number of Days to Update: 74

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 12/12/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010
Date Data Arrived at EDR: 10/07/2011
Date Made Active in Reports: 03/01/2012
Number of Days to Update: 146

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 11/26/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Varies

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/05/2014
Date Data Arrived at EDR: 09/04/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 74

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 12/30/2014
Next Scheduled EDR Contact: 03/16/2015
Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 07/31/2013
Date Made Active in Reports: 09/13/2013
Number of Days to Update: 44

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 11/26/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2006
Date Data Arrived at EDR: 09/29/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 64

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 12/22/2014
Next Scheduled EDR Contact: 04/06/2015
Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 11/19/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 11/19/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 07/31/2014
Date Data Arrived at EDR: 10/29/2014
Date Made Active in Reports: 11/06/2014
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-564-5088
Last EDR Contact: 01/09/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 07/01/2014
Date Data Arrived at EDR: 10/15/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 33

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 01/16/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/22/2013
Date Data Arrived at EDR: 08/02/2013
Date Made Active in Reports: 11/01/2013
Number of Days to Update: 91

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 12/04/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 10/07/2014
Date Data Arrived at EDR: 10/08/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 01/08/2015
Next Scheduled EDR Contact: 04/20/2015
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 08/16/2014
Date Data Arrived at EDR: 09/10/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 40

Source: EPA
Telephone: (415) 947-8000
Last EDR Contact: 12/09/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 08/01/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/12/2014	Telephone: 202-564-8600
Date Made Active in Reports: 11/06/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 86	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2011	Source: EPA/NTIS
Date Data Arrived at EDR: 02/26/2013	Telephone: 800-424-9346
Date Made Active in Reports: 04/19/2013	Last EDR Contact: 11/26/2014
Number of Days to Update: 52	Next Scheduled EDR Contact: 03/09/2015
	Data Release Frequency: Biennially

CA BOND EXP. PLAN: Bond Expenditure Plan

Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989	Source: Department of Health Services
Date Data Arrived at EDR: 07/27/1994	Telephone: 916-255-2118
Date Made Active in Reports: 08/02/1994	Last EDR Contact: 05/31/1994
Number of Days to Update: 6	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

UIC: UIC Listing

A listing of wells identified as underground injection wells, in the California Oil and Gas Wells database.

Date of Government Version: 07/14/2014	Source: Department of Conservation
Date Data Arrived at EDR: 09/17/2014	Telephone: 916-445-2408
Date Made Active in Reports: 10/23/2014	Last EDR Contact: 12/15/2014
Number of Days to Update: 36	Next Scheduled EDR Contact: 03/30/2015
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NPDES: NPDES Permits Listing

A listing of NPDES permits, including stormwater.

Date of Government Version: 11/17/2014	Source: State Water Resources Control Board
Date Data Arrived at EDR: 11/19/2014	Telephone: 916-445-9379
Date Made Active in Reports: 12/29/2014	Last EDR Contact: 11/19/2014
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/02/2015
	Data Release Frequency: Quarterly

CORTESE: "Cortese" Hazardous Waste & Substances Sites List

The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

Date of Government Version: 09/29/2014	Source: CAL EPA/Office of Emergency Information
Date Data Arrived at EDR: 09/30/2014	Telephone: 916-323-3400
Date Made Active in Reports: 11/19/2014	Last EDR Contact: 12/29/2014
Number of Days to Update: 50	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Quarterly

HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CAL SITES]. This listing is no longer updated by the state agency.

Date of Government Version: 04/01/2001	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 01/22/2009	Telephone: 916-323-3400
Date Made Active in Reports: 04/08/2009	Last EDR Contact: 01/22/2009
Number of Days to Update: 76	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

NOTIFY 65: Proposition 65 Records

Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

Date of Government Version: 10/21/1993	Source: State Water Resources Control Board
Date Data Arrived at EDR: 11/01/1993	Telephone: 916-445-3846
Date Made Active in Reports: 11/19/1993	Last EDR Contact: 12/18/2014
Number of Days to Update: 18	Next Scheduled EDR Contact: 04/06/2015
	Data Release Frequency: No Update Planned

DRYCLEANERS: Cleaner Facilities

A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 06/28/2014	Source: Department of Toxic Substance Control
Date Data Arrived at EDR: 07/03/2014	Telephone: 916-327-4498
Date Made Active in Reports: 08/21/2014	Last EDR Contact: 12/22/2014
Number of Days to Update: 49	Next Scheduled EDR Contact: 03/23/2015
	Data Release Frequency: Annually

WIP: Well Investigation Program Case List

Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009	Source: Los Angeles Water Quality Control Board
Date Data Arrived at EDR: 07/21/2009	Telephone: 213-576-6726
Date Made Active in Reports: 08/03/2009	Last EDR Contact: 12/23/2014
Number of Days to Update: 13	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ENF: Enforcement Action Listing

A listing of Water Board Enforcement Actions. Formal is everything except Oral/Verbal Communication, Notice of Violation, Expedited Payment Letter, and Staff Enforcement Letter.

Date of Government Version: 11/10/2014	Source: State Water Resources Control Board
Date Data Arrived at EDR: 11/12/2014	Telephone: 916-445-9379
Date Made Active in Reports: 12/12/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 30	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method.

Date of Government Version: 12/31/2013	Source: California Environmental Protection Agency
Date Data Arrived at EDR: 10/15/2014	Telephone: 916-255-1136
Date Made Active in Reports: 11/19/2014	Last EDR Contact: 01/16/2015
Number of Days to Update: 35	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Annually

EMI: Emissions Inventory Data

Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2012	Source: California Air Resources Board
Date Data Arrived at EDR: 03/25/2014	Telephone: 916-322-2990
Date Made Active in Reports: 04/28/2014	Last EDR Contact: 12/24/2014
Number of Days to Update: 34	Next Scheduled EDR Contact: 04/06/2015
	Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 12/08/2006	Telephone: 202-208-3710
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 01/15/2015
Number of Days to Update: 34	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 03/07/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2011	Telephone: 615-532-8599
Date Made Active in Reports: 05/02/2011	Last EDR Contact: 11/18/2014
Number of Days to Update: 54	Next Scheduled EDR Contact: 02/02/2015
	Data Release Frequency: Varies

WDS: Waste Discharge System

Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007	Source: State Water Resources Control Board
Date Data Arrived at EDR: 06/20/2007	Telephone: 916-341-5227
Date Made Active in Reports: 06/29/2007	Last EDR Contact: 11/19/2014
Number of Days to Update: 9	Next Scheduled EDR Contact: 03/09/2015
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005	Source: U.S. Geological Survey
Date Data Arrived at EDR: 02/06/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 01/15/2015
Number of Days to Update: 339	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: N/A

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 10/17/2014	Telephone: 202-564-6023
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 12/29/2015
Number of Days to Update: 3	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Quarterly

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001	Source: American Journal of Public Health
Date Data Arrived at EDR: 10/27/2010	Telephone: 703-305-6451
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 12/02/2009
Number of Days to Update: 36	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 06/04/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/12/2014	Telephone: 703-603-8787
Date Made Active in Reports: 07/28/2014	Last EDR Contact: 01/05/2015
Number of Days to Update: 46	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Varies

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 11/11/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/18/2012	Telephone: 703-308-4044
Date Made Active in Reports: 05/25/2012	Last EDR Contact: 11/14/2014
Number of Days to Update: 7	Next Scheduled EDR Contact: 02/23/2015
	Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

Financial Assurance information

Date of Government Version: 10/28/2014	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 10/30/2014	Telephone: 916-255-3628
Date Made Active in Reports: 12/10/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 41	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/21/2014	Telephone: 617-520-3000
Date Made Active in Reports: 06/17/2014	Last EDR Contact: 11/14/2014
Number of Days to Update: 88	Next Scheduled EDR Contact: 02/23/2015
	Data Release Frequency: Quarterly

PROC: Certified Processors Database

A listing of certified processors.

Date of Government Version: 12/15/2014	Source: Department of Conservation
Date Data Arrived at EDR: 12/15/2014	Telephone: 916-323-3836
Date Made Active in Reports: 01/26/2015	Last EDR Contact: 12/15/2014
Number of Days to Update: 42	Next Scheduled EDR Contact: 03/30/2015
	Data Release Frequency: Quarterly

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 11/17/2014	Source: California Integrated Waste Management Board
Date Data Arrived at EDR: 11/18/2014	Telephone: 916-341-6066
Date Made Active in Reports: 12/29/2014	Last EDR Contact: 11/26/2014
Number of Days to Update: 41	Next Scheduled EDR Contact: 03/02/2015
	Data Release Frequency: Varies

HWP: EnviroStor Permitted Facilities Listing

Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

Date of Government Version: 11/24/2014	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 11/25/2014	Telephone: 916-323-3400
Date Made Active in Reports: 12/30/2014	Last EDR Contact: 11/25/2014
Number of Days to Update: 35	Next Scheduled EDR Contact: 03/09/2015
	Data Release Frequency: Quarterly

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 09/04/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/04/2014	Telephone: 202-566-1917
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 11/11/2014
Number of Days to Update: 46	Next Scheduled EDR Contact: 03/02/2015
	Data Release Frequency: Quarterly

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/19/2011	Telephone: 202-566-0517
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 10/31/2014
Number of Days to Update: 83	Next Scheduled EDR Contact: 02/09/2015
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/10/2014	Telephone: N/A
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 12/12/2014
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/23/2015
	Data Release Frequency: Varies

MWMP: Medical Waste Management Program Listing

The Medical Waste Management Program (MWMP) ensures the proper handling and disposal of medical waste by permitting and inspecting medical waste Offsite Treatment Facilities (PDF) and Transfer Stations (PDF) throughout the state. MWMP also oversees all Medical Waste Transporters.

Date of Government Version: 11/13/2014	Source: Department of Public Health
Date Data Arrived at EDR: 12/09/2014	Telephone: 916-558-1784
Date Made Active in Reports: 01/26/2015	Last EDR Contact: 12/09/2014
Number of Days to Update: 48	Next Scheduled EDR Contact: 03/23/2015
	Data Release Frequency: Varies

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 08/07/2009	Telephone: 202-586-8719
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 01/15/2015
Number of Days to Update: 76	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Varies

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/16/2014	Source: EPA
Date Data Arrived at EDR: 10/31/2014	Telephone: 202-564-2496
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 12/23/2014
Number of Days to Update: 17	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/16/2014	Source: EPA
Date Data Arrived at EDR: 10/31/2014	Telephone: 202-564-2496
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 12/23/2014
Number of Days to Update: 17	Next Scheduled EDR Contact: 04/13/2015
	Data Release Frequency: Annually

HWT: Registered Hazardous Waste Transporter Database

A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

Date of Government Version: 10/14/2014	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 10/15/2014	Telephone: 916-440-7145
Date Made Active in Reports: 11/19/2014	Last EDR Contact: 01/13/2015
Number of Days to Update: 35	Next Scheduled EDR Contact: 04/27/2015
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR US Hist Auto Stat: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR US Hist Cleaners: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Resources Recycling and Recovery in California.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Department of Resources Recycling and Recovery
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the State Water Resources Control Board in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

COUNTY RECORDS

ALAMEDA COUNTY:

Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination from leaking petroleum USTs).

Date of Government Version: 10/21/2014
Date Data Arrived at EDR: 11/07/2014
Date Made Active in Reports: 12/12/2014
Number of Days to Update: 35

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Semi-Annually

Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 10/21/2014
Date Data Arrived at EDR: 11/07/2014
Date Made Active in Reports: 12/15/2014
Number of Days to Update: 38

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Semi-Annually

AMADOR COUNTY:

CUPA Facility List

Cupa Facility List

Date of Government Version: 12/08/2014
Date Data Arrived at EDR: 12/11/2014
Date Made Active in Reports: 01/23/2015
Number of Days to Update: 43

Source: Amador County Environmental Health
Telephone: 209-223-6439
Last EDR Contact: 12/05/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Varies

BUTTE COUNTY:

CUPA Facility Listing

Cupa facility list.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/20/2014
Date Data Arrived at EDR: 11/24/2014
Date Made Active in Reports: 01/07/2015
Number of Days to Update: 44

Source: Public Health Department
Telephone: 530-538-7149
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: No Update Planned

CALVERAS COUNTY:

CUPA Facility Listing Cupa Facility Listing

Date of Government Version: 10/06/2014
Date Data Arrived at EDR: 10/07/2014
Date Made Active in Reports: 11/19/2014
Number of Days to Update: 33

Source: Calveras County Environmental Health
Telephone: 209-754-6399
Last EDR Contact: 01/12/2015
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

COLUSA COUNTY:

CUPA Facility List Cupa facility list.

Date of Government Version: 06/11/2014
Date Data Arrived at EDR: 06/13/2014
Date Made Active in Reports: 07/07/2014
Number of Days to Update: 24

Source: Health & Human Services
Telephone: 530-458-0396
Last EDR Contact: 11/07/2014
Next Scheduled EDR Contact: 02/23/2015
Data Release Frequency: Varies

CONTRA COSTA COUNTY:

Site List

List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 11/17/2014
Date Data Arrived at EDR: 11/19/2014
Date Made Active in Reports: 01/06/2015
Number of Days to Update: 38

Source: Contra Costa Health Services Department
Telephone: 925-646-2286
Last EDR Contact: 11/03/2014
Next Scheduled EDR Contact: 02/16/2015
Data Release Frequency: Semi-Annually

DEL NORTE COUNTY:

CUPA Facility List Cupa Facility list

Date of Government Version: 11/03/2014
Date Data Arrived at EDR: 11/04/2014
Date Made Active in Reports: 12/12/2014
Number of Days to Update: 38

Source: Del Norte County Environmental Health Division
Telephone: 707-465-0426
Last EDR Contact: 11/03/2014
Next Scheduled EDR Contact: 02/16/2015
Data Release Frequency: Varies

EL DORADO COUNTY:

CUPA Facility List CUPA facility list.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/19/2014
Date Data Arrived at EDR: 11/21/2014
Date Made Active in Reports: 12/29/2014
Number of Days to Update: 38

Source: El Dorado County Environmental Management Department
Telephone: 530-621-6623
Last EDR Contact: 11/03/2014
Next Scheduled EDR Contact: 02/16/2015
Data Release Frequency: Varies

FRESNO COUNTY:

CUPA Resources List

Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 09/30/2014
Date Data Arrived at EDR: 10/14/2014
Date Made Active in Reports: 11/19/2014
Number of Days to Update: 36

Source: Dept. of Community Health
Telephone: 559-445-3271
Last EDR Contact: 01/05/2015
Next Scheduled EDR Contact: 04/20/2015
Data Release Frequency: Semi-Annually

HUMBOLDT COUNTY:

CUPA Facility List

CUPA facility list.

Date of Government Version: 12/11/2014
Date Data Arrived at EDR: 12/15/2014
Date Made Active in Reports: 01/23/2015
Number of Days to Update: 39

Source: Humboldt County Environmental Health
Telephone: N/A
Last EDR Contact: 11/26/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Varies

IMPERIAL COUNTY:

CUPA Facility List

Cupa facility list.

Date of Government Version: 11/03/2014
Date Data Arrived at EDR: 11/04/2014
Date Made Active in Reports: 12/12/2014
Number of Days to Update: 38

Source: San Diego Border Field Office
Telephone: 760-339-2777
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

INYO COUNTY:

CUPA Facility List

Cupa facility list.

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 09/11/2013
Date Made Active in Reports: 10/14/2013
Number of Days to Update: 33

Source: Inyo County Environmental Health Services
Telephone: 760-878-0238
Last EDR Contact: 11/19/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Varies

KERN COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Underground Storage Tank Sites & Tank Listing Kern County Sites and Tanks Listing.

Date of Government Version: 07/22/2014
Date Data Arrived at EDR: 11/12/2014
Date Made Active in Reports: 12/19/2014
Number of Days to Update: 37

Source: Kern County Environment Health Services Department
Telephone: 661-862-8700
Last EDR Contact: 11/05/2014
Next Scheduled EDR Contact: 02/23/2015
Data Release Frequency: Quarterly

KINGS COUNTY:

CUPA Facility List

A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 11/21/2014
Date Data Arrived at EDR: 11/25/2014
Date Made Active in Reports: 12/30/2014
Number of Days to Update: 35

Source: Kings County Department of Public Health
Telephone: 559-584-1411
Last EDR Contact: 11/21/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Varies

LAKE COUNTY:

CUPA Facility List

Cupa facility list

Date of Government Version: 10/20/2014
Date Data Arrived at EDR: 10/21/2014
Date Made Active in Reports: 01/05/2015
Number of Days to Update: 76

Source: Lake County Environmental Health
Telephone: 707-263-1164
Last EDR Contact: 01/19/2015
Next Scheduled EDR Contact: 05/04/2015
Data Release Frequency: Varies

LOS ANGELES COUNTY:

San Gabriel Valley Areas of Concern

San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office.

Date of Government Version: 03/30/2009
Date Data Arrived at EDR: 03/31/2009
Date Made Active in Reports: 10/23/2009
Number of Days to Update: 206

Source: EPA Region 9
Telephone: 415-972-3178
Last EDR Contact: 12/18/2014
Next Scheduled EDR Contact: 04/06/2015
Data Release Frequency: No Update Planned

HMS: Street Number List

Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 03/31/2014
Date Data Arrived at EDR: 06/06/2014
Date Made Active in Reports: 07/17/2014
Number of Days to Update: 41

Source: Department of Public Works
Telephone: 626-458-3517
Last EDR Contact: 01/12/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Semi-Annually

List of Solid Waste Facilities

Solid Waste Facilities in Los Angeles County.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/20/2014
Date Data Arrived at EDR: 10/22/2014
Date Made Active in Reports: 12/12/2014
Number of Days to Update: 51

Source: La County Department of Public Works
Telephone: 818-458-5185
Last EDR Contact: 01/20/2015
Next Scheduled EDR Contact: 05/04/2015
Data Release Frequency: Varies

City of Los Angeles Landfills

Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 03/05/2009
Date Data Arrived at EDR: 03/10/2009
Date Made Active in Reports: 04/08/2009
Number of Days to Update: 29

Source: Engineering & Construction Division
Telephone: 213-473-7869
Last EDR Contact: 01/19/2015
Next Scheduled EDR Contact: 05/04/2015
Data Release Frequency: Varies

Site Mitigation List

Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 01/07/2014
Date Data Arrived at EDR: 02/25/2014
Date Made Active in Reports: 03/25/2014
Number of Days to Update: 28

Source: Community Health Services
Telephone: 323-890-7806
Last EDR Contact: 01/19/2015
Next Scheduled EDR Contact: 05/04/2015
Data Release Frequency: Annually

City of El Segundo Underground Storage Tank

Underground storage tank sites located in El Segundo city.

Date of Government Version: 10/20/2014
Date Data Arrived at EDR: 10/22/2014
Date Made Active in Reports: 12/15/2014
Number of Days to Update: 54

Source: City of El Segundo Fire Department
Telephone: 310-524-2236
Last EDR Contact: 01/19/2015
Next Scheduled EDR Contact: 05/04/2015
Data Release Frequency: Semi-Annually

City of Long Beach Underground Storage Tank

Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 12/01/2014
Date Data Arrived at EDR: 12/11/2014
Date Made Active in Reports: 01/27/2015
Number of Days to Update: 47

Source: City of Long Beach Fire Department
Telephone: 562-570-2563
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Annually

City of Torrance Underground Storage Tank

Underground storage tank sites located in the city of Torrance.

Date of Government Version: 01/08/2015
Date Data Arrived at EDR: 01/15/2015
Date Made Active in Reports: 01/27/2015
Number of Days to Update: 12

Source: City of Torrance Fire Department
Telephone: 310-618-2973
Last EDR Contact: 01/12/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Semi-Annually

MADERA COUNTY:

CUPA Facility List

A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/02/2014
Date Data Arrived at EDR: 10/03/2014
Date Made Active in Reports: 11/20/2014
Number of Days to Update: 48

Source: Madera County Environmental Health
Telephone: 559-675-7823
Last EDR Contact: 11/26/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Varies

MARIN COUNTY:

Underground Storage Tank Sites

Currently permitted USTs in Marin County.

Date of Government Version: 10/08/2014
Date Data Arrived at EDR: 10/22/2014
Date Made Active in Reports: 12/15/2014
Number of Days to Update: 54

Source: Public Works Department Waste Management
Telephone: 415-499-6647
Last EDR Contact: 01/05/2015
Next Scheduled EDR Contact: 04/20/2015
Data Release Frequency: Semi-Annually

MERCED COUNTY:

CUPA Facility List

CUPA facility list.

Date of Government Version: 11/25/2014
Date Data Arrived at EDR: 11/26/2014
Date Made Active in Reports: 12/29/2014
Number of Days to Update: 33

Source: Merced County Environmental Health
Telephone: 209-381-1094
Last EDR Contact: 11/21/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Varies

MONO COUNTY:

CUPA Facility List

CUPA Facility List

Date of Government Version: 12/01/2014
Date Data Arrived at EDR: 12/05/2014
Date Made Active in Reports: 01/23/2015
Number of Days to Update: 49

Source: Mono County Health Department
Telephone: 760-932-5580
Last EDR Contact: 11/26/2014
Next Scheduled EDR Contact: 03/16/2015
Data Release Frequency: Varies

MONTEREY COUNTY:

CUPA Facility Listing

CUPA Program listing from the Environmental Health Division.

Date of Government Version: 12/18/2014
Date Data Arrived at EDR: 12/19/2014
Date Made Active in Reports: 01/23/2015
Number of Days to Update: 35

Source: Monterey County Health Department
Telephone: 831-796-1297
Last EDR Contact: 11/26/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Varies

NAPA COUNTY:

Sites With Reported Contamination

A listing of leaking underground storage tank sites located in Napa county.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/05/2011
Date Data Arrived at EDR: 12/06/2011
Date Made Active in Reports: 02/07/2012
Number of Days to Update: 63

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 11/25/2014
Next Scheduled EDR Contact: 03/16/2015
Data Release Frequency: No Update Planned

Closed and Operating Underground Storage Tank Sites

Underground storage tank sites located in Napa county.

Date of Government Version: 01/15/2008
Date Data Arrived at EDR: 01/16/2008
Date Made Active in Reports: 02/08/2008
Number of Days to Update: 23

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 11/25/2014
Next Scheduled EDR Contact: 03/16/2015
Data Release Frequency: No Update Planned

NEVADA COUNTY:

CUPA Facility List

CUPA facility list.

Date of Government Version: 09/16/2014
Date Data Arrived at EDR: 09/18/2014
Date Made Active in Reports: 09/25/2014
Number of Days to Update: 7

Source: Community Development Agency
Telephone: 530-265-1467
Last EDR Contact: 12/15/2014
Next Scheduled EDR Contact: 02/16/2015
Data Release Frequency: Varies

ORANGE COUNTY:

List of Industrial Site Cleanups

Petroleum and non-petroleum spills.

Date of Government Version: 11/01/2014
Date Data Arrived at EDR: 11/12/2014
Date Made Active in Reports: 12/12/2014
Number of Days to Update: 30

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 11/05/2014
Next Scheduled EDR Contact: 02/23/2015
Data Release Frequency: Annually

List of Underground Storage Tank Cleanups

Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 11/01/2014
Date Data Arrived at EDR: 11/12/2014
Date Made Active in Reports: 12/12/2014
Number of Days to Update: 30

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 11/05/2014
Next Scheduled EDR Contact: 02/23/2015
Data Release Frequency: Quarterly

List of Underground Storage Tank Facilities

Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 11/01/2014
Date Data Arrived at EDR: 11/10/2014
Date Made Active in Reports: 12/15/2014
Number of Days to Update: 35

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 11/10/2014
Next Scheduled EDR Contact: 02/23/2015
Data Release Frequency: Quarterly

PLACER COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Master List of Facilities

List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 12/08/2014
Date Data Arrived at EDR: 12/09/2014
Date Made Active in Reports: 01/26/2015
Number of Days to Update: 48

Source: Placer County Health and Human Services
Telephone: 530-745-2363
Last EDR Contact: 12/05/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Semi-Annually

RIVERSIDE COUNTY:

Listing of Underground Tank Cleanup Sites

Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 10/08/2014
Date Data Arrived at EDR: 10/10/2014
Date Made Active in Reports: 11/20/2014
Number of Days to Update: 41

Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 12/22/2014
Next Scheduled EDR Contact: 01/05/2015
Data Release Frequency: Quarterly

Underground Storage Tank Tank List

Underground storage tank sites located in Riverside county.

Date of Government Version: 10/08/2014
Date Data Arrived at EDR: 10/10/2014
Date Made Active in Reports: 11/25/2014
Number of Days to Update: 46

Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 12/22/2014
Next Scheduled EDR Contact: 04/06/2015
Data Release Frequency: Quarterly

SACRAMENTO COUNTY:

Toxic Site Clean-Up List

List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 02/06/2014
Date Data Arrived at EDR: 04/08/2014
Date Made Active in Reports: 04/29/2014
Number of Days to Update: 21

Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 01/07/2015
Next Scheduled EDR Contact: 04/20/2015
Data Release Frequency: Quarterly

Master Hazardous Materials Facility List

Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 10/21/2014
Date Data Arrived at EDR: 10/28/2014
Date Made Active in Reports: 12/15/2014
Number of Days to Update: 48

Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 01/05/2015
Next Scheduled EDR Contact: 04/20/2015
Data Release Frequency: Quarterly

SAN BERNARDINO COUNTY:

Hazardous Material Permits

This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/02/2014
Date Data Arrived at EDR: 12/04/2014
Date Made Active in Reports: 01/26/2015
Number of Days to Update: 53

Source: San Bernardino County Fire Department Hazardous Materials Division
Telephone: 909-387-3041
Last EDR Contact: 11/10/2014
Next Scheduled EDR Contact: 02/23/2015
Data Release Frequency: Quarterly

SAN DIEGO COUNTY:

Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

Date of Government Version: 09/23/2013
Date Data Arrived at EDR: 09/24/2013
Date Made Active in Reports: 10/17/2013
Number of Days to Update: 23

Source: Hazardous Materials Management Division
Telephone: 619-338-2268
Last EDR Contact: 12/04/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Quarterly

Solid Waste Facilities

San Diego County Solid Waste Facilities.

Date of Government Version: 10/31/2014
Date Data Arrived at EDR: 11/21/2014
Date Made Active in Reports: 12/29/2014
Number of Days to Update: 38

Source: Department of Health Services
Telephone: 619-338-2209
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

Environmental Case Listing

The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 03/23/2010
Date Data Arrived at EDR: 06/15/2010
Date Made Active in Reports: 07/09/2010
Number of Days to Update: 24

Source: San Diego County Department of Environmental Health
Telephone: 619-338-2371
Last EDR Contact: 12/04/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: No Update Planned

SAN FRANCISCO COUNTY:

Local Oversight Facilities

A listing of leaking underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008
Date Data Arrived at EDR: 09/19/2008
Date Made Active in Reports: 09/29/2008
Number of Days to Update: 10

Source: Department Of Public Health San Francisco County
Telephone: 415-252-3920
Last EDR Contact: 11/05/2014
Next Scheduled EDR Contact: 02/23/2015
Data Release Frequency: Quarterly

Underground Storage Tank Information

Underground storage tank sites located in San Francisco county.

Date of Government Version: 11/29/2010
Date Data Arrived at EDR: 03/10/2011
Date Made Active in Reports: 03/15/2011
Number of Days to Update: 5

Source: Department of Public Health
Telephone: 415-252-3920
Last EDR Contact: 11/05/2014
Next Scheduled EDR Contact: 02/23/2015
Data Release Frequency: Quarterly

SAN JOAQUIN COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

San Joaquin Co. UST

A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 01/08/2015
Date Data Arrived at EDR: 01/12/2015
Date Made Active in Reports: 01/27/2015
Number of Days to Update: 15

Source: Environmental Health Department
Telephone: N/A
Last EDR Contact: 01/05/2015
Next Scheduled EDR Contact: 04/06/2015
Data Release Frequency: Semi-Annually

SAN LUIS OBISPO COUNTY:

CUPA Facility List

Cupa Facility List.

Date of Government Version: 11/21/2014
Date Data Arrived at EDR: 11/24/2014
Date Made Active in Reports: 12/30/2014
Number of Days to Update: 36

Source: San Luis Obispo County Public Health Department
Telephone: 805-781-5596
Last EDR Contact: 11/21/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Varies

SAN MATEO COUNTY:

Business Inventory

List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.

Date of Government Version: 10/06/2014
Date Data Arrived at EDR: 10/10/2014
Date Made Active in Reports: 11/19/2014
Number of Days to Update: 40

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 12/15/2014
Next Scheduled EDR Contact: 03/30/2015
Data Release Frequency: Annually

Fuel Leak List

A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 12/15/2014
Date Data Arrived at EDR: 12/18/2014
Date Made Active in Reports: 01/26/2015
Number of Days to Update: 39

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 12/11/2014
Next Scheduled EDR Contact: 03/30/2015
Data Release Frequency: Semi-Annually

SANTA BARBARA COUNTY:

CUPA Facility Listing

CUPA Program Listing from the Environmental Health Services division.

Date of Government Version: 09/08/2011
Date Data Arrived at EDR: 09/09/2011
Date Made Active in Reports: 10/07/2011
Number of Days to Update: 28

Source: Santa Barbara County Public Health Department
Telephone: 805-686-8167
Last EDR Contact: 11/19/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Varies

SANTA CLARA COUNTY:

Cupa Facility List

Cupa facility list

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/25/2014
Date Data Arrived at EDR: 11/26/2014
Date Made Active in Reports: 12/30/2014
Number of Days to Update: 34

Source: Department of Environmental Health
Telephone: 408-918-1973
Last EDR Contact: 11/21/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Varies

HIST LUST - Fuel Leak Site Activity Report

A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005
Date Data Arrived at EDR: 03/30/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 22

Source: Santa Clara Valley Water District
Telephone: 408-265-2600
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

LOP Listing

A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 03/03/2014
Date Data Arrived at EDR: 03/05/2014
Date Made Active in Reports: 03/18/2014
Number of Days to Update: 13

Source: Department of Environmental Health
Telephone: 408-918-3417
Last EDR Contact: 11/25/2014
Next Scheduled EDR Contact: 03/16/2015
Data Release Frequency: Annually

Hazardous Material Facilities

Hazardous material facilities, including underground storage tank sites.

Date of Government Version: 11/10/2014
Date Data Arrived at EDR: 11/10/2014
Date Made Active in Reports: 12/15/2014
Number of Days to Update: 35

Source: City of San Jose Fire Department
Telephone: 408-535-7694
Last EDR Contact: 11/07/2014
Next Scheduled EDR Contact: 02/23/2015
Data Release Frequency: Annually

SANTA CRUZ COUNTY:

CUPA Facility List

CUPA facility listing.

Date of Government Version: 11/24/2014
Date Data Arrived at EDR: 11/25/2014
Date Made Active in Reports: 12/31/2014
Number of Days to Update: 36

Source: Santa Cruz County Environmental Health
Telephone: 831-464-2761
Last EDR Contact: 11/21/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Varies

SHASTA COUNTY:

CUPA Facility List

Cupa Facility List.

Date of Government Version: 12/09/2014
Date Data Arrived at EDR: 12/11/2014
Date Made Active in Reports: 01/23/2015
Number of Days to Update: 43

Source: Shasta County Department of Resource Management
Telephone: 530-225-5789
Last EDR Contact: 11/26/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Varies

SOLANO COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Leaking Underground Storage Tanks

A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 11/17/2014
Date Data Arrived at EDR: 11/24/2014
Date Made Active in Reports: 01/05/2015
Number of Days to Update: 42

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 12/11/2014
Next Scheduled EDR Contact: 03/30/2015
Data Release Frequency: Quarterly

Underground Storage Tanks

Underground storage tank sites located in Solano county.

Date of Government Version: 11/17/2014
Date Data Arrived at EDR: 12/01/2014
Date Made Active in Reports: 01/27/2015
Number of Days to Update: 57

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 12/11/2014
Next Scheduled EDR Contact: 03/30/2015
Data Release Frequency: Quarterly

SONOMA COUNTY:

Cupa Facility List

Cupa Facility list

Date of Government Version: 09/30/2014
Date Data Arrived at EDR: 10/02/2014
Date Made Active in Reports: 11/20/2014
Number of Days to Update: 49

Source: County of Sonoma Fire & Emergency Services Department
Telephone: 707-565-1174
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Varies

Leaking Underground Storage Tank Sites

A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 10/01/2014
Date Data Arrived at EDR: 10/03/2014
Date Made Active in Reports: 11/20/2014
Number of Days to Update: 48

Source: Department of Health Services
Telephone: 707-565-6565
Last EDR Contact: 12/29/2014
Next Scheduled EDR Contact: 04/13/2015
Data Release Frequency: Quarterly

SUTTER COUNTY:

Underground Storage Tanks

Underground storage tank sites located in Sutter county.

Date of Government Version: 12/08/2014
Date Data Arrived at EDR: 12/08/2014
Date Made Active in Reports: 01/27/2015
Number of Days to Update: 50

Source: Sutter County Department of Agriculture
Telephone: 530-822-7500
Last EDR Contact: 12/05/2014
Next Scheduled EDR Contact: 03/23/2015
Data Release Frequency: Semi-Annually

TUOLUMNE COUNTY:

CUPA Facility List

Cupa facility list

Date of Government Version: 10/28/2014
Date Data Arrived at EDR: 10/29/2014
Date Made Active in Reports: 12/12/2014
Number of Days to Update: 44

Source: Division of Environmental Health
Telephone: 209-533-5633
Last EDR Contact: 01/26/2015
Next Scheduled EDR Contact: 05/11/2015
Data Release Frequency: Varies

VENTURA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Business Plan, Hazardous Waste Producers, and Operating Underground Tanks

The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Date of Government Version: 10/29/2014	Source: Ventura County Environmental Health Division
Date Data Arrived at EDR: 11/24/2014	Telephone: 805-654-2813
Date Made Active in Reports: 12/29/2014	Last EDR Contact: 11/17/2014
Number of Days to Update: 35	Next Scheduled EDR Contact: 03/02/2015
	Data Release Frequency: Quarterly

Inventory of Illegal Abandoned and Inactive Sites

Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 12/01/2011	Source: Environmental Health Division
Date Data Arrived at EDR: 12/01/2011	Telephone: 805-654-2813
Date Made Active in Reports: 01/19/2012	Last EDR Contact: 01/05/2015
Number of Days to Update: 49	Next Scheduled EDR Contact: 04/20/2015
	Data Release Frequency: Annually

Listing of Underground Tank Cleanup Sites

Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008	Source: Environmental Health Division
Date Data Arrived at EDR: 06/24/2008	Telephone: 805-654-2813
Date Made Active in Reports: 07/31/2008	Last EDR Contact: 11/17/2014
Number of Days to Update: 37	Next Scheduled EDR Contact: 03/02/2015
	Data Release Frequency: Quarterly

Medical Waste Program List

To protect public health and safety and the environment from potential exposure to disease causing agents, the Environmental Health Division Medical Waste Program regulates the generation, handling, storage, treatment and disposal of medical waste throughout the County.

Date of Government Version: 09/26/2014	Source: Ventura County Resource Management Agency
Date Data Arrived at EDR: 10/29/2014	Telephone: 805-654-2813
Date Made Active in Reports: 12/12/2014	Last EDR Contact: 01/26/2015
Number of Days to Update: 44	Next Scheduled EDR Contact: 05/11/2015
	Data Release Frequency: Quarterly

Underground Tank Closed Sites List

Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 08/26/2014	Source: Environmental Health Division
Date Data Arrived at EDR: 09/17/2014	Telephone: 805-654-2813
Date Made Active in Reports: 10/28/2014	Last EDR Contact: 12/15/2014
Number of Days to Update: 41	Next Scheduled EDR Contact: 03/30/2015
	Data Release Frequency: Quarterly

YOLO COUNTY:

Underground Storage Tank Comprehensive Facility Report

Underground storage tank sites located in Yolo county.

Date of Government Version: 12/18/2014	Source: Yolo County Department of Health
Date Data Arrived at EDR: 12/23/2014	Telephone: 530-666-8646
Date Made Active in Reports: 01/27/2015	Last EDR Contact: 12/18/2014
Number of Days to Update: 35	Next Scheduled EDR Contact: 04/06/2015
	Data Release Frequency: Annually

YUBA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA Facility List

CUPA facility listing for Yuba County.

Date of Government Version: 11/17/2014
Date Data Arrived at EDR: 11/18/2014
Date Made Active in Reports: 12/30/2014
Number of Days to Update: 42

Source: Yuba County Environmental Health Department
Telephone: 530-749-7523
Last EDR Contact: 11/17/2014
Next Scheduled EDR Contact: 02/16/2015
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013
Date Data Arrived at EDR: 08/19/2013
Date Made Active in Reports: 10/03/2013
Number of Days to Update: 45

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 11/17/2014
Next Scheduled EDR Contact: 03/02/2015
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 07/19/2012
Date Made Active in Reports: 08/28/2012
Number of Days to Update: 40

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 01/12/2015
Next Scheduled EDR Contact: 04/27/2015
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 11/01/2014
Date Data Arrived at EDR: 11/05/2014
Date Made Active in Reports: 11/24/2014
Number of Days to Update: 19

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 11/05/2014
Next Scheduled EDR Contact: 02/16/2015
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 07/21/2014
Date Made Active in Reports: 08/25/2014
Number of Days to Update: 35

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 01/19/2015
Next Scheduled EDR Contact: 05/04/2015
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 07/15/2014
Date Made Active in Reports: 08/13/2014
Number of Days to Update: 29

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 11/26/2014
Next Scheduled EDR Contact: 03/09/2015
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2013

Date Data Arrived at EDR: 06/20/2014

Date Made Active in Reports: 08/07/2014

Number of Days to Update: 48

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 12/12/2014

Next Scheduled EDR Contact: 03/30/2015

Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Facilities

Source: Department of Social Services

Telephone: 916-657-4041

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

SKY LONDA FIRE STATION NO. 58
17290 SKYLINE BLVD.
REDWOOD CITY, CA 94062

TARGET PROPERTY COORDINATES

Latitude (North):	37.3874 - 37° 23' 14.64"
Longitude (West):	122.2664 - 122° 15' 59.04"
Universal Transverse Mercator:	Zone 10
UTM X (Meters):	564942.2
UTM Y (Meters):	4137897.5
Elevation:	1484 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	37122-D3 WOODSIDE, CA
Most Recent Revision:	1999
East Map:	37122-D2 PALO ALTO, CA
Most Recent Revision:	1999
South Map:	37122-C3 LA HONDA, CA
Most Recent Revision:	1999

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Target Property County
SAN MATEO, CA

FEMA Flood
Electronic Data
YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 0603300009B - FEMA Q3 Flood data

Additional Panels in search area: 0603300008B - FEMA Q3 Flood data
0603110350B - FEMA Q3 Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property
WOODSIDE

NWI Electronic
Data Coverage
YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius: 1.25 miles
Status: Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era:	Cenozoic
System:	Tertiary
Series:	Eocene
Code:	Te <i>(decoded above as Era, System & Series)</i>

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 4193066.2s



- ★ Target Property
- ∩ SSURGO Soil
- ∩ Water



SITE NAME: Sky Londa Fire Station No. 58
ADDRESS: 17290 Skyline Blvd.
Redwood City CA 94062
LAT/LONG: 37.3874 / 122.2664

CLIENT: SCA Environmental
CONTACT: Karen Emery
INQUIRY #: 4193066.2s
DATE: January 28, 2015 4:42 pm

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Hugo

Soil Surface Texture: sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	3 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 6.5 Min: 5.6
2	3 inches	40 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 6 Min: 5.6
3	40 inches	44 inches	weathered bedrock	Not reported	Not reported	Max: 4 Min: 1.4	Max: Min:

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 2

Soil Component Name: Alambique

Soil Surface Texture: gravelly loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	11 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 14 Min: 4	Max: 6 Min: 5.1
2	11 inches	29 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 14 Min: 4	Max: 6 Min: 5.1
3	29 inches	33 inches	weathered bedrock	Not reported	Not reported	Max: Min:	Max: Min:

Soil Map ID: 3

Soil Component Name: Water

Soil Surface Texture: gravelly loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class:

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 4

Soil Component Name: Hugo

Soil Surface Texture: sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 6.5 Min: 5.6
2	7 inches	44 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 6 Min: 5.6

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
3	44 inches	48 inches	weathered bedrock	Not reported	Not reported	Max: 4 Min: 1.4	Max: Min:

Soil Map ID: 5

Soil Component Name: Hugo

Soil Surface Texture: sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	3 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 6.5 Min: 5.6
2	3 inches	40 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 6 Min: 5.6

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
3	40 inches	44 inches	weathered bedrock	Not reported	Not reported	Max: 4 Min: 1.4	Max: Min:

Soil Map ID: 6

Soil Component Name: Hugo

Soil Surface Texture: sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 6.5 Min: 5.6
2	7 inches	44 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 6 Min: 5.6

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
3	44 inches	48 inches	weathered bedrock	Not reported	Not reported	Max: 4 Min: 1.4	Max: Min:

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 0.001 miles
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A2	USGS40000182839	0 - 1/8 Mile NE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.


STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	6951	0 - 1/8 Mile East

PHYSICAL SETTING SOURCE MAP - 4193066.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake Fault Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons



- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



SITE NAME: Sky Londa Fire Station No. 58
 ADDRESS: 17290 Skyline Blvd.
 Redwood City CA 94062
 LAT/LONG: 37.3874 / 122.2664

CLIENT: SCA Environmental
 CONTACT: Karen Emery
 INQUIRY #: 4193066.2s
 DATE: January 28, 2015 4:41 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

A1
East
0 - 1/8 Mile
Lower

CA WELLS 6951

Water System Information:

Prime Station Code:	06S/04W-26E02 M	User ID:	ENG
FRDS Number:	4110015002	County:	San Mateo
District Number:	04	Station Type:	WELL/AMBNT/MUN/INTAKE
Water Type:	Well/Groundwater	Well Status:	Inactive Raw
Source Lat/Long:	372315.0 1221550.0	Precision:	1,000 Feet (10 Seconds)
Source Name:	SKYWOOD WELL 02 - INACTIVE		
System Number:	4110015		
System Name:	Skyline County Water District		
Organization That Operates System:	13885 Skyline Blvd. Woodside, CA 94062		
Pop Served:	1600	Connections:	460
Area Served:	WOODSIDE & VICINITY		
Sample Collected:	31-JAN-06	Findings:	2.21 PCI/L
Chemical:	RADIUM 228		

A2
NE
0 - 1/8 Mile
Lower

FED USGS USGS40000182839

Org. Identifier:	USGS-CA		
Formal name:	USGS California Water Science Center		
Monloc Identifier:	USGS-372318122255001		
Monloc name:	006S004W26E001M		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	37.3882734
Longitude:	-122.2649676	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	1440
Vert measure units:	feet	Vertacc measure val:	20
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Other aquifers		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	1955	Welldepth:	200
Welldepth units:	ft	Wellholedepth:	204
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: CA Radon

Radon Test Results

Zipcode	Num Tests	> 4 pCi/L
94062	119	27

Federal EPA Radon Zone for SAN MATEO County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level \geq 2 pCi/L and \leq 4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 94062

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	2.000 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	Not Reported	Not Reported	Not Reported	Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

OTHER STATE DATABASE INFORMATION

RADON

State Database: CA Radon

Source: Department of Health Services

Telephone: 916-324-2208

Radon Database for California

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX F
AERIAL PHOTOGRAPHS



Sky Londa Fire Station No. 58

17290 Skyline Blvd.

Redwood City, CA 94062

Inquiry Number: 4193066.12

January 29, 2015

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th Floor
Shelton, Connecticut 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2015 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography January 29, 2015

Target Property:

17290 Skyline Blvd.

Redwood City, CA 94062

<u><i>Year</i></u>	<u><i>Scale</i></u>	<u><i>Details</i></u>	<u><i>Source</i></u>
1943	Aerial Photograph. Scale: 1"=500'	Flight Year: 1943	USGS
1948	Aerial Photograph. Scale: 1"=500'	Flight Year: 1948	USGS
1953	Aerial Photograph. Scale: 1"=500'	Flight Year: 1953 Best Copy Available from original source	USGS
1963	Aerial Photograph. Scale: 1"=500'	Flight Year: 1963	USGS
1968	Aerial Photograph. Scale: 1"=500'	Flight Year: 1968	USGS
1982	Aerial Photograph. Scale: 1"=500'	Flight Year: 1982	USGS
1991	Aerial Photograph. Scale: 1"=500'	/DOQQ - acquisition dates: 1991	USGS/DOQQ
1998	Aerial Photograph. Scale: 1"=500'	Flight Year: 1998 Best Copy Available from original source	USGS
2005	Aerial Photograph. Scale: 1"=500'	Flight Year: 2005	USDA/NAIP
2006	Aerial Photograph. Scale: 1"=500'	Flight Year: 2006	USDA/NAIP
2009	Aerial Photograph. Scale: 1"=500'	Flight Year: 2009	USDA/NAIP
2010	Aerial Photograph. Scale: 1"=500'	Flight Year: 2010	USDA/NAIP
2012	Aerial Photograph. Scale: 1"=500'	Flight Year: 2012	USDA/NAIP




INQUIRY #: 4193066.12

YEAR: 1943

| = 500'





INQUIRY #: 4193066.12

YEAR: 1948

| = 500'






INQUIRY #: 4193066.12

YEAR: 1953

| = 500'






INQUIRY #: 4193066.12

YEAR: 1963

| = 500'






INQUIRY #: 4193066.12

YEAR: 1968

| = 500'






INQUIRY #: 4193066.12

YEAR: 1982

| = 500'






INQUIRY #: 4193066.12

YEAR: 1991

| = 500'





INQUIRY #: 4193066.12

YEAR: 1998

 = 500'





INQUIRY #: 4193066.12

YEAR: 2005

| = 500'





INQUIRY #: 4193066.12
YEAR: 2006
| = 500'





INQUIRY #: 4193066.12

YEAR: 2009

| = 500'





INQUIRY #: 4193066.12

YEAR: 2010

| = 500'





INQUIRY #: 4193066.12

YEAR: 2012

| = 500'

